









applifast.com

Toll Free 1 800 563 1293

TABLE OF CONTENTS

Benefits of Anti-fatigue Mats/Safety and Ergonomics	. 2	
Compression Deflection & Durometer/Hardness Comparison.	. 3	
ESD Matting	. 4	
Chemical Compatibility of Nitrile Rubber Products	. 5	
Mat Symbols	6,7	
M+A Matting Product Feature Guide	8,9	
Mat Selector Guide),11	
M+A Matting Hog Heaven® vs. Traditional Diamond Plate / M+A Matting Hog Heaven Prime™ vs. Commercial Grade Urethane	. 12	
M+A Matting Comfort Flow vs. Traditional Industrial Mats / M+A Matting Cushion Max 5/8" vs. PVC Foam Cushion 5/8"		

PAGE 14

ANTI-FATIGUE & SLIP RESISTANT MAT COLLECTION

ERGONOMIC MODULAR TILE MAT COLLECTION

INTERIOR-EXTERIOR MAT AND TILE COLLECTION

CLEAN STRIDE®.....

M+A Matting Comfort Flow vs. Traditional Industrial Mats / M+A Matting Cushion Max 5/8"	vs. PVC Foam Cushion 5/8"			11
PRODUCT NAME	PRODUCT #	MAT TYPE	PLACEMENT	
HOG HEAVEN®	421, 422, 423, 424	Anti-fatigue	Wet/Drv	1
HOG HEAVEN PRIME®	4220, 4221	Anti-fatigue	Wet/Dry	1
HOG HEAVEN® FASHION				
HOG HEAVEN® MARBLE TOP				
GETFIT STANDUP™ MAT	4443, 4447, 4448	Anti-fatigue	Dry	2
CUSHION MAX [™] with holes and CUSHION MAX [™] without holes				
COMPLETE COMFORT™ without holes and COMPLETE COMFORT™ with holes				
COMPLETE COMFORT™ II				
HAPPY FEET® HAPPY FEET® LINKABLE textured surface & grip surface				
SURE CUSHION RIBBED, TEXTURE, HEAVY DUTY, YELLOW BORDER				
SURE TREAD V-GROOVE	505	Floor Protection	Dry	2
COMFORT FLOW Mand COMFORT SCRAPE™	420, 430,	Anti-tatigue/Slip resistant	Wet/Dry	2
CUSHION STATION™ without holes and CUSHION STATION™ with holes	3/0, 3/1	Anti-tatigue/FlowInrougn	wet/Dry	2
WET STEP®				
TRACTION TREAD	/ 89	Stip resistant	Wet/Dry	2
TRACTION TREAD SOFT				
CORRUGATED SWITCHBOARD and DIAMOND SWITCHBOARD	30	SIIP IESISIAIII	vet/DIy	2
MILITARY SWITCHBOARD DIAMOND and MILITARY SWITCHBOARD SMOOTH				
M+A Matting Modular Mats vs. the competition				
HOG HEAVEN III™ MODULAR TILE & LINKABLE MATS COMFORT				
HOG HEAVEN III [™] WORKSTATION MATS COMFORT				
HOG HEAVEN III™ MODULAR TILE TRAFFIC/DRAINABLE, LINKABLE MATS TRAFFIC/DRAINABLE	<u>4477-4480 4491 4492 4488 4489</u>	Anti-fatigue	Wet/Drv	3
HOG HEAVEN III™ MODULAR TILE & LINKABLE MATS FASHION				
HOG HEAVEN III™ WORKSTATION MATS FASHION				
HOG HEAVEN III™ MODULAR TILE, LINKABLE & WORKSTATION MATS POLY				
COMFORT FLOW™/SCRAPE™ HD MODULAR TILE & LINKABLE MATS				
COMFORT FLOW™/SCRAPE™ HD WORKSTATION MATS	4439. 4440	Anti-fatigue/Slip resistant	Wet/Dry	3
The M+A Matting Logo Mat Program				
WATERHOG IMPRESSIONS HD®	2380, 2381	Scraper/Wiper	Indoor/Outdoor	4
WATERHOG® LOGO INLAY				
CLASSIC IMPRESSIONS™ HD LOGO and GRAND IMPRESSIONS HD LOGO	73, 64	Wiper	Indoor	4
CLASSIC IMPRESSIONS™ CUSTOM SHAPE	733	Wiper	Indoor	4
HOG HEAVEN® IMPRESSIONS				
CLASSIC IMPRESSIONS™	70	Wiper	Indoor	4
SUPERSCRAPE IMPRESSIONS™ LOGO	3559	Scraper	Indoor/Outdoor	4
Preventitive Maintenance, Waterhog Backing Types, Slip and Fall Facts				50,5
WATERHOG® PLUS				
WATERHOG® LOW PROFILE				
WATERHOG® ECO GRAND ELITE				
WATERHOG® GRAND CLASSIC				
WATERHOG® ECO PREMIER and ECO PREMIER FASHION	,			
WATERHOG® ECO ELITE and ECO ELITE FASHION	- /	and the second second		
WATERHOG® CLASSIC, FASHION and DRAINABLE				
WATERHOG® CLASSIC DIAMOND and FASHION DIAMOND	/	and the second second		
WATERHOG® ECO ELITE ROLL GOODS	,	and the second second		
WATERHOG® DIAMONDCORD				
WATERHOG® MASTERPIECE SELECT				
WATERHOG® CLASSIC TILE				
WATERHOG® MODULAR TILE SQUARE				
WATERHOG® FORKLIFT MAT				
MELT STEP™		•		
FRONTIER		•		
SUPERSCRAPE™ PLUS	•			
MICROLUXX™				
MICKULUXX TRI-GRIP™/CLASSIC™MATS/CLASSIC™CARPETS and TRI-GRIP™ XL	1201	wiper	IIIUUUI	6
ENVIRO PLUS®				
PLUSH™				
IMPRESSIONIST				
COBBLESTONE		T ·		
SURE STRIDE®				
		•		
SURE STRIDE® PLUSH	445/	SIID RESISTANT	Indoor	









The Benefits of ANTI-FATIGUE MATS



Anti-Fatigue mats alleviate stress to the back and legs by providing a cushioned surface to stand on.


Anti-Fatigue mats are perfect for people who have to stand or work in the same place for continual periods of time.

Anti-Fatigue mats are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

M+A Matting Anti-Fatigue mats have been shown to do the following:

- REDUCE ENERGY CONSUMPTION BY UP TO 50% in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- **REDUCE FATIGUE** by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



BALANCED

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

IMBALANCED

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain




Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip and fall accidents(NSC)
- Compensation and medical costs associated with employee slip and fall accidents total approximately \$70 Billion annually (NSC)
- The average cost of a slip and fall injury exceeds \$12,000 (Wausau Insurance)
- The average cost to defend a slip and fall lawsuit is \$50,000(NFSI)
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma (CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates and absenteeism
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue

Testing shows that Ergonomic Matting can reduce worker fatigue.

Compression Deflection & Durometer/Hardness Comparison



Compression Deflection

General Principal

- 1. This test was designed to assess and compare performance characteristics of a variety of industrial anti-fatigue mats submitted for testing. Two specific load levels were applied to the test samples and the results show the deflection measured. The 2 specific load levels performed were 20psi, equal to a 150 pound human and 40psi, equal to a 600 pound human.
- Readings suggest that less than 20% deflection could be perceived as too hard and readings above 60% deflection could be perceived as too soft. It appears that between 20% and 60% deflection anti-fatigue properties can be felt.

Durometer/Hardness

General Principal

TEST RESULTS



COMPETITOR'S

Comfort Flow™ & Cushion Station™

Comfort Flow: 28% deflection @20psi 46% deflection @40psi

Cushion Station: 36% deflection @20psi 49% deflection @40psi

Durometer/Hardness: Comfort Flow: 45 Cushion Station: 50-55

Traditional Industrial Red Mat

11% deflection @20psi 22% deflection @40psi

Durometer/Hardness: 70

Cushion Max

49% deflection @20psi 65% deflection @40psi

PVC Foam

38% deflection @20psi 59% deflection @40psi

Hog Heaven® 5/8"

40% deflection @20psi 55% deflection @40psi

Durometer/Hardness: 56

Diamond Plate 5/8"

48% deflection @20psi 65% deflection @40psi

Durometer/Hardness: 85













ESD Matting

ESD Matting is designed to quickly drain static electricity from people to help protect sensitive equipment from damage.

ESD Matting is divided into three classifications:

- **1. Electrically Conductive** is rated 10¹ to 10⁵ and accepts static electricity the quickest. This is the most often used ESD matting.
- **2. Static Dissipative** is rated 10⁶ to 10⁹ and is the middle range of ESD matting.
- **3. Anti-Static** is rated 10^10 to 10^12 and accepts static the slowest.

ESD Matting is rated in ohms, or the measure of resistance. The lower the resistance, the more quickly static is accepted by the matting, i.e., the lower the exponential, the more quickly static is accepted.

Electrically Conductive Mats HOG HEAVEN® HOG HEAVEN HOG HEAVEN III COMFORT Product No. 421 5/8" black border Surface to Ground 5/8" striped border Product No. 423 50% Relative Humidity 12% Relative Humidity 7/8" black border Product No. 422 1.7 x 104 Ohms 2.9 x 104 Ohms 7/8" striped border Product No. 424 HOG HEAVEN III™ COMFORT Surface to Surface 50% Relative Humidity 12% Relative Humidity 18" x 18" Modular Tile Comfort 4.9 x 104 Ohms 2.6 x 104 Ohms 36"x36" Modular Tile Comfort No.4472 Linkable Mats Comfort, black border No. 4210 Linkable Mats Comfort, yellowborder No. 4211 HAPPY FEET HAPPY FEET® Surface to Ground 50% Relative Humidity | 12% Relative Humidity BLACK BORDER 3.5 x 104 Ohms 1.6 x 105 Ohms textured surface Product No. 465 grip surface Product No. 475 Linkable Surface to Surface Product No. 467 textured surface: end 50% Relative Humidity 12% Relative Humidity textured surface: middle Product No. 469 grip surface: end Product No. 477 6.9 x 104 Ohms 5.8 x 105 Ohms grip surface: middle Product No. 479 STRIPED BORDER Product No. 466 textured surface TRACTION TREAD grip surface Product No. 476 Linkable Surface to Ground textured surface: end Product No. 468

Static Dissipative Mats COMFORT FLOW COMFORT FLOW™ HD TILE

Comfort Flow Product No. 420 Comfort Scrape Product No. 430 **Comfort Flow HD Modular Tile** No. 401 Comfort Scrape HD Modular Tile No. 4431 Comfort Flow HD Linkable Mats No. 4434 Comfort Scrape HD Linkable Mats No. 4435

CUSHION STATION™

Without Holes ProductNo.370 Product No. 371

TRACTION TREAD SOFT

Product No. 56

COMFORT FLOW/SCRAPE, **COMFORT FLOW HD/SCRAPE HD** MODULAR TILE & LINKABLE MATS. CUSHION STATION

Surface to Ground

50% Relative Humidity 12% Relative Humidity 3.7 x 108 Ohms 4.5 x 108 Ohms

Surface to Surface

50% Relative Humidity 12% Relative Humidity 9.1 x 108 Ohms 9.5 x 108 Ohms

TRACTION TREAD SOFT

Surface to Ground

50% Relative Humidity 12% Relative Humidity $3.7 \times 10^{8} \text{ Ohms}$ 4.5 x 108 Ohms

Surface to Surface

50% Relative Humidity 12% Relative Humidity 9.1 x 108 Ohms 9.5 x 108 Ohms

50% Relative Humidity

2.2 x 104 Ohms

50% Relative Humidity

TRACTION TREAD Product No. 50

textured surface: middle Product No. 470

grip surface: end

grip surface: middle

Product No. 478

Product No. 480

Surface to Surface

12% Relative Humidity

2.5 x 104 Ohms

12% Relative Humidity 5.5 x 104 Ohms 5.5 x 104 Ohms

Accessories

Ground Cords are used to allow static electricity to pass more efficiently to a ground and provide a controlled path. Use the cord to connect all ESD floor mats to a building ground. The terminal can be connected to an electrical outlet using the screw in the outlet cover.



Heel Grounders are made for workers wearing rubber soles and other insulating shoes. They allow static electricity to pass around the shoe into the ESD matting. Fasten the Heel Grounder to the heel of the shoe with the Velcro and allow the fabric strip to touch the sock or skin for best performance.











Chemical Compatibility of Nitrile Rubber Products

	Chemical Tested	Rating
А	Aliphatic Hydrocarbons - Kerosene, Etc.	1
В	Animal & Vegetable Oils	1
С	Aromatic Hyrdocarbons - Benzol, Toluol, Etc.	1
D	Bleach	1
E	Concentrated Alkali	1
F	Cutting Oil	1
G	Denatured Alcohol	1
Н	Diesel	1
I	Dilute Alkali	1
J	Engine Oil	1
K	Gasoline	1
L	Hydraulic Fluid Silicate Ester	1
М	Hydraulic Fluid Water Glycol	1
N	L.P. Gas, Fuel Oils	1
0	Lubricating Oils - High Aniline	1
Р	Lubricating Oils - Low Aniline Point	1
Q	Mineral Spirits	1
R	Muriatic Acid - 30%, 20 Degrees Baume	1
S	Phosphoric Acid	1
T	Pine Cleaner	1
U	Refrigerants, Ammonia	1
٧	Sodium Hydroxide, Rayon Grade, 25%	1
W	Sulphuric Acid - 30%	1
Χ	Transmission Fluid	1
Υ	WD40	1
Z	Water	1
AA	Window Cleaner	1
BB	Anti-Freeze	2
CC	Brake Fluid	2
DD	Calcium Hypochlorite - 12%	2
EE	Chlorine Bleach - 12.5%	2
FF	Hydraulic Fluid - Petroleum Base	2
GG	Steam	2
НН	Butyl Alcohol	3
II	Isopropyl Alcohol - 99%	3
JJ	Acetic Acid - 56%	4
KK	Acetone	4
LL	Cyclohexande	4
MM	Refrigerants, Methyl Chloride	4

Applies to these products:



Hog Heaven III Modular Traffic





Safety Scrape

Hog Heaven





Hog Heaven III Modular Comfort

Cushion Station





Comfort Flow HD Modular Tile





Traction Tread

Traction Tread Soft





Hog Heaven Prime

Complete Comfort II

- 1 =Little or no effect
- 2 = Minor to moderate effect
- 3 = Moderate to severe effect
- 4 = Not recommended









Mat Symbols



Anti-Fatigue

Ergonomic mats and floor tiles reduce fatigue by up to 50%. Anti-fatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.



Safety

Matting and tiles with highly visible, colored borders and beveled edges reduce trips



Chemical Resistant

Many M+A Matting mats are manufactured with nitrile rubber which is resistant to most commonly used chemicals. Please consult the chemical compatibility chart on page 5 for additional information.



Oily Environment

Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils,etc.



Wet Areas

Matting suitable for wet environments; products with this icon have a bi-level surface and water dam designed to hold moisture and keep floors dry, or they have openings designed to let water pass through the mat and keep the work surface dry, or are otherwise designed to to be slip-resistant in wet environments.



Dry Areas

80% of applications are for dry environments and are designed to hold up under heavy foot traffic. Matting and tiles are available in a wide range of sizes, materials and colors.



Ergonomic Floor Tiles

Tiles that can be customized to fit large work areas and various shapes around work tables, machinery, conveyors, etc. Interlocking tiles may be easily reconfigured as equipment is moved.



ESD

Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.



Welding Safe

Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees Fahrenheit from welding slag and hot metal shavings.

Mat Symbols



Low Temperatures

Nitrile rubber has the ability to withstand temperatures as low as -40 degrees Fahrenheit. These products can be placed in freezers and applications for extreme cold.



High Temperatures

Nitrile Rubber has the ability to withstand temperatures up to 1800 degrees Fahrenheit. These products can be placed in welding, grinding and high temperature applications for extreme heat.



Anti-Slip

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.



Non-Conductive

Matting created for Switchboards and high voltage areas. Prevents workers from being grounded and reduces the potential for injuries caused by electrical shock.



Cart Traffic

Matting and tiles designed to withstand heavy cart traffic, and is also an ideal placement around heavy objects.



Anti-Microbial

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.



Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



Scraper/Wiper

Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.



Winer

Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of interiors.


M+A Matting Product Feature Guide

		He.	ind s	idic ive	de Static Giff	alease Resistant Dill	diease Proof Artifi	realed Elec	dically Ron Co	Inductive Che	nical Wet	Meas Dry h	, teas
Item Category	Product Number(s)				(((
Anti-Fatigue	<u>'</u>												
Comfort Flow, Comfort Scrape	420, 430	Х	Х			Х	Х			Χ	Х	Х	
Comfort Flow HD Modular Tile, Linkable and Workstatio	on Mats 4430, 4434, 443	39 X	Х			Х	X			Χ	Х	Х	
Comfort Scrape HD Modular Tile, Linkable and Workstation	n Mats 4431, 4435, 444	40 X	Х			Х	Х			Χ	Х	Х	
Complete Comfort	494, 496			X		Х	Х			Χ	Х	Х	
Complete Comfort II	594	Х	Х			Х				Χ	Х	Х	
Cushion Max	413, 414					Х	X			Χ	Х	Х	
Cushion Station	370, 371	Х	Х			Х				Χ	Х	Х	
GetFit StandUp	4443			X								Х	
Happy Feet	465, 466, 475, 4	76 X				Х		Χ		Χ	Х	Х	
Hog Heaven	421, 422, 423, 4	24 X				Х		χ		Х		Х	
Hog Heaven Confetti	443, 444	Х	Х									Х	
Hog Heaven Fashion	441, 442			X								Х	
Hog Heaven Marble Top	448, 449			Х								Х	
Hog Heaven Prime	4220, 4221	Х	Х		Х	Х				Х	Х	Х	
Hog Heaven III Modular Tile Comfort and Linkable Mats	Comfort 4471, 4472, 4497, 4	1498 X				Х		χ		χ		Х	
Hog Heaven III Workstation Mats Comfort	4493, 4494	Х				Х		χ		χ		Х	
Hog Heaven III Modular Tile, Linkable and Workstation I	Mats Fashion 4484, 4485, 4476, 4	1475		Х								Х	
Hog Heaven III Modular Tile, Linkable and Workstation	n Mats Poly 4482, 4483, 4481,	1487		X								Х	
Hog Heaven III Modular Tile Traffic, Drainable	4477, 4478, 4479,	4480 X				Х		Х		χ		Х	
Hog Heaven III Linkable Traffic, Drainable	4491, 4492, 4488,	4489 X				Х		χ		χ		Х	
Kneeling Comfort	433, 436	Х				Х		χ		χ	Х	Х	
Sure Cushion Products	415, 425, 427, 42	28										Х	
Sure Tread	505				Х							Х	
Traction Tread Soft	56	Х	Х			Х	X			Χ	Х	Х	
Slip Resistant Matting		·	·										
Melt Step	886, 887, 889	Х				Х	Х			Х	Х	Х	
SuperScrape	555, 5555					Х				Х	Х	Х	
Sure Stride/Sure Stride Plush	4450/4457						X				Х	Х	
Traction Tread	50	Х				Х		Х		Χ	Х	Х	
WaterHog Forklift Mat	1253			Х							Х	Х	
Non Conductive Matting						,							
Switchboard Matting	781, 782, 783, 78	34			Х				Х			Х	
Logo Mats													
Classic Impressions, Classic Impressions HD	70/73		Х									Х	
Classic Impressions HD Custom Shapes	733		Х									Х	
SuperScrape Impressions	3559			Х	Х					Х	Х	Х	

M+A Matting Product Feature Guide

			Weiti	ile e	static tive his	de Static Diff.	sease dil	Proof Milit	reated ties	dically Mon. C	Southering Che	mical we	Heas Dryk	1885
Item	Category	Product Number(s)									(
	Logo Mats (continued)													
SuperScrape Impr	essions Message Mats	3557			Х	Х					Х	Х	Х	
WaterHog Impres	sions HD	2380, 2381			Х							Х	X	
WaterHog Inlay		234, 235			Х							Χ	Х	
	Entrance Way Mats													
Brush Hog Plus –	- Scraper	385			Х							Х	Х	
Frontier — Scrape	r	437										Х	X	
Flex-Tip — Scrape	ır	874										Х	Х	
SuperScrape Plus	s – Scraper	5558, 5559			χ							Χ	Х	
WaterHog Classic	c/Fashion— Scraper/Wiper	200/280			Χ							Х	Х	
WaterHog Grand (Classic- Scraper/Wiper	272, 273, 274			Χ							Χ	Х	
WaterHog Classic	: Diamond/Fashion Diamond — Scraper/Wiper	208/221			Х							Х	Х	
WaterHog Diamor	ndcord— Scraper/Wiper	296			Х							Х	X	
WaterHog Modula	ır Tile Square— Scraper/Wiper	2210			Х							Х	Х	
WaterHog Eco Elit	e/Eco Elite Fashion— Scraper/Wiper	2240/2241			χ							χ	X	
WaterHog Eco Gra	ind Elite- Scraper/Wiper	2243, 2244, 2246			Х							Х	Х	
WaterHog Eco Pre	mier/Eco Premier Fashion— Scraper/Wiper	2295/2297			Χ							χ	X	
WaterHog Master	piece Select — Scraper/Wiper	265			χ							Х	Х	
WaterHog Plus –	Scraper/Wiper	185			Χ							Х	Х	
Classic Brush — V	Niper	110, 2110											Х	
Cobblestone – Wi	iper	870											Х	
Enviro Plus — Wip	per	2202			Х								Х	
Impressionist – V	Viper	871											Х	
Stylist – Wiper		872											Х	
Tri-Grip/Classic N	Mats/Classic Carpets — Wiper	100, 190			χ								Х	
Victory — Wiper		873			χ								Х	
MicroLuxx — Wipe	ır	1201			χ								Х	
	Specialty Mats													
Clean Stride - Sci	raper/Wiper	410, 411, 412			Х								Х	

Mat Selector Guide
















Mat	Area
G,E	Cafeteria/Break
K,A	Clean Room
M,L	Dry Assembly
F,Q	Electric Panel
R,H	Entrance
C,G	Eyewash Stations
G,C	Food Prep
I,G	Locker Room
L,M	Mail & Samples
L,P	Maintenance
M,L	Manufacturing
M,L	Molding
S,J	Offices
L,M	Packing Lines
O,N	Paint
L,M	Quality Control
S,B	Reception
L,M	Rework
L,M	Shipping/Receiving
M,L	Stamping
O,N	Testing Labs
L,M	Tool Crib
T,U	Vestibule
L,M	Warehouse
M,L	Welding
C,D	Wet Assembly

Mat	Style & Product Number
Α	Clean Stride #412
В	Classic Solutions #120
С	Comfort Flow #420
D	Comfort Flow Modular Tile #4430
Е	Comfort Scrape #430
F	Corrugated Switchboard #781
G	Cushion Station #370/371
Н	Flex Tip #874
1	Frontier #437
J	Get Fit Stand Up Mat #4442
K	Happy Feet #465
L	Hog Heaven #424
Μ	Hog Heaven III Modular Tile Comfort #4471
Ν	Hog Heaven III Modular Tile Poly #4482
0	Hog Heaven Marble Top #448
Р	Kneeling Comfort #433
q	Military Switchboard Diamond #789
R	SuperScrape Plus #5558
S	Tri-Grip/Classic Mats #100
Т	Waterhog Classic #200
U	WaterHog Modular Tile Square #2210

The first letter denotes Best choice, the second letter is a Good secondary option for the corresponding areas of a facility.

These are the most commonly used mats & floor tiles in industrial manufacturing facilities. The letter corresponds with the area chart to the left to help you locate the correct mat for a specific location.

Are you getting full value from your Anti-Fatigue Mats?





M+A Matting Hog Heaven®

Traditional Diamond Plate VS.

Nitrile Rubber Top - 20% Recycled Content	PVC Surface
Superior Slip Resistance Wet or Dry	Slippery when wet
Welding Safe	Not recommended for welding
Chemical and Oil resistant	Not recommended for chemical/oily areas
Cushion permanently molded to surface	Cushion can delaminate since it is glued on
Superior Border Strength Prevents Tearing	Weak Border Strength
Static Dissipative	No anti-static benefit
Rubber borders will not ripple or curl	Plastic Borders will ripple & curl over time
Highest quality closed cell Nitrile Foam	Low quality PVC foam
Cost equivalent to Diamond Plate	Cost equivalent to Hog Heaven
100% Customer Satisfaction Guaranteed	3 Year Guarantee

Do you want Urethane comfort at an affordable price?





M+A Matting Hog Heaven Prime®


VS.

Commercial Grade Urethane

\$69.00	2' x 3' Retail Price	\$120.00
.625"	Thickness	.75"
20 psi/18%, 40 psi/35%	Compression Deflection	20 psi/12%, 40 psi/34%
61 grams (-1.92%)	Tabor Abrashion	-1.20 grams (-3.22%)
28.44 lbs	Tensil Strength	29.47 lbs
21.7 lbs	Tear Strength	8.8 lbs
18.4 lbs	Puncture Test	18.7 lbs
Yes	Static Dissipative	No
Yes	Welding Safe	No
Yes	Chemical Resistant	No
Yes	Slip Resistant Backing	No
100% Customer Satisfaction Guaranteed	Warranty	Limited

Are all Industrial Mats the same?






 $\textbf{M+A Matting Comfort Flow}^{\scriptscriptstyle \mathsf{TM}}$

VS.

Traditional Industrial Mats

Yes	Reduces lifting injuries by being lighter weight	No
Yes	Lasts up to five times longer	No
Yes	Comfortable to stand on	No
Yes	Stands up to harsh animal fats, chemicals, greases and oils	No
Yes	Made to last - 100% Customer Satisfaction Guaranteed	No
Yes	Low profile - prevents trips and falls and allows carts to roll over	No
Yes	Anti-microbially treated	No
Yes	Made in America	No

Similar Cost... Twice the Life!





M+A Matting	Cushion	Max'™	5/8"
-------------	---------	-------	------

VS.

PVC Foam Cushion 5/8"

100% Nitrile Blended Closed Cell Foam	PVC Foam
Diamond Pattern Surface twice as durable	Ribbed Surface Peels & Shaves
5/8" Thickness	5/8" Thickness
Drainable or Non-Drainable	Non-Drainable
Dry or Wet Environments	Dry Environments
Superior Anti Fatigue	Minimal Anti-Fatigue
Rolls Available	Rolls Available
100% Customer Satisfaction Guaranteed	1 Year Warranty









ANTI-FATIGUE MAT & SLIP RESISTANT MAT COLLECTION

HOG HEAVEN®

HOG HEAVEN PRIME®

HOG HEAVEN® FASHION

HOG HEAVEN® MARBLE TOP

GETFIT STANDUP™ MAT

CUSHION MAX™

COMPLETE COMFORT™

COMPLETE COMFORT™ II

HAPPY FEET®

HAPPY FEET®LINKABLE

SURE CUSHION RIBBED

SURE CUSHION TEXTURE

SURE CUSHION HEAVY DUTY

SURE CUSHION YELLOW BORDER

SURE TREAD V-GROOVE

COMFORT FLOW™

COMFORT SCRAPE™

CUSHION STATION™

KNEELING COMFORT™

WET STEP®

TRACTION TREAD

TRACTION TREAD SOFT

CORRUGATED SWITCHBOARD

DIAMOND PLATE SWITCHBOARD

MILITARY SWITCHBOARD

MILITARY SWITCHBOARD SMOOTH











Anti-Fatigue mats are available in a wide range of sizes, weights and materials. It has been proven that the proper use of anti-fatigue mats can enhance worker productivity. These mats are designed for use wherever workers spend time standing and will help to eliminate muscular skeletal disorders.



Slip Resistant and Safety Mats

Protect Against Slips and Falls


Slip resistant and safety mats help provide safe working areas for employees and visitors to facilities. 85% of worker's compensation claims are attributed to employees slipping on slick floors. The utilization of slip resistant mats is an ideal solution to prevent such accidents from occurring.



Flow Through Mats

Wet Area Solution

Flow through mats allow liquids to pass through them to eliminate slip hazards. Anti-fatigue properties provide comfort when standing for long periods of time. The thick rubber helps alleviate stress on the legs, feet and lower back.



Runner and Floor Protection Matting

Runner matting made with nitrile rubber covers inside walkways and helps reduce slips and falls. Slips and falls are a leading cause of accidents in the workplace and providing sure footing is important to help decrease these types of accidents. Runner matting also protects the floor from parts or other objects being dropped, as well as aids in noise abatement.



Switchboard Matting

Switchboard matting protects workers from dangerous and harmful deadly shocks that can occur with electrical switchboards. This matting keeps the workers from being grounded and insulates them against high voltage. Switchboard matting is commonly referred to as non-conductive matting.

Mat Thicknesses



HOG HEAVEN®

5/8" black border Product No. 421 5/8" striped border Product No. 423 7/8" black border Product No. 422 7/8" striped border Product No. 424


- Closed-cell nitrile blended cushion is permanently molded (not glued) to the nitrile rubber surface
- · Rubber borders will not crack or curl
- · Chemical resistant, grease/oil proof
- Electrically conductive
- Welding safe
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 5/8" and 7/8" thickness; black or OSHA-approved striped border
- Recommended for distribution, manufacturing, and retail facilities for picking lines, assembly lines, workstations, check-out stations, and more

SIZES

2' x 3' 3' x 5' 3' x 12' 4' x 6' 4.8' x 8' Additional lengths up to 60'. See price list for all additional sizes.









black









HOG HEAVEN PRIME®

3/4" black Product No. 4220 3/4" black w/yellow striped border Product No. 4221

SIZES

2' x 3' 3' x 5'

3' x 10'

Sizes are approximate.

• Urethane foam comfort at an affordable price

- Nitrile rubber molded to a closed cell nitrile cushion for superior comfort and performance
- Edge-to-edge cushion
- High heel shoe safe, welding safe, and static dissipative
- Anti-microbial treated for lifetime protection against odors and degradation
- Beveled borders
- Grease and oil proof, chemical resistant
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for use in areas such as distribution, light manufacturing, work stations, check out stations, retail and healthcare environments





ANTI-FATIGUE/INDOOR

HOG HEAVEN® FASHION

5/8" Product No. 441 7/8" Product No. 442


 Anti-static, slip-resistant 100% solution-dyed polypropylene top surface will not fade

Hog Heaven Prime

- Solution-dyed fabric is molded to a solid nitrile rubber surface for best durability
- Closed-cell nitrile rubber cushion backing is molded to the nitrile surface, providing a comfortable long-lasting mat
- Beveled border remains flexible for the life of the product and will not crack or curl
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Ideal uses include concierge desk, bellman stand, copier station, registration desk and shipping desk

SIZES

2' x 3' 3' x 5' 3' x 12' Additional lengths up to 60'. See price list for all additional sizes.
















HOG HEAVEN® MARBLE TOP


5/8" Product No. 448 7/8" Product No. 449

- Closed cell nitrile rubber cushion provides long lasting comfort
- Extra-thick (.170") PVC top ensures long life
- Borders will not crack or curl
- Smooth diamond patterned top allows workers to pivot freely
- Surface is easy to clean
- Cushion is not glued on but is permanently molded to rubber top eliminating the possibility of delamination
- Anti-static

SIZES

2' x 3' 3' x 5' 3' x 12' 4' x 6' Additional lengths up to 60'. See price list for all additional sizes.



















GetFit StandUp Mat
Tan Polyester Designer Top

GetFit StandUp Mat
GetFit StandUp Mat
Red Polypropylene Fabric Top

GetFit StandUp Mat
Black Rubber Top

GETFIT STANDUP™ MAT

5/8" Polypropylene Fabric Top Product No. 4443 5/8" Rubber Top Product No. 4447 5/8" Polyester Designer Top Product No. 4448

SIZES


22" x 32" 22" x 50"

22" x 60"

34" x 47" 34" x 60"


- Designed for use at stand up desks and provide workers with a comfortable surface to stand on for hours
- Standing at work helps you burn more calories and can actually help you lose weight
- Nitrile blended cushion for maximum comfort while standing long hours
- Edge-to-edge foam
- Available with a polypropylene fabric top in 6 colors or a polyester designer top in 2 colors to match your office décor or a black rubber top for maximum durability
- Multiple sizes are available to fit the needs of your employees and their workspaces











CUSHION MAX™

5/8" with holes Product No. 413 5/8" without holes Product No. 414

- Closed-cell nitrile blended cushion
- Chemical resistant, grease/oil proof
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Lasts 3 times longer than traditional 100% PVC foam mats
- Tapered border provides a safe transition from the mat to the floor

SIZES 2' x 3'


3' x 5' 3' x 12' 4' x 6' Additional lengths up to 45'. See price list for all additional sizes.











Product No. 594 5/8"

- High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- Chemical resistant, grease/oil proof
- Welding safe and static dissipative
- Beveled edges for safe transition from mat to floor
- Lifetime anti-microbial treatment to prevent odors and degradation
- Can be autoclave sterilized
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for use in wet or dry environments for healthcare, foodservice and industrial application

SIZES

2' x 3'

3' x 4'

3' x 5'

4' x 6'











Applifast. applifast.com Toll Free 1 800 563 1293



SURE CUSHION RIBBED

3/8" Product No. 415

• Ribbed PVC foam*

SIZES

2' x 3' 2' x 60' 3' x 5' 3' x 60' 3' x 12' 4' X 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE CUSHION TEXTURE

3/8" Product No. 425

• Textured PVC foam*

SIZES

2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE CUSHION HEAVY DUTY

1/2" Product No. 428

- PVC foam for heavy use areas*
- 80 mil solid vinyl surface combined with a non-closed cell vinyl cushion back
- · Beveled on all sides for safety

SIZES

2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE CUSHION YELLOW BORDER

3/8" Product No. 427

 PVC foam with yellow border on two sides*

SIZES

2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE TREAD V-GROOVE

1/8" Product No. 505

- Solid vinyl
- Chemical resistant
- Provides protection for all types of floors from abuse due to chairs, tables and foot traffic
- Great for walkways, inclines and ramps
- Can be rolled for easy storage

SIZES 3' x 105'

4' x 105' Additional lengths available. Sizes are approximate.









& COMFORT SCRAPE™

3/8" **Comfort Flow** 3/8" Comfort Scrape Product No. 420 Product No. 430





4' x 6'

• Beveled edges for safe transition from mat to floor

• High-density closed-cell nitrile rubber cushion

provides excellent anti-fatigue qualities

• Grease and oil proof, chemical resistant

• Welding safe and static dissapitive

- Lifetime anti-microbial treatment to prevent odors and degradation of the mat
- Comfort Flow has drainage holes to allow liquids to flow through. Comfort Scrape has non-draining surface
- Lightweight and flexible for easy handling and cleaning
- Certified high-traction by the National Floor Safety Institute (NFSI)
- · Recommended for kitchens and industrial applications

2' x 3' 3' x 5'

3' x 9'
































CUSHION STATION™

7/16" without holes 7/16" with holes

Product No. 370 Product No. 371

 Highly durable closed-cell nitrile rubber cushion combined with uniquely designed construction affords excellent anti-fatigue properties

- Grease and oil proof
- Static dissipative
- Welding safe
- Designed for use in wet or dry areas. Available with and without holes
- Anti-microbial treated for lifetime protection against odors and degradation
- Available in standard sizes up to 20' long
- Flexible nitrile cushion construction can be cleaned easily
- Can be autoclave sterilized
- Cushion Station mats are ideal for use in machine shops, work stations or other heavy industrial applications, medical facility environments (i.e., operating rooms, delivery rooms, etc.) kitchens, showers, and locker rooms

SIZES

2' x 3.2' 3.2' x 5.3' 3.2' x 8.3' 3.2' x 12.3' 3.2' x 16.1' 4' x 5.92' 4' x 8.3' 4' x 12.3' 4' x 16.1' 4' x 20.1'











KNEELING COMFORT™

7/8" Product No. 433

- Closed-cell blended nitrile rubber cushion with nitrile rubber base
- Electrically conductive, grease/oil proof
- Will not absorb liquids
- Reduces knee trauma and low back stress
- Built-in handle is convenient to carry & store
- Cleans easily with soap and water
- Ideal for occupations that require kneeling such as construction workers, technicians, mechanics, engineers, utility workers, manufacturers or anyone who moves from place to place to perform work tasks



12" x 22" 18" x 30" Sizes are approximate.











Kneeling Comfort

SLIP RESISTANT/WET ENVIRONMENTS/INDOOR-OUTDOOR

WET STEP®

Product No. 789

uja dasian providas avcallant slip

1/4"

- Unique design provides excellent slip resistance and anti-fatigue properties
- Soft to walk on with bare feet
- Perfect for use in wet areas. Drain holes allow water to freely drain away.
- Anti-microbial treated for lifetime protection against odors and degradation
- Durable closed cell nitrile rubber cushion is UV resistant and will last for years
- Can be autoclave sterilized for health care use
- Recommended for use in locker rooms, showers, spas and around pools and hot tubs.
 Also recommended for use in operating rooms and medical scrub areas.

SIZES 2' x 3'

3' x 5' 3' x 10' 3' x 20'

Additional lengths up to 20'. See price list for all additional sizes.











Applifast. applifast.com Toll Free 1 800 563 1293

TRACTION TREAD

1/8" Product No. 50

- Slip-resistant floor protection matting made from chemical-resistant Nitrile rubber
- 20% post-consumer recycled rubber content
- UV protected, grease/oil-proof, welding safe and electrically conductive
- Designed for various applications including laboratories, locker rooms, parts departments, and other commercial and industrial applications

SIZES

33" x 40' Roll 44" x 40' Roll 58" x 40' Roll

See price list for all additional sizes.

Sizes are approximate.






























TRACTION TREAD SOFT

1/4" Product No. 56

- Slip-resistant floor protection matting made from chemical-resistant, high density Nitrile rubber foam
- Contains 15% post-consumer recycled rubber content
- UV protected, grease/oil-proof, welding safe and static dissipative
- Anti-microbial treated
- Ideal for numerous production locations, walkways, gym floor protection, parts counters, lab areas and food service applications

SIZES

33" x 40' Roll 44" x 40' Roll 58" x 40' Roll

See price list for all additional sizes.







CORRUGATED SWITCHBOARD

1/4" Product No. 781

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Corrugated Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts



SIZES

24" x 75' 36" x 75' 48" x 75'

Additional lengths up to 75'. See price list for all additional sizes. Sizes are approximate.












DRY ENVIRONMENTS/INDOOR



DIAMOND PLATE SWITCHBOARD

1/4" Product No. 783

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Diamond Plate Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts

SIZES 36" x 75'







MILITARY SWITCHBOARD DIAMOND

3/16" Product No. 784

• Non-conductive


• Meets strict Military specification standard MIL-DTL 15562G


• Type III - PVC runner material protects workers in high voltage use areas

• Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G SIZES

36" x 75'

Sizes are approximate.














DRY ENVIRONMENTS/INDOOR



MILITARY SWITCHBOARD SMOOTH

1/8" Product No. 782

• Non-conductive

 Meets strict Military specification standard MIL-DTL 15562G

• Type II - PVC runner material protects workers in high voltage use areas

 Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G SIZES

36" x 75'











ERGONOMIC MODULAR TILE MAT COLLECTION

HOG HEAVEN III™ LINKABLE MATS COMFORT HOG HEAVEN III™ WORKSTATION MATS COMFORT HOG HEAVEN III™ MODULAR TILE TRAFFIC HOG HEAVEN III™ MODULAR TILE TRAFFIC DRAINABLE HOG HEAVEN III™ LINKABLE MATS TRAFFIC HOG HEAVEN III™ LINKABLE MATS TRAFFIC DRAINABLE HOG HEAVEN III™ MODULAR TILE FASHION HOG HEAVEN III™ LINKABLE MATS FASHION HOG HEAVEN III™ WORKSTATION MATS FASHION HOG HEAVEN III™ MODULAR TILE POLY HOG HEAVEN III™ LINKABLE MATS POLY HOG HEAVEN III™ WORKSTATION MATS POLY COMFORT FLOW™ HD MODULAR TILE COMFORT FLOW™ HD LINKABLE MATS COMFORT FLOW™ HD WORKSTATION MATS COMFORT SCRAPE™ HD MODULAR TILE COMFORT SCRAPE™ HD LINKABLE MATS COMFORT SCRAPE™ HD WORKSTATION MATS

M+A Matting Modular Mats vs. The Competition





Hog Heaven III	Modular	IIIe	Comtort
----------------	---------	------	---------

'S.	Competitor Rubber Tile

	3/4"	Thickness	3/4"
	57	Durometer	65
	19% @ 20psi / 33% @ 40psi	Compression Deflection	11% @ 20psi / 18% @ 40psi
	Electrically Conductive 1.7x10^4 ohms	ESD Rating	(10^9 ohms per sq) ASTM D-257
	Yes	Chemical/Oil Resistant	Yes
	.93 Dry, .88 Wet per ASTM C1028-96	Coefficient of Friction	.96 Dry per ASTM D1677
	Yes	Welding Safe	No
	Flammability DOC-FF-1-70 "A" Rating	Flammability	Flammability D.O.C F.F1-70 (Pill Test)
	Yes	Nitrile Cushion Backing	No





Hog Heaven III™ Modular Tile Traffic

Competitor Heavy Duty Hard PVC Tile VS.

5/8"	Thickness	7/8"
50-55	Durometer	95
23% @ 20psi / 34% @ 40psi	Compression Deflection	5% @ 20psi / 7% @ 40psi
Static Dissipative 3.7x10^8 ohms	ESD Rating	No
Yes	Chemical/Oil Resistant	No
.96 Dry, .92 Wet per ASTM C1028-96	Coeffecient of Friction	ASTM F1677 Dry: Cof=.65 Wet:Cof=.42
Yes	Welding Safe	No
Flammability DOC-FF-1-70 "A" Rating	Flammability	Flammability MVSS 302 / A Rating





Comfort Flow HD Modular Tile

VS.

1/2"	Thickness	7/8"
75	Durometer	95
15% @ 20psi / 18% @ 40psi	Compression Deflection	5% @ 20psi / 7% @ 40psi
Static Dissipative 1.5x10^6 ohms	ESD Rating	No
Yes	Chemical/Oil Resistant	No
.89 Dry, .85 Wet per ASTM C1028-96	Coefficient of Friction	ASTM F1677 Dry: Cof=.65 Wet:Cof=.42
Yes	Welding Safe	No
Flammability DOC-FF-1-70 "A" Rating	Flammability	Flammability MVSS 302 / A Rating
Yes	Anti-Microbial	No





HOG HEAVEN III MODULAR TILE COMFORT



HOG HEAVEN III LINKABLE MATS COMFORT



HOG HEAVEN III™ MODULAR TILE COMFORT and HOG HEAVEN III™ LINKABLE MATS COMFORT

18" x 18" x 3/4" Modular Tile 36" x 36" x 3/4" Modular Tile 3/4" Linkable Mats black border 3/4" Linkable Mats yellow border Product No. 4471 Product No. 4472 Product No. 4497 Product No. 4498

- Wedge-locking mechanism
- Outstanding anti-fatigue qualities for dry areas
- Solid nitrile rubber top surface has excellent chemical and oil/grease resistance
- Closed cell nitrile rubber cushion provides long lasting comfort
- Welding safe
- Nitrile rubber surface is molded to the cushion backing (not glued) so the surface will not delaminate
- Rubber surface remains flexible for the life of the product and will not curl or crack
- · Borders available in black or yellow striped
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for distribution, manufacturing and retail facilities for picking lines, assembly lines, work stations, check-out stations and more

HOG HEAVEN III™ WORKSTATION MATS COMFORT

3/4" Black border 3/4" Yellow border

Product No. 4493 Product No. 4494

MODULAR TILE SIZES

18" x 18" Middle-01 18" x 18" x 3/4" Side Black-02 18" x 21.875" x 3/4" Corner Black-03 21.875" x 21.875" x 3/4" Side Yellow-04 18" x 21.875" x 3/4" Corner Yellow-05

21.875" x 21.875" x 3/4"

36" x 36"

Middle-01 36" x 36" x 3/4" Side Black-02 36" x 39.875" x 3/4" Corner Black-03 39.875" x 39.875" x 3/4" Side Yellow-04 36" x 39.875" x 3/4" Corner Yellow-05 39.875" x 3/875" x 3/4"

Color: Black with Black border or Yellow border NOTE: Hog Heaven III Modular Tile Comfort is designed for square or rectangle installations only.

LINKABLE MAT SIZES

Mat End 39.875 x 43.75" x 3/4" Mat Middle 36" x 43.75" x 3/4"


Color: Black with Black border or Yellow border

WORKSTATION Mat Size

43.75 x 43.75" x 3/4"

US Patent 8,919,054























Hog Heaven III Modular Tile Traffic Drainable Middle

MODULAR TILE SIZES

18" x 18"

Middle-01 18" x 18" x 5/8" Side-02 18" x 21.875" x 5/8" Corner-03

21.875" x 21.875" x 5/8"

36" x 36" Middle-01

Middle-01 36" x 36" x 5/8" Side-02 36" x 39.875" x 5/8" Corner-03 39.875" x 39.875" x 5/8"

LINKABLE MAT SIZES

Mat End 39.875 x 43.75"x 5/8" Mat Middle 36" x 43.75" x 5/8"

US Patent 8,919,054

HOG HEAVEN III™ MODULAR TILE TRAFFIC & HOG HEAVEN III™ MODULAR TILE TRAFFIC DRAINABLE

18"x 18"x 5/8"Modular TileProduct No. 447736"x 36"x 5/8"Modular TileProduct No. 447818"x 18"x 5/8"Modular Tile drainableProduct No. 447936"x 36"x 5/8"Modular Tile drainableProduct No. 4480

HOG HEAVEN III™ LINKABLE MATS TRAFFIC

5/8" Linkable Mats black border Product No. 4491 5/8" Linkable Mats yellow border Product No. 4492

HOG HEAVEN III™ LINKABLE MATS TRAFFIC DRAINABLE

5/8" Linkable Mats black border Product No. 4488 5/8" Linkable Mats yellow border Product No. 4489

- Wedge-locking mechanism
- Firm ergonomic tile for workstations that require cart traffic
- Interlocks with Hog Heaven III Modular Tile Comfort to create a complete ergonomic flooring system
- Made with high-density closed-cell nitrile rubber
- Borders available in black or yellow striped
- · Chemical resistant, grease/oil proof
- Welding safe
- Static dissipative







Applifast. applifast.com Toll Free 1800 563 1293












ANTI-FATIGUE/INDOOR





HOG HEAVEN III LINKABLE MATS **FASHION**







Hog Heaven III Modular Tile Fashio

320 granite

321 cocoa brown

323 coal black 322 cobalt blue

HOG HEAVEN III™ **MODULAR TILE FASHION & LINKABLE MATS FASHION**

18"x 18"x 3/4" **Modular Tile** 36"x 36"x 3/4" **Modular Tile**

3/4" **Linkable Mats** Product No. 4484 Product No. 4485 Product No. 4476

- Wedge-locking mechanism
- Anti-static, slip-resistant 100% solution-dyed polypropylene top surface will not fade
- Solution-dyed fabric is molded to a solid nitrile rubber surface for best durability
- Closed-cell nitrile rubber cushion backing keeps standing workers comfortable all day long
- Beveled border remains flexible for the life of the product and will not crack or curl
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Ideal uses include concierge desk, bellman stand, copier station, registration desk, pharmacies and labs

HOG HEAVEN III™ **WORKSTATION MATS FASHION**

Product No. 4475

MODULAR TILE SIZES

18" x 18" Middle-01 18" x 18" x 3/4" Side-02

18" x 21.875" x 3/4" Corner-03

21.875" x 21.875" x 3/4"

36" x 36"

Middle-01 36" x 36" x 3/4" Side-02

36" x 39.875" x 3/4"

Corner-03 39.875" x 39.875" x 3/4"

NOTE: Hog Heaven III Modular Tile Fashion is designed for square or rectangle installations

LINKABLE MAT SIZES

Mat End 39.875 x 43.75" x 3/4" Mat Middle 36" x 43.75" x 3/4"

WORKSTATION MAT SIZE

43.75 x 43.75" x 3/4" US Patent 8,919,054









COMFORT FLOW™ HD MODULAR TILE & LINKABLE MATS COMFORT SCRAPE™ HD MODULAR TILE & LINKABLE MATS

5/8"Comfort Flow HD Modular TileProduct No. 44305/8"Comfort Scrape HD Modular TileProduct No. 44315/8"Comfort Flow HD Linkable MatsProduct No. 44345/8"Comfort Scrape HD Linkable MatsProduct No. 4435

- High-density closed-cell nitrile rubber provides excellent anti-fatigue qualities
- Comfort Flow Modular Tiles can be custom fit in any work station configuration
- Lightweight and flexible for easy handling
- Welding safe

Comfort Flow HD Modular Tile

- Chemical resistant, grease/oil proof
- Static dissipative
- Beveled edges for safe transition from mat to floor
- Lifetime anti-microbial treatment to prevent odors and degradation of the mat
- Comfort Flow has drainage holes to allow liquids to flow through
- Comfort Scrape has non-draining surface
- Recommended for industrial and kitchen applications

COMFORT FLOW™ HD & COMFORT SCRAPE™ HD WORKSTATION MATS

i/8" Comfort Flow HD Workstation Mat Product No. 4439 i/8" Comfort Scrape HD Workstation Mat Product No. 4440

MODULAR TILE SIZES

Corner tile 19.125" x 19.125" x 5/8" 37.375" x 37.375" x 5/8" Side tile

18" x 19.125" x 5/8" 36" x 37.375" x 5/8" Middle tile 18" x 18" x 5/8" 36" x 36" x 5/8"


LINKABLE MAT SIZES

Mat End 37.125" x 39" x 5/8" Mat Middle 36" x 39" x 5/8"

WORKSTATION MAT SIZES

39" x 39" x 5/8"











LOGO MAT, SIGN MAT & MESSAGE MAT COLLECTION

WATERHOG IMPRESSIONS HD® WATERHOG® LOGO INLAY CLASSIC IMPRESSIONS™ HD LOGO GRAND IMPRESSIONS HD LOGO CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE HOG HEAVEN® IMPRESSIONS CLASSIC IMPRESSIONS™ SUPERSCRAPE IMPRESSIONS™ LOGO

The M+A Matting Logo Mat Program

M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

Ordering Logo Mats is as easy as 1-2-3:

- 1) Visit www.mamatting.com to submit your logo file using our easy to use web page.
- 2) Log into your account and simply click on "Logo Mats" and then "Submit Design".
- Complete the necessary information on the submit page, attach your logo file and then click on "Send your design". Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 hours. Once your proof arrives by email, please take the following simple steps:

- 1) Approve or make necessary changes to the proof.
- Return the art proof with any changes or approved art proof with purchase order and quantity of mats to artwork5@mamatting.com.



Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

^{*}Color prints, if available, may be submitted to show color placement for a design.



Create your own proofs with The M+A Matting Mobile App!

Visit your app store and search "M+A Matting" to download app.

The M+A Matting Mobile App provides an easy way for users to search and view existing mat designs as well as create their own proofs using our simple tools.

Each user will be able to:

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

M+A Matting's user friendly app is compatible with any mobile device.

Below is a condensed list of compatible devices:

- Android
- Android tablets
- iPhone*
- iPad*
- iPod Touch*

*all Apple products require iOS 6.0 or later





Color options

- Available with your choice of classic rubber border or fashion fabric border
- Perfect for high traffic areas
- No set up charge! Free proofs in 24 hrs!

Sizes are approximate. See price list for all additional sizes.









3/8" Classic (rubber border) 3/8" Fashion (fabric border)

Product No. 234 Product No. 235


- 100% UV resistant polypropylene fabric for indoor and outdoor placements
- Molded rubber backing resists curling and cracking in all types of weather. Available in smooth and cleated backing types.
- Earth-friendly rubber backing has 20% post-consumer recycled content
- Designs are created using a unique inlay process that can include up to 19 colors per mat at no additional charge
- Available with your choice of classic rubber border or fashion fabric border
- No set up charge! Free proofs in 24 hrs!
- Perfect for high traffic areas


SIZES

2' x 3' 4' x 8' 3' x 4' 4' x 10' 3' x 5' 4' x 12' 3' x 6' 4' x 16' 3' x 10' 4' x 20' 3' x 12' 6' x 8' 6' x 12' 3' x 16' 3' x 20' 6' x 16' 4' x 6' 6' x 20'

Sizes are approximate. See price list for all additional sizes.












*These colors are ONLY available in 3' and 4' widths.





Applifast.

Appli applifast.com Toll Free 1 800 563 1293



CLASSIC IMPRESSIONS™ HD LOGO

3/8" SBR rubber border and backing 3/8" vinyl border and backing

Product No. 73 Product No. 73

GRAND IMPRESSIONS HD LOGO

3/8" serged border, vinyl backing

Product No. 64

- Heavy 32 oz/sq yd high twist, heat-set nylon face fabric
- SBR rubber backing contains 20% recycled rubber from car tires
- Logos are printed onto carpet face; fine details, shading and 3-D images are achievable utilizing a state-of-the-art digital printer
- 4-color process- 150 color options and photographic quality designs
- No set up charges, art proofs in 24 hours and fast ship times (3-5 business days)
- Available with cleated backing (3', 4' and 5' widths only) for placement on carpet or smooth backing for hard floor surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

2' x 3' 3' x 4' 3' x 5' 3' x 10' 4' x 6' 4' x 8' 5' x 10' 6' x 10' 6' x 12'

Sizes are approximate. See price list for all additional sizes. PMS custom color available at an additional









Applifast. applifast.com Toll Free 1 800 563 1293





HOG HEAVEN® IMPRESSIONS

5/8" Product No. 3422

- Multi-color images are created by molding a digitally printed polymeric material into the durable nitrile rubber
- Nitrile rubber top surface has 20% recycled content
- Closed cell nitrile blended cushion is permanently molded (not glued) to the nitrile rubber top surface
- Rubber borders will not crack or curl
- Chemical resistant, grease/oil proof
- Recommended for distribution, manufacturing and retail facilities for picking lines, assembly lines, work stations, check-out stations and more

SIZES

2' x 3' 3' x 5' 3' x 12'

4' x 6'

Sizes are

approximate. See price list for all additional sizes. PMS custom color available at an additional charge.



Hog Heaven Impressions





CLASSIC IMPRESSIONS™

/8" SBR or vinyl backing Product No. 70

- Long-wearing, 26 oz/sq yd, static-dissipative nylon carpet
- SBR rubber backing contains 20% post-consumer recycled content and resists curling and cracking
- Available with cleated backing (3', 4' and 5' widths only) for placement on carpet or smooth backing for hard floor surfaces
- No set up charge! Fast Service!
- Recommended for commercial buildings, hotels, restaurants, health care facilities, office buildings and more
- Search over a million designs in our logo database at www.mamatting.com

SIZES

2' x 3' 3' x 4' 3' x 5'

3' x 10'

4' x 6' 4' x 8'

4 x 8 5' x 8'

5' x 8'

6' x 10' 6' x 12'

Sizes are approximate. See price list for all additional sizes. PMS custom color available at

an additional charge.









SUPERSCRAPE IMPRESSIONS™ LOGO

3/16" Product No. 3559

- SuperScrape Impressions™ Logo Mats offer a superior printing surface for your company logo or promotional message
- Multi-color images are created by molding a digitally printed polymeric material into durable nitrile rubber
- These long-lasting logo mats perform beautifully in all types of environments
- The high-traction surface effectively removes and traps tough dirt, grime and water from shoes
- 150 color options available. Photorealistic images, print ready artwork, tones and shades are all produced with unparalleled detail and clarity.
- SuperScrape Impressions[™] are perfect for any application where colorful logo mats or message mats are needed
- Resistant to oils and chemicals

SIZES

2.5' x 3' 3' x 4' 3' x 5'

3' x 5' 3' x 10'

4' x 6'

4' x 8' 6' x 6'

6' x 6' 6' x 8'

Sizes are approximate. PMS custom color available at an additional

charge.













INTERIOR-EXTERIOR MAT AND TILE COLLECTION

WATERHOG® PLUS

WATERHOG® LOW PROFILE

WATERHOG® ECO GRAND ELITE

WATERHOG® GRAND CLASSIC

WATERHOG® ECO PREMIER

WATERHOG® ECO PREMIER FASHION

WATERHOG® ECO ELITE

WATERHOG® ECO ELITE FASHION

WATERHOG® CLASSIC

WATERHOG® FASHION

WATERHOG® DRAINABLE

WATERHOG® CLASSIC DIAMOND

WATERHOG® FASHION DIAMOND

WATERHOG® ECO ELITE ROLL GOODS

WATERHOG® DIAMONDCORD

WATERHOG® MASTERPIECE SELECT

WATERHOG® CLASSIC TILE

WATERHOG® MODULAR TILE SQUARE

WATERHOG® FORKLIFT

 $\mathsf{MELT}\;\mathsf{STEP}^{\mathsf{\tiny{M}}}$

FRONTIER

SUPERSCRAPE™

SUPERSCRAPE™ PLUS

 $\mathsf{MICROLUXX}^{\scriptscriptstyle\mathsf{TM}}$

 $\mathsf{TRI\text{-}GRIP}^{\scriptscriptstyle\mathsf{TM}}/\mathsf{CLASSIC}^{\scriptscriptstyle\mathsf{TM}}\,\mathsf{MATS}/\mathsf{CLASSIC}^{\scriptscriptstyle\mathsf{TM}}\,\mathsf{CARPETS}$

 $\mathsf{TRI\text{-}GRIP}^{\scriptscriptstyle\mathsf{TM}}\,\mathsf{XL}$

ENVIRO PLUS®

PLUSH™

IMPRESSIONIST

COBBLESTONE

SURE STRIDE®

SURE STRIDE® PLUSH

CLEAN STRIDE®

















Scraper mats are designed to stop mud and larger particles of dirt from being tracked inside buildings. These mats provide aggressive scraping action and trap dirt and debris in recessed areas until the mats are cleaned. Scraper mats can be used outside or inside and should be used in conjunction with a Scraper/Wiper mat and a Wiper mat.



Scraper/Wiper Entrance Mats

The Second Step to Keeping Dirt Outside

Scraper/Wiper mats are designed to provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough fabrics. They channel and retain dust in recessed grooves while absorbing moisture in the fabric face. These mats are primarily used inside but may be used outside in covered areas.



Wiper Entrance Mats


The Third Weapon Against Dirt and Moisture

Wiper Entrance Mats are designed to stop any remaining dust and moisture left after using the Scraper mat and Scraper/Wiper mat. These mats are made with carpet facing to complement most interiors. These mats are for indoor use and when used in conjunction with a Scraper mat and Scraper/Wiper mat, they can stop as much as 85% to 95% of dirt and grime from being tracked into a building.

Preventative Maintenance

Mats are the first defense to stop dirt and moisture from entering your building.

Mats filter these contaminants from entering the facility, saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.



Consider These Facts...

- 70% to 80% of dust, grime and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors
- One square yard of carpet can accumulate one pound of dirt a week—twice that in inclement weather
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs. As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 10' to 15' (as recommend by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets

Waterhog® Backing Types



SBR Rubber
.078 mil thickness
Cleated backing
Recommended for carpeted floors.



.078 mil thickness
Smooth backing
Recommended for hard floor surfaces
with light to medium traffic.

SBR Rubber



Nitrile Rubber
.100 mil thickness
Anchor Safe backing
Recommended for hard floor surfaces with
heavy traffic and where carts are in use.

Slip and Fall Facts

THE PROBLEM:

- Slip and falls are the second leading cause of all workplace injuries (Liberty Mutual Workplace Safety Index; 2007)
- Approximately 25,000 people a day are victims of slip and fall accidents (NSC)

THE COST:

- Compensation and medical costs associated with employee slip and fall accidents total approximately \$70 billion annually (NSC)
- The average cost of a slip and fall related injury exceeds \$12,000 (Wausau Insurance)

THE HUMAN FACTOR:

- 65% of all lost work days are due to slip and fall accidents
- 22% of slip and fall accidents resulted in more than 31 days away from work (Bureau of Labor Statistics)

THE RISK:

- The average cost to defend a slip and fall lawsuit is \$50,000 (NFSI)
- 57% of all food service general liability claims are slip and fall accidents (C.N.A. Insurance)
- Since 1980, personal injury lawsuits have risen by more than 300% in the food service industry (National Floor Safety Institute)
- Plaintiffs win 51% of premises liability claims (JVR)

WATERHOG® PLUS

Product No. 185 3/8"

Features a 100% PET recycled surface with a durable nitrile rubber backing.

- Clean and dry water dam border holds moisture; raised nubs are resistant to crushing and keep dirt below foot level
- Environmentally-friendly constructed with 100% post-consumer PET polyester (made from recycled plastic)
- Safe beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute
- Durable 90 mil nitrile rubber backing ensures the mat lays flat and remains in place

SIZES

- 2' x 3' 3' x 4' 3' x 5'
- 3' x 10'
- 4' x 6' 4' x 8'
- 5' x 7'*
- 5' x 10'* 6' x 12'
- *Minimum order of 100 pieces required for select sizes. Sizes are approximate.



ENTRANCE/SCRAPER-WIPER/INDOOR







Maroon

Chestnut Brown







Black Smoke











WATERHOG® LOW PROFILE

3/10" Product No. 251

- Guards against slip and falls by keeping floor dry and clean... 80% of slip and fall accidents occur on wet
- Low profile flat borders reduce potential tripping hazards
- Easy to install and maintain. Perfect for permanent and semi-permanent installations.
- Commercial grade polypropylene fabric for high traffic
- Mats feature Anchor Safe Backing made with heavy 100 mil nitrile rubber that keeps mats in place

SIZES

- 3' x 5' 3' x 10'
- 4' x 6' 4' x 10'

Sizes are approximate.













granite









Waterhog Eco Grand Elite
























WATERHOG® ECO GRAND ELITE

Half Oval: No. 2246 3/8"

One End: No. 2243

Two Ends: No. 2244

HALF OVAL TWO ENDS

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

3' x 1.8'	3' x 7.1'
4' x 2.3'	3' x 11.7'
6' x 3.3'	3' x 15.5'
6' x 3.3' ONE END 3' x 5.5' 3' x 10' 3' x 13.9' 3' x 17.7' 3' x 21.6' 4' x 5.9' 4' x 10.5' 4' x 14.4' 4' x 18.2' 4' x 22' 6' x 7' 6' x 11.6' 6' x 15.4' 6' x 19.3'	3' x 19.4' 3' x 23.2' 4' x 8' 4' x 12.6' 4' x 16.5' 4' x 20.3' 6' x 10.1' 6' x 14.8' 6' x 22.4' Sizes are approximate. See price list fr additional way to 40' are standard
6' x 23.1'	Cleated backing
	and available

and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only

in Smooth backing. *Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.

















170 black smoke

171 indigo

172 southern pine


175 chestnut brown

177 regal red









one end: No. 273





 24 oz./yd. Polypropylene fiber system dries quickly and won't fade or rot

half oval: No. 272

Green friendly rubber backing has 20% recycled rubber content

3/8"

- Exclusive rubber-reinforced face pattern prevents pile from crushing, extending performance life
- Unique ridged construction effectively removes and holds dirt & moisture below shoe level
- Exclusive "Water Dam" border allows Waterhog to trap dirt and water
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

6' x 19.3'

6' x 23.1'

0.220	
HALF OVAL 3' x 1.8' 4' x 2.3' 6' x 3.3' ONE END 3' x 5.5' 3' x 10' 3' x 13.9' 3' x 17.7' 3' x 21.6' 4' x 5.9' 4' x 10.5' 4' x 14.4' 4' x 18.2' 4' x 22' 6' x 7' 6' x 11.6' 6' x 15.4'	TWO ENDS 3' x 7' 3' x 11.7' 3' x 15.5' 3' x 19.4' 3' x 23.2' 4' x 8' 4' x 12.6' 4' x 16.5' 4' x 20.3' 6' x 10.1' 6' x 14.8' 6' x 18.6' 6' x 22.4'

two ends: No. 274

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.







Fabric border













applifast.com Toll Free 1 800 563 1293









Waterhog Eco Premier Fashion



WATERHOG® ECO PREMIER FASHION

3/8" Product No. 2297

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- · Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

2' x 3' 4' x 10' 3' x 4' 4' x 12.2' 3' x 5' 4' x 16' 3' x 6' 4' x 20' 3' x 8.4' 6' x 6' 3' x 10' 6' x 8.4' 3' x 12.2' 6' x 12.2' 3' x 16' 6' x 16' 6' x 20' 3' x 20'

4' x 6'

4' x 8.4'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

*Note: Anchor Safe backing available with a 30%upcharge. This backing is .100 mil thick Nitrile rubber.

















170 black smoke

171 indigo

172 southern pine

173 grey ash

174 maroon

175 chestnut brown

176 khaki

177 regal red











WATERHOG® ECO ELITE

3/8" Product No. 2240

WATERHOG® ECO ELITE FASHION


3/8" Product No. 2241

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surface
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

2' x 3' 4' x 10' 3' x 4' 4' x 12.2' 4' x 16' 3' x 5' 3' x 6' 4' x 20' 3' x 8.4' 6' x 6' 3' x 10' 6' x 8.4' 3' x 12.2' 6' x 12.2' 3' x 16' 6' x 16' 3' x 20' 6' x 20' 4' x 6' 4' x 8.4'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. *Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.



Waterhog Eco Elite Fashion southern pine

Rubber reinforced textile

Waterhog Eco Elite

Rubber reinforced textile Fabric border

Waterhog Eco Elite Fashion



















170 black smoke

171 indigo

172 southern pine

173 grev ash

174 maroon

175 chestnut brown

176 khaki

177 regal red









Waterhog Fashion evergreen



WATERHOG® CLASSIC

3/8" Product No. 200

WATERHOG® FASHION

3/8" Product No. 280

ENTRANCE/SCRAPER-WIPER/INDOOR-OUTDOOR

WATERHOG® DRAINABLE









- 24 oz/sq yd solution dyed polypropylene fabric is highly stain resistant
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surface
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

18" x 27"	4' x 8'
2' x 3'	4' x 10'
3' x 4'	4' x 12'
3' x 5'	4' x 16'
3' x 8'	4' x 20'
3' x 10'	6' x 8'
3' x 12'	6' x 12'
3' x 16'	6' x 16'
3' x 20'	6' x 20'
4' x 6'	

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. "Note: Anchor Safe backing available with

*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.




*These colors are available in 3' and 4' widths only.









- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for commercial buildings, hotels. restaurants, healthcare facilities, office buildings and more

over 40' are available only in Smooth backing.

*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.























Product No. 2271* and 2272** 3/8"

- Environmentally friendly matting solution is made with 100% post-consumer recycled PET Polyester fiber derived from used plastic bottles
- Rubber backing contains 20% post-consumer recycled tires
- Permanently reinforced bi-level Waterhog construction effectively allows dirt and moisture to be filtered at the door and contained in the base of the mat, away from foot traffic
- Every square foot of a Waterhog Eco mat eliminates 4 half liter plastic bottles from the waste stream
- May be purchased pre-seamed and bordered or rolls may be purchased separately and installed on site
- Great for large entrances and custom cut applications in sizes up to 12'x 50'

*CUSTOM SIZES

See price list for additional information.

**ROLL SIZE

(Does not include nosing) 6' x 67'

















170 black smoke

171 indigo

172 southern pine

173 grey ash

174 maroon

175 chestnut brown


176 khaki

177 regal red



WATERHOG® DIAMONDCORD

Product No. 296



3/8"

- Manufactured with a permanent rubber reinforced bi-level face that minimizes crushing to provide dirt and moisture collection
- Thick and fine Polypropylene fibers wipe and scrape at the same time
- Rubber backing is 20% post-consumer recycled tire content
- Rubber water dam border keeps moisture and dirt from migrating off the mat
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Ideal choice for medium traffic placements

SIZES

2' x 3' 4' x 6' 3' x 4' 4' x 8.4' 4' x 10' 3' x 5' 3' x 6' 6' x 6' 3' x 8.4' 6' x 8.4 3' x 10'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

***Note:** Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile









ENTRANCE/SCRAPER-WIPER/













180 charcoal cord

181 green cord

182 grey cord

183 brown cord









ENTRANCE/SCRAPER-WIPER/



WATERHOG® MASTERPIECE SELECT

3/8" Product No. 265

- · Construction provides a rubber reinforced bi-level surface for long-term service
- 28 oz Polypropylene face and a SBR rubber backing with 20% post-consumer recycled tire content
- Rubber water dam border keeps moisture and dirt from migrating off the mat
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Ideal choice for medium traffic placements

SIZES

2' x 3' 4' x 6' 3' x 4' 4' x 8' 3' x 5' 4' x 10' 3' x 8' 6' x 8'

3' x 10'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.
*Note: Anchor Safe backing

available with a 30% up-charge. This backing is .100 mil thick Nitrile rubber.



234 smoky teal



235 thunderstorm





233 pewter

WATERHOG® CLASSIC TILE

1/4" and 7/16" No. 210-square, No. 216-diamond, No. 219-diagonal, No. 220-geometric

• Offers the same outstanding cleaning performance and benefits as the Waterhog Classic mat

18" x 18"


- Premium 24-ounce anti-static, 100% polypropylene fiber system with SBR rubber backing
- 18" x 18" tiles
- Classic square, diamond, diagonal or geometric pattern
- Designed to be installed in high-traffic areas such as entrances, recessed mat wells, lobbies, vestibules and elevators





ENTRANCE/SCRAPER-WIPER/

INDOOR





side border corner border SIZES 18" x 18" x 7/16" 36" x 36" x 7/16" 18" Side Border 36" Side Border

Waterhog Modular Tile Square camel


WATERHOG® MODULAR TILE SQUARE

7/16" Product No. 2210

- Cover large areas with this modular flooring entrance system without gluing in place. Professional flooring installer is not needed to install this system.
- 18"x 18" and 36"x 36" modular tiles link together easily
- Tapered rubber borders
- Side and corner borders securely link to outer perimeter of the installation
- Modular tiles can be cut in place if necessary
- Rubber reinforced bi-level cleaning surface provides long term cleaning performance
- Polypropylene face fabric is anti-static, stain resistant, fast drying and won't fade or rot
- Designed for high traffic entrances, recessed entrance areas, lobbies, vestibules and elevators in class a buildings, schools, hospitals, hotels, restaurants and other commercial establishments



36" Corner Border



18" Corner Border














SLIP RESISTANT/WET ENVIRONMENTS/INDOOR-OUTDOOR



3/8" Product No. 1253 3" x 108" Roll Double Sided Tape Product No. 1049

- Bi-level surface effectively removes moisture and dirt from forklift wheels to help keep your facility clean
- Modular mats are easy to install and scalable for the application
- Aggressive adhesive taping system keeps tiles from moving (tape sold seperatley)
- Polypropylene carpet is easy to clean and fast drying
- Made in the USA
- Durable rubber backing and polypropylene carpet top withstands forklift traffic up to 14,000 lbs
- Recommended for all buildings where forklifts must enter and exit a building to and from the outside













SIZE

4' x 6' Sizes are

approximate.

medium brown

dark brown

charcoal

red/black

medium grey

navy



FRONTIER

3/8" Product No. 437

- Unbacked vinyl loop scraper mat
- Filters dirt and water at the door
- · Use in locker rooms, showers and around pools
- Order with or without edging

SIZES

2' x 3' 4' x 8' 3' x 5' 3' x 60' 3' x 10' 4' x 60' 4' x 6'

Sizes are approximate. Additional lengths up to 40' in 3' and 4' widths
































SuperScrape



SUPERSCRAPE™

Product No. 555 and 5555* 3/16"

- Durable 100% nitrile rubber mat provides slip-resistant surface
- Molded tread-surface face cleats effectively scrape tough dirt and grime off shoes
- Earth-friendly mat has 20% recycled Nitrile rubber
- · Perfect for use outside of entrances as a scraper mat or as a slip resistant mat in wet areas
- Certified high-traction by the National Floor Safety Institute (NFSI)

SIZES

2'6" x 3' 3' x 5' 3' x 10'

4' x 6' *4' x 8'

*6' x 6' *6' x 8'

Sizes are approximate.

SUPERSCRAPE™ PLUS

3/16" without holes Product No. 5558 3/16" with holes Product No. 5559

- Durable 100% nitrile rubber mat provides slip-resistant surface
- Multi-directional molded tread pattern effectively scrapes tough dirt and grime off shoes
- Drainable border filters water off the mat. Available with or without holes.
- Chemical resistant, grease/oil proof
- Perfect for use outside of entrances as a scraper mat or as a slip resistant mat in wet areas

SIZES

2'6" x 3' 3' x 5' 3' x 10'

4' x 6'

Sizes are approximate.







Applifast. applifast.com Toll Free 1800 563 1293

MICROLUXX[™]

Product No. 1201

Features traditional nylon fibers blended with finer denier fibers that work together to absorb high levels of dirt and moisture.

- Superior dust and moisture control absorbs and retains 2.5 times more moisture than standard carpeted mats
- Fade resistant solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- Safe beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute
- Durable nitrile rubber backing (available in 52, 65, or 90 mil)

SIZES

2' x 3' 4' x 8' 2.5' x 3' 5' x 8' 2.5' x 4' 5' x 10' 3' x 4' 5' x 12' 3' x 5' 6' x 8' 3' x 10' 6' x 10' 4' x 6' 6' x 12' Custom sizes up to 40' Sizes are approximate.











Tri-Grip



TRI-GRIP™/CLASSIC™ MATS/ **CLASSIC™ CARPETS**

3/16" Product No. 100 Colors 101, 102, 103, 109, 111, 113, 114, 116, 119, 121, 128, 129, 132, 141 on SBR rubber

> 3/16" Product No. 190 Colors 105, 125, 126, 127, 131 on SBR rubber

TRI-GRIP™XL

3/16" Product No. 2100 on Nitrile rubber

- Heavy, 100% static dissipative nylon face offers outstanding absorption and durability
- Tight, heat-set, Ultra-Twist™ yarn construction resists packing and crushing
- Earth friendly SBR rubber backing has 20% recycled content. Resists curling and cracking.
- Also available with oil and grease resistant nitrile rubber backing
- Available with cleated backing for placement on carpet or smooth backing for hard floor surfaces. Cleated backing available in 3', 4' and 5' widths only.
- Certified high-traction by the National Floor Safety Institute (NFSI)

SIZES

2' x 3' 3' x 4' 3' x 5'

3' x 6'

3' x 8' 3' x 10' 4' x 6'

4' x 8'

4' x 10' Additional

lengths up to 40'. See price list for all additional sizes.

XL SIZES

7'- 12' widths are available in lengths up to 30'. See price list for all additional sizes. Sizes are approximate.



emerald greer



All colors are available in 3'and 4' width



**5' and 6' widths available







ENVIRO PLUS®

Product No. 2202 1/4"

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- Backing is post-consumer recycled tires and EPDM (post-industrial waste rubber); smooth backing only
- Recycled content is 89% of total product weight (76% post-consumer, 13% post-industrial)
- Effective as a wiper mat in entryways. Also use for floor protection and spill control at water fountains, break areas, food counters, hallways, labs and more
- Anti-static
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

2' x 3' 4' x 10' 3' x 4' 4' x 12' 3' x 5' 4' x 16' 3' x 8' 4' x 20' $3' \times 10' \quad 6' \times 8'$ 3' x 12' 6' x 12' 3' x 16' 6' x 16' 3' x 20' 6' x 20' 4' x 6' 4' x 8'

Sizes are approximate. Additional lengths up to 60'. See price list for all additional sizes.















PLUSH™

Product No. 180

- Heavy, 35 oz./sq. yd. nylon face creates the ultimate wiping surface
- Double thick nitrile rubber backing keeps mat stable, even with cart traffic
- Solution dyed nylon face will not fade over time
- Available with grippers for placement on carpeted surfaces and smooth backing for hard surfaces
- Can be machine washed and dried or vacuumed and extraction cleaned
- Perfect for use in grocery stores, airports, educational facilities, Class A buildings or any high traffic entrance way

SIZES

- 2' x 3' 3' x 4'
- 3' x 10'
- 4' x 6'
- 4' x 8'

See price list for all additional sizes Sizes are

approximate.











IMPRESSIONIST

3/8" Product No. 871

- Continuous filament olefin yarn is colorfast and resists stains
- Smooth non-skid vinyl backing
- Not launderable
- Designed to release dirt easily with daily vacuuming, or can be cleaned with any commercial carpet cleaning system

SIZES

2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	3' x 60
3' x 6'	4' x 60'
3' x 10'	

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths lengths up to 40'.



WIPER/INDOOR

















20 academy blue

21 burgundy

22 cardinal

23 black

24 forest green

25 navy blu

26 cable


27 salt & pepper





COBBLESTONE

5/16" Product No. 870



- Durable polypropylene face is effective against dust and lighter weight soil
- Smooth non-skid vinyl backing
- Not launderable
- Easily cleaned by vacuum, hose or pressure washer

SIZES

2' x 3' 4' x 6' 3' x 4' 4' x 8' 3' x 5' 3' x 60' 3' x 6' 4' x 60' 3' x 10'

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths

lengths up to 40'.















10 blue

11 brick

12 brownstone

13 charcoal

14 green

15 silver



SIZE

roll

SURE STRIDE®

5/64" 3' x 100' Roll Product No. 4450 Product No. 4459 **Cutting Board Cutting Knife** Product No. 4460

• **Keeps Floors Dry** – retains up to 1 gallon of water per 10 linear feet (25% more than competitive products); moisture barrier keeps liquids from soaking through to the floor

• Stays in Place — tacki-back adhesive system keeps mat flat and in place, even with cart and buggy traffic

• Quick & Easy to Install – cut individual mats as needed from the roll

• Easy to Clean – polypropylene fabric (10 oz.) is durable and easy to clean

• Safe – certified high-traction by the National Floor Safety Institute (NFSI)

• Will perform up to 3 months under FREE normal use CUTTING KNIFE with Tacki Ba<u>ck</u>



INDOOR/SLIP-RESISTANT



SURE STRIDE® PLUSH

Product No. 4457

• **Keeps Floors Dry** – retains more than 1 gallon of water per 10 linear feet; moisture barrier keeps liquids from soaking through to the floor

9/64"

SIZE 3' x 30' roll

- Stays in Place tacki-back adhesive system keeps mat flat in in place, even with wheelchair, cart, and buggy traffic
- Anti-microbial fabric is treated with an anti-microbial agent to help prevent odors
- Quick & Easy to Install cut individual mats as needed from the roll
- Easy to Clean recycled PET fabric (15 oz.) is durable and easy to
- Safe certified high-traction by the National Floor Safety Institute
- Will perform for 3 to 6 months under normal use







CLEAN STRIDE®

3/8" frame only 3/8" frame with carpet inserts

Product No. 410 Product No. 411 Product No. 412

- Earth-friendly SBR rubber backing has 20% recycled rubber content. Available in smooth or cleated backing.
- Not recommended for wet areas
- As foot traffic passes over the mat, the WaterHogTM surface scrapes larger particles while the adhesive insert captures smaller dust & dirt. With two footsteps on Clean Stride adhesive insert, over 90% of dirt particles are removed.
- Clean Stride mats provide highly effective dirt and dust removal methods for factories, computer rooms, warehouses, school


RUBBER FRAME SIZES

26.5" x 32" 36.5" x 46"

CARPET/ **RUBBER** FRAME SIZES

26.5" x 63.5" 36.5" x 92.5" Clean Stride Mat Frames do not include Clean Stride Inserts











Distributed by

Applifast.

We are committed.



251 Cree Crescent Winnipeg, MB Canada R3J 3X4

Tel: 204 837 8361 • 1 800 563 1293 Fax: 204 837 3520 • 1 800 974 1494

info@applifast.com











applifast.com