




APPLIFAST INC.

TOOL AND FASTENER SYSTEMS



Solutions for Industry Source Guide

Creating Innovative Solutions for Industry

Dear Customer,

Welcome to Applifast Inc. and to our latest Solutions for Industry Source Guide showing a small selection from our vast range of industrial products. Applifast Inc. is a family-owned business which has been operating for over 35 years. Our experience in serving industry has allowed us to develop a great variety of efficient and innovative industrial solutions to meet both the needs and the expectations of our customers. All our product lines have been chosen to include only top quality products from class leaders in the industry. Our product range covers a large spectrum - from simple tools, abrasives and cleaners through to state-of-the-art fastening systems and specialty industrial products.

Whatever your needs, we have the solutions! Whether your business is trucks, trailers, trains, buses, planes, marine, agriculture, electronics or general industry, Applifast Inc. provides a comprehensive range of inventory available for fast shipping - locally and right across North America.

So now's the time to experience the difference for yourself - from an initial enquiry through to a completed order, we promise to meet the demands and requirements of our customers - on time, each time, every time!

Call our friendly & knowledgeable sales team today at 800 563 1293 & discover what makes us different!

Payment Terms All amounts are due when rendered. Credit terms (30 days) are available on approved accounts only and will usually only be available to customers whose monthly spending exceeds \$500.00 per month. Payment may be made over the telephone using Visa or Mastercard - we recommend this method of payment for goods requiring immediate shipment. Cheque payment is also accepted but shipping may be delayed.

Pricing and Availability All prices quoted are in Canadian dollars. All prices are accurate at the date of publication but we reserve the right to amend pricing as required - please confirm pricing at time of ordering - remember, sometimes prices go down as well as up! All prices are based on the minimum quantity indicated - if larger quantities of any item are required, please call for your most competitive pricing - our friendly sales team will be glad to help! We carry one of the largest inventories of specialty fasteners in North America and we are confident that you will be impressed with how much we have in stock - many items will ship the same day as ordered and if an item is not in stock, we will ship as soon as it becomes available. All orders from stock placed before 3:00 p.m. CST will ship same day.

Shipping Charges In most instances, shipping charges will be included in the purchase price of the goods - this should be confirmed at time of ordering. A shipping charge will be made on all orders below \$500.00 in value (before tax). Bulky and heavy goods of low value will have shipping charged - we will advise you of these products at the time of ordering. At Applifast, we are committed to ensuring that shipping charges do not become an issue to our customers and we will take every step where possible to keep any charging to an absolute minimum.

Return of Goods Stock goods may be returned at our discretion - please call a member of our sales team to request a Return Goods Authorization Form. Non-standard, Special Order or Obsolete merchandise is not returnable for any reason.

Terms & Conditions All sales are subject to our Terms & Conditions of Sale, a copy of which is available on request.

E. & O.E. Issue No. 16
©2009 Applifast Inc. Printed in Canada

APPLIFAST
TOOL AND FASTENER SYSTEMS

251 Cree Crescent
Winnipeg, MB Canada R3J 3X4
T 204 837 8361 800 563 1293
F 204 837 3520 800 974 1494
E info@applifast.com

Index



Assembly Tools

4-5



Rivets & Tooling

6-7



Fastening Technology

8-11



Aerospace Fasteners & Tools

12-15



Cutting Tools & Material Finishing

16-19



Industrial Health & Safety

20-23

Assembly Tools

Cleco

The Cleco Pneumatic Assembly Tool range from Applifast offers one of the most diverse and comprehensive product lines in the portable tool industry.

With a broad selection of clutches and motors, this line of tools covers a wide range of torques at varying speeds. Coupled with a diverse line of attachments and throttles, these tools are suitable for an infinite number of applications. We have featured here, a small selection of best-selling Screwdrivers, Nutrunners, Pulse Tools and Impact Wrenches – please ask for a copy of our full line catalogue on these products.



Cleco Pneumatic Screwdriver Series

These Pneumatic Screwdrivers improve productivity, operator performance and finished product quality. The Cleco inline screwdriver is offered as push-to-start or push-and-lever-start, sliding knob or push-button reverse and includes an externally adjustable clutch and quick change chuck.

AP14BPA0XQ



14-Series Pistol Grip Screwdriver Series

This driver incorporates a "P" handle which is best suited for thread cutting fasteners where force must be exerted against the ergonomically shaped "P" handle during the process.

AP14PCA0XQ



14-Series "T" Handle Screwdriver Series

Another member of the Cleco 14-series family, this tool features the convenient choice of top, bottom or rear air inlets. This tool has a "T" shaped handle which is best for guiding the tool as the fastener is being tightened.

AP14TCA0QX



Cleco Nutrunners

We offer a multitude of Nutrunners, most of which can be equipped with a variety of drive options. This generates a tremendous number of different nutrunner combinations, allowing the exact tool with precise features to be chosen for specific applications. Cleco Nutrunners incorporate an innovative motor design that provides more usable power in a smaller package. These tools are smaller, lighter, faster and quieter. They provide the highest power-to-weight ratio in their class.

AP14RAA0XAM2



Cleco 75-Series Angle Nutrunners

These Angle Nutrunners are large, heavy duty tools, best suited for heavy duty environments. These tools are available with either 1/2" or 3/4" square drives, in either reversible or non-reversible versions.

AP75NAL-2X



Cleco Pneumatic Pulse Tools

Designed to assemble products where quality, high production and efficiency are paramount. Cleco Pulse Tools from Applifast offer consistent performance, unmatched durability and ease of use. With a variety of shut-off and nonshut-off pulse tools to choose from, you're sure to find just the right pulse tool for the job – featured is a new and productive model.

APXXXPTH



Cleco Impact Wrenches

The Cleco family of impact wrenches from Applifast is one of the most diverse in the hand tool industry. With a comprehensive line of attachments and throttles, these tools are suitable for an indefinite number of applications. We have featured the APWP4554X as a good workhorse – please call us with your specific application and we will be able to help you choose your appropriate tool.

APWP4554X



Cleco Impact Wrenches

The APWT2109-8 Impact wrench is a heavy duty tool and incorporates a unique oil-foam bath that provides positive lubrication for the hammer, anvil and other working parts. This system is designed so that if the bath runs low on oil, the tool will stop running, thus eliminating one of the main causes of impact wrench failure – lack of lubrication!

APWT2109-8



Free shipping

Conditions apply, see page 2

Apex

Apex provides the broadest selection of fastener tools in the world. Product breadth includes bits, sockets, universal wrenches, extensions and adapters. The Apex brand is synonymous with a true fit to a wide variety of fasteners, consistent 'world-class' quality and durability that outlasts as well as out-performs the competition. We have pictured a small selection from the Apex range (see right) – for further information on this enormous range, please request a copy of the Apex full line catalogue.



MasterPower

The **Master Power Versa Clutch Screwdriver** allows the operator to externally adjust the engagement of the clutch plates providing a full range of torque (5 - 140 In. Lbs. - .56 - 15.8 Nm) **"If ever there was an all purpose screwdriver for all trades, this is it!"**

- **Pistol Style**

APMP2436 (1800 rpm)

APMP2437 (1100 rpm)

- **Inline Style**

APMP2433 (1800 rpm)



The **Master Power Reversible Impact Nutrunner** offers the best of both worlds - the speed of a screwdriver with the power of an impact. With a high power-to-weight ratio, this tool comes complete with 4 built-in speed control regulator positions for varying the torque output. Not only is this tool reversible but it also offers the user a smooth and efficient impact mechanism which creates no torque reaction.

- **Pistol Style**

APMP2264 (1700 rpm)

APMP2265 (1400 rpm)

- **Inline Style**

APMP2266 (1700 rpm)



Ingersoll-Rand

The **AP2115Ti** is one of the worlds most powerful and compact 3/8" impact wrenches. The streamlined titanium hammer case allows the user to access fasteners that other bulky impacts can't reach. The 280 ft. lbs. of torque is ideal for even the toughest situations.



The **AP2135Ti** sets the standard for performance with the best power-to-weight ratio in its class.



The new **AP2135TiMAX** raises the bar still further with 780 ft. lbs. still at only 3.95 lbs. The new design includes enhanced controls for even greater comfort and convenience.



The **AP2161XP** combines a six-vane, high-output air motor, through-bolt construction, ergonomic handle and housing design to create an impact tool that offers increased power and durability like no other!

Airline Accessories

At Applifast, we have a large inventory of airline accessories for a variety of applications - these include swivel joints, filters, regulators and lubricators. We have listed four different types of accessories here - please speak to our knowledgeable sales staff for more information on this extensive range.

AP2012 Regulator



AP2501-A
Inline Regulator



AP95460
Airline Swivel Connector



AP64045
Servoir Single
Point
Lubricator



NEW

Tool Balancers

It's a simple fact - make a job easier to do and you can do it better, faster and for longer. Our tool balancers improve the productivity of light assembly, packaging and many other shop floor workers by keeping their tools out of the way when not needed. Expensive power tools suspended from balancers are safeguarded from being accidentally dropped onto the floor or onto other expensive products or equipment. We have chosen three models to feature here:



The **RB4** is a retractor type tool balancer. It features a heavy-duty, long-life spring, for lasting performance and is easily tensioned.

RB4



The **BF6** - with a pay load of 1.4 - 2.7kg (3.00 - 6.00lbs) and a travel range of up to 2m (6'6"), this robust balancer features a long-life spring, for lasting performance.

BF6



The **EB35000** is a heavy-duty balancer made from cast aluminum and can carry 11.4 - 15.9kg (25 - 35lbs). It also features a 360° swivel hanger and can be easily adjusted with no special tools.

EB35000

Couplers, Plugs and Hoses

We offer a complete range of couplers and plugs in a variety of sizes and configurations (i.e.: male, female etc.) - we have pictured some of them here. Please ask for our complete list or let us know your requirements and we will recommend the correct fitting for your application.


We also supply hoses for all applications - we offer a custom hose making service whereby you can select your hose type, length and what couplers you require and we can make to your exact specification. Please speak with our friendly staff for more information.



Rivets & Tooling

*Some items shown are special order and may require minimum order quantities.

Fastening with Pop Brand rivets from Applifast provides you with limitless combinations and possibilities. There is an optimum solution to your fastening requirements - questions like: "what body style? what material? what head style? and what application?" all contribute to determining the right rivet for the job. We have featured a very small selection here from our vast inventory.



Pop Open End Rivets Aluminum Body/Aluminum Mandrel - Domed Head

Code	Diameter in. (mm)	Length in. (mm)	Grip Range in. (mm)
AD 32 ABS	3/32 (2.4)	.225 (5.7)	.032-.125 (.8-3.2)
AD 34 ABS	3/32 (2.4)	.356 (8.9)	.126-.250 (3.2-6.4)
AD 36 ABS	3/32 (2.4)	.475 (12.1)	.251-.375 (6.4-9.5)
AD 41 ABS	1/8 (3.2)	.188 (4.8)	.032-.062 (.8-1.6)
AD 42 ABS	1/8 (3.2)	.250 (6.4)	.063-.125 (1.6-3.2)
AD 43 ABS	1/8 (3.2)	.313 (8.0)	.126-.187 (3.2-4.8)
AD 44 ABS	1/8 (3.2)	.375 (9.5)	.188-.250 (4.8-6.4)
AD 45 ABS	1/8 (3.2)	.438 (11.1)	.251-.312 (6.4-7.9)
AD 46 ABS	1/8 (3.2)	.500 (12.7)	.313-.375 (7.9-9.5)
AD 48 ABS	1/8 (3.2)	.625 (15.9)	.376-.500 (9.6-12.7)
AD 410 ABS	1/8 (3.2)	.750 (19.1)	.501-.625 (12.7-15.9)
AD 52 ABS	5/32 (4.0)	.275 (7.0)	.063-.125 (1.6-3.2)
AD 53 ABS	5/32 (4.0)	.338 (8.6)	.126-.187 (3.2-4.8)
AD 54 ABS	5/32 (4.0)	.400 (10.2)	.188-.250 (4.8-6.4)
AD 56 ABS	5/32 (4.0)	.525 (13.3)	.251-.375 (6.4-9.5)
AD 58 ABS	5/32 (4.0)	.650 (16.5)	.375-.500 (9.6-12.7)
AD 62 ABS	3/16 (4.8)	.300 (7.6)	.063-.125 (1.6-3.2)
AD 64 ABS	3/16 (4.8)	.425 (10.8)	.126-.250 (3.2-6.4)
AD 66 ABS	3/16 (4.8)	.550 (14.0)	.251-.375 (6.4-9.5)
AD 68 ABS	3/16 (4.8)	.675 (17.2)	.376-.500 (9.6-12.7)
AD 610 ABS	3/16 (4.8)	.800 (20.3)	.501-.625 (12.7-15.9)
AD 612 ABS	3/16 (4.8)	.925 (23.5)	.626-.750 (15.9-19.1)
AD 614 ABS	3/16 (4.8)	1.05 (26.7)	.751-.875 (19.1-22.2)
AD 616 ABS	3/16 (4.8)	1.175 (29.9)	.876-1.00 (22.3-25.4)
AD 84 ABS	1/4 (6.4)	.475 (12.1)	.063-.250 (1.6-6.4)
AD 86 ABS	1/4 (6.4)	.600 (15.2)	.251-.375 (6.4-9.5)
AD 88 ABS	1/4 (6.4)	.725 (18.4)	.376-.500 (9.6-12.7)
AD 810 ABS	1/4 (6.4)	.850 (21.6)	.501-.625 (12.8-15.9)
AD 812 ABS	1/4 (6.4)	.975 (24.8)	.626-.750 (15.9-19.1)
AD 814 ABS	1/4 (6.4)	1.100 (27.9)	.751-.875 (19.1-22.2)
AD 816 ABS	1/4 (6.4)	1.225 (31.1)	.876-1.00 (22.2-25.4)

Pop Open End Rivets Aluminum Body/Aluminum Mandrel - Large Flange

Code	Diameter in. (mm)	Length in. (mm)	Grip Range in. (mm)
AD 42 ABSLF	1/8 (3.2)	.250 (6.4)	.063-.125 (1.6-3.2)
AD 44 ABSLF	1/8 (3.2)	.375 (9.5)	.188-.250 (4.8-6.4)
AD 54 ABSLF	5/32 (4.0)	.400 (10.2)	.188-.250 (4.8-6.4)
AD 56 ABSLF	5/32 (4.0)	.525 (13.3)	.251-.375 (6.4-9.5)
AD 58 ABSLF	5/32 (4.0)	.650 (16.5)	.376-.500 (9.6-12.7)
AD 64 ABSLF	3/16 (4.8)	.425 (10.8)	.126-.250 (3.2-6.4)
AD 66 ABSLF	3/16 (4.8)	.550 (14.0)	.251-.375 (6.4-9.5)
AD 68 ABSLF	3/16 (4.8)	.675 (17.2)	.376-.500 (9.6-12.7)
AD 610 ABSLF	3/16 (4.8)	.800 (20.3)	.501-.625 (12.7-15.9)
AD 612 ABSLF	3/16 (4.8)	.925 (23.5)	.626-.750 (15.9-19.1)

Pop Open End Rivets Aluminum Body/Steel Mandrel - Domed Head

Code	Diameter in. (mm)	Length in. (mm)	Grip Range in. (mm)
AD 32 BS	3/32 (2.4)	.225 (5.7)	.032-.125 (.8-3.2)
AD 34 BS	3/32 (2.4)	.356 (8.9)	.126-.250 (3.2-5.4)
AD 41 BS	1/8 (3.2)	.188 (4.8)	.032-.062 (.8-1.6)
AD 42 BS	1/8 (3.2)	.250 (6.4)	.063-.125 (1.6-3.2)
AD 43 BS	1/8 (3.2)	.313 (8.0)	.126-.187 (3.2-4.8)
AD 44 BS	1/8 (3.2)	.375 (9.5)	.188-.250 (4.8-6.4)
AD 45 BS	1/8 (3.2)	.438 (11.1)	.251-.312 (6.4-7.9)
AD 46 BS	1/8 (3.2)	.500 (12.7)	.313-.375 (7.9-9.5)
AD 48 BS	1/8 (3.2)	.625 (15.9)	.376-.500 (9.6-12.7)
AD 410 BS	1/8 (3.2)	.750 (19.1)	.501-.625 (12.8-15.9)
AD 52 BS	5/32 (4.0)	.275 (7.0)	.063-.125 (1.6-3.2)
AD 53 BS	5/32 (4.0)	.338 (8.6)	.126-.187 (3.2-4.8)
AD 54 BS	5/32 (4.0)	.400 (10.2)	.188-.250 (4.8-6.4)
AD 56 BS	5/32 (4.0)	.525 (13.3)	.251-.375 (6.4-9.5)
AD 58 BS	5/32 (4.0)	.650 (16.5)	.376-.500 (9.6-12.7)
AD 62 BS	3/16 (4.8)	.300 (7.6)	.063-.125 (1.6-3.2)
AD 64 BS	3/16 (4.8)	.425 (10.8)	.126-.250 (3.2-6.4)
AD 66 BS	3/16 (4.8)	.550 (14.0)	.251-.375 (6.4-9.5)
AD 68 BS	3/16 (4.8)	.675 (17.2)	.376-.500 (9.6-12.7)
AD 610 BS	3/16 (4.8)	.800 (20.3)	.501-.625 (12.7-15.9)
AD 612 BS	3/16 (4.8)	.925 (23.5)	.626-.750 (15.9-19.1)
AD 614 BS	3/16 (4.8)	1.05 (26.7)	.751-.875 (19.1-22.2)
AD 616 BS	3/16 (4.8)	1.175 (29.9)	.876-1.00 (22.3-25.4)
AD 84 BS	1/4 (6.4)	.475 (12.1)	.063-.250 (1.6-6.4)
AD 86 BS	1/4 (6.4)	.600 (15.2)	.251-.375 (6.4-9.5)
AD 88 BS	1/4 (6.4)	.725 (18.4)	.376-.500 (9.6-12.7)
AD 810 BS	1/4 (6.4)	.850 (21.6)	.501-.625 (12.8-15.9)
AD 812 BS	1/4 (6.4)	.975 (24.8)	.626-.750 (15.9-19.1)
AD 816 BS	1/4 (6.4)	1.225 (31.1)	.876-1.00 (22.2-25.4)

Pop Open End Rivets Aluminum Body/Steel Mandrel - Large Flange

Code	Diameter in. (mm)	Length in. (mm)	Grip Range in. (mm)
AD 42 BSLF	1/8 (3.2)	.250 (6.4)	.063-.125 (1.6-3.2)
AD 43 BSLF	1/8 (3.2)	.313 (8.0)	.126-.187 (3.2-4.8)
AD 44 BSLF	1/8 (3.2)	.375 (9.5)	.188-.250 (4.8-6.4)
AD 54 BSLF	5/32 (4.0)	.400 (10.2)	.188-.250 (4.8-6.4)
AD 64 BSLF	3/16 (4.8)	.425 (10.8)	.126-.250 (3.2-6.4)
AD 66 BSLF	3/16 (4.8)	.550 (14.0)	.251-.375 (6.4-9.5)
AD 68 BSLF	3/16 (4.8)	.675 (17.2)	.376-.500 (9.6-12.7)
AD 610 BSLF	3/16 (4.8)	.800 (20.3)	.501-.625 (12.7-15.9)
AD 612 BSLF	3/16 (4.8)	.925 (23.5)	.626-.750 (15.9-19.1)
AD 614 BSLF	3/16 (4.8)	1.05 (26.7)	.751-.875 (19.1-22.2)
AD 616 BSLF	3/16 (4.8)	1.175 (29.9)	.876-1.00 (22.2-25.4)



PL-Leverlite Hand Riveting Tool

A powerful manual riveter for setting the largest POP rivet sizes where compressed air power is not available. Durable cast body construction and long handles make it easier to set up to a 1/4" diameter rivet in all materials. This tool comes equipped with a wrench and nose pieces to set 1/8", 5/32", 3/16", 1/4" standard rivets and 1/4" T-rivets.

PL-LEVERLITE



Lightweight Pneumatic Riveting Tool

These simple, effective pneumatic tools are small, lightweight and have a solid cast aluminum construction. An optional Mandrel Collection System (MCS) version is also available (Product Code: MCS 510A & MCS 511A). The PRG 511A offers an extended nose housing (1 1/8" longer than the PRG 510A) for extra reach and improved access.

PRG 510A-PLUS
MCS 510A
PRG 511A
MCS 511A



Heavy Duty Pneumatic/Hydraulic Riveting Tool

The heavy duty, pneumatic/hydraulic PRG 540 is extremely strong and robust as a result of its solid construction. As such, it is unbeatable for efficient riveting on mass-production lines. An optional Mandrel Collection System (MCS) version is also available.

PRG 540
MCS 540



Pneumatic/Inline Riveting Tool

The PRT 5250A Inline Riveter offers a range of features contributing to new standards in operator comfort and ease of movement. This style of rivet setting tool accommodates the natural movements associated with vertical riveting operations at assembly benches or work stations. The optional Mandrel Collection System (MCS) version is equipped with a large capacity remote mandrel collection container.

PRT 5250A
MCS 5250A

Pop Closed End Rivets

Aluminum Body/Steel Mandrel - Domed Head

Code	Diameter in. (mm)	Length in. (mm)	Grip Range in. (mm)
AD 41 H	1/8 (3.2)	.237 (6.0)	.032-.062 (.8-1.6)
AD 42 H	1/8 (3.2)	.301 (7.7)	.063-.125 (1.6-3.2)
AD 43 H	1/8 (3.2)	.362 (9.2)	.126-.187 (3.2-4.8)
AD 44 H	1/8 (3.2)	.425 (10.8)	.188-.250 (4.8-6.4)
AD 45 H	1/8 (3.2)	.487 (12.4)	.251-.312 (6.4-7.9)
AD 46 H	1/8 (3.2)	.550 (14.0)	.313-.375 (7.9-9.5)
AD 48 H	1/8 (3.2)	.675 (17.2)	.376-.500 (9.6-12.7)
AD 52 H	1/8 (4.0)	.315 (8.0)	.063-.125 (1.6-3.2)
AD 53 H	5/32 (4.0)	.377 (9.6)	.126-.187 (3.2-4.8)
AD 54 H	5/32 (4.0)	.440 (11.2)	.188-.250 (4.8-6.4)
AD 55 H	5/32 (4.0)	.502 (12.8)	.251-.312 (6.4-7.9)
AD 62 H	3/16 (4.8)	.330 (8.4)	.063-.125 (1.6-3.2)
AD 63 H	3/16 (4.8)	.392 (10.0)	.126-.187 (3.2-4.8)
AD 64 H	3/16 (4.8)	.455 (11.6)	.188-.250 (4.8-6.4)
AD 65 H	3/16 (4.8)	.517 (13.1)	.251-.312 (6.4-7.9)
AD 66 H	3/16 (4.8)	.580 (14.7)	.313-.375 (7.9-9.5)
AD 68 H	3/16 (4.8)	.705 (17.9)	.376-.500 (9.6-12.7)
AD 84 H	1/4 (6.4)	.485 (12.3)	.126-.250 (3.2-6.4)
AD 86 H	1/4 (6.4)	.610 (15.5)	.251-.375 (6.4-9.5)

Pop Open End Rivets

Steel Body/Steel Mandrel - Domed Head

Code	Diameter in. (mm)	Length in. (mm)	Grip Range in. (mm)
SD 612 BS	3/16 (4.8)	.925 (23.5)	.625-.750 (15.9-19.1)
SD 614 BS	3/16 (4.8)	1.05 (26.7)	.751-.875 (19.1-22.2)
SD 616 BS	3/16 (4.8)	1.175 (29.9)	.876-1.00 (22.3-25.4)
SD 84 BS	1/4 (6.4)	.475 (12.1)	.063-.250 (1.6-6.4)
SD 86 BS	1/4 (6.4)	.600 (15.2)	.251-.375 (6.4-9.5)
SD 88 BS	1/4 (6.4)	.725 (18.4)	.376-.500 (9.5-12.7)
SD 810 BS	1/4 (6.4)	.850 (21.6)	.501-.625 (12.8-15.9)
SD 812 BS	1/4 (6.4)	.975 (24.8)	.626-.750 (15.9-19.1)
SD 814 BS	1/4 (6.4)	1.100 (27.9)	.751-.875 (19.1-22.2)
SD 816 BS	1/4 (6.4)	1.225 (31.1)	.876-1.00 (22.2-25.4)

Need solid rivets?

Applifast carries solid rivets in every shape and size with tooling readily available.



High Quality Hand Tool

Advanced design industrial quality manual rivet tool. A compound link and soft grips make this tool comfortable and easier to use. A shorter grip opening is ergonomically designed to operate with one hand. The innovative latch design keeps handles closed without cumbersome chains. This tool is equipped with a wrench and nose pieces to set 1/8", 5/32" and 3/16" rivets.

APPL30+



ProSet 2500 Series

The ProSet 2500 tool sets new standards in pneumatic rivet tools. Designed specifically to set a wide range of blind rivets, this tool delivers 2,110 lbs (9.4kN) of pulling force with a 'highest-in-class' force-to-weight ratio of 730 lbf/lb (7.18 kN/kg). This tool features a host of ergonomically designed features including a comfortable two finger, low activation force trigger and 'Quick Disconnect' nose housing and jaw guide.

APPROSET2500

Fastening Technology

The dictionary tells us that a 'fastener' is 'a device for attaching one thing to another' - but there is more to it than that! At Applifast, we specialize in supplying fasteners of all types for every industrial application - we have listed a few examples below but there are many more to choose from. Give us a call and tell us about your application - we will recommend the fastener for your particular requirements. Remember, we sell fasteners - not looseners!

Huck



Magna-Lok The Magna-Lok is a strong, consistent and reliable blind fastener. Employing a unique solid-circle lock, the Magna-Lok fastener creates an internal lock during installation that virtually eliminates pin pushout.



Huck-Lok Huck-Lok blind rivets feature a wide grip range and large footprint which spreads the load over a large area resulting in a durable, dependable connection with all types of metals, plastics and composites. The unique double-lock design actually locks the assembly from both sides, for incomparable performance and reliability.



Magna-Grip The Magna-Grip is a Grade 2 fastener specifically designed to resist loosening. Widely known as the most reliable wide grip fastener that there is, the Magna-Grip fastener provides vibration resistance and highly uniform installed values.



C6L The C6L fastener is installed with consistency and control - they have been specifically designed to resist loosening due to vibration and provide a high uniform clamp force. An excellent fastener for a wide range of structural applications.



Huck-Fit/HP8 LockBolt The original Grade 8 fastener; an easy-to-use fastener offering permanent, vibration-resistant clamp performance, rapid installation, and quick visual inspection.



Huck-Spin This Grade 8 fastener incorporates the world's most advanced lockbolt technology to produce a fail-proof joint. Huck-Spin fasteners have been designed for consistent, reliable installation without the noise and waste associated with pintails. Use our new Spincutter Tooling for removal!



BobTail Quick. Quiet. Lightweight. The BobTail lockbolt combines the traditional strength, durability and dependability of the HuckBolt with a virtually silent operation. The smooth, shockless installation sets it apart from all other fasteners, lockbolts included and it installs more quickly than anything that you've ever seen - and the removal tool works just as quickly!



Huck Pneudraulic Installation Tools

Production/Maintenance Use

1/8" - 1/4" nail type blind fasteners

Stroke: 0.683" (17.5mm)

Weight: 4.9 lbs (2.2 kg)

Pull Capacity: 2,670 lbs (11.9 kN)

AP2015



Huck Pneudraulic Installation Tools

Production/Maintenance Use

Up to 1/4" blind bolts and rivets; 1/4" lockbolts

Stroke: 0.675" (17.1mm)

Weight: 5.75 lbs (2.6 kg)

Pull Capacity: 5,290 lbs (23.5 kN)

AP2025



Huck Pneudraulic Installation Tools

Production Use

Up to 3/8" blind rivets; 3/8" lockbolts

Stroke: 0.875" (22.2mm)

Weight: 11.1 lbs (5.0 kg)

Pull Capacity: 9,986 lbs (44.4 kN)

AP256



Huck Hydraulic Installation Tools

Production Use

Up to 3/8" blind bolts 3/8" blind rivets and lockbolts

Stroke: 0.940" (23.9mm)

Weight: 6.58 lbs (3.0 kg)

Pull Capacity: 8,240 lbs (36.6 kN)

AP2580



Huck Hydraulic Installation Tools

Production Use

Up to 3/4" blind bolts and 3/4" lockbolts

Stroke: 1.812" (46.03mm)

Weight: 16.5 lbs (7.53 kg)

Pull Capacity: 39,858 lbs (177 kN)

AP2628



Huck Hydraulic Installation Tools

Production Use

Up to 3/4" blind bolts and 3/4" lockbolts

Stroke: 1.812" (46.03mm)

Weight: 20 lbs (9.09 kg)

Pull Capacity: 39,858 lbs (177 kN)

AP3585



FloorTight Designed for large vehicle applications, the FloorTight accommodates material thicknesses from 3/4" to 1- 5/8". It eliminates the need to counter bore plywood or dimple plymetal before installation. This fastener locks on the blind side making this fastener suitable for many plywood/plymetal uses in addition to floor assembly.



BOM The BOM is a high strength blind oversize, mechanical fastener making it suitable for heavy joints. It is available in diameters from 3/16" to 3/4" and is ideal for use where stress and vibration are the norm. eg: truck cab and body assembly, railroad locomotives and rolling stock, bridge repairs etc. It also offers an excellent pull-together capability and a high clamp force.

Huck-Spin Collar Cutting System

The Complete Collar Cutting System from Applifast. This kit includes the following items: compact hydraulic power rig, hydraulic tool with hoses, Spincutter nose assembly, Huck-Spin installation nose assembly, complete mobile cart system. This kit is unique to Applifast and has been specifically designed for the fast removal and reinstallation of Huck-Spin fasteners - all in a convenient and efficient mobile system - please ask for our detailed brochure on this product.

HS20CCKIT

Huck Cab Kit

Available only at Applifast Inc., this user friendly kit includes a Pneudraulic tool and nose assemblies that will install each and every Huck fastener used in any heavy truck cab - and more! This Cab Kit contains the following: Huck 2025 tool, $\frac{3}{16}$ " Magnagrip nose, $\frac{1}{4}$ " Magnagrip nose, $\frac{3}{16}$ " and $\frac{1}{4}$ " Magnalok nose, $\frac{3}{16}$ " C6L nose, air regulator, whip hose assembly, carrying case. For more detailed information on this unique product, please ask for our detailed brochure.

HCK2025

Deluxe Huck Cab Kit

This Deluxe Kit includes all the items in the Huck Cab Kit with the addition of a $\frac{3}{16}$ " Extended length Magnagrip nose and a $\frac{1}{4}$ " Extended length Magnagrip nose, for those difficult-to-reach applications. (not pictured)

HCK2025D



HCK2025

**Exclusive
Applifast
Product**



POWERIG® Power Units

Huck POWERIG units from Applifast are the power sources for hydraulic installation tools. The flexible lineup comprises models for moderate to high production applications, and portable models to meet service-shop and field-repair requirements.

Huck BobTail System

The next generation lockbolt for heavy duty applications. The BobTail system delivers lightning-quick, two-second installation cycle time, for unmatched productivity. More compact and lighter weight, BobTail tooling offers greater operator flexibility and extended reach into difficult areas.

The fastener is installed without a pin-break, contributing directly to noise reduction and subsequently, worker hearing safety. Smooth-operating Bob-Tail tooling directly contributes to longer tool and component life, while allowing extended tool maintenance cycles. As a result, costs for parts and overall support are reduced, while system uptime is increased.



Threaded Inserts

Applifast's blind threaded inserts and studs have been engineered to meet the rigorous demands of all industries. The term 'blind' is used to describe these products because the operator installing these inserts and studs has no need to 'see' the backside of the application. Blind threaded inserts are used to captivate a large amount of thread in thin sheet material. There are numerous features engineered into each product series that will provide specific benefits for your assembly application. All our products are manufactured on high-speed, state-of-the-art cold forming equipment on which very precise tolerances are achieved. This capability allows us to produce products with unique mechanical and installation properties that result in the product filling the hole prior to backside flange formation. We have listed below a selection from our range of inserts and studs - please call to discuss your unique application.

A-L Series Knurled Threaded Inserts

The A-L series insert features a knurled body and large diameter, low profile head making it ideal for use in punched or drilled holes. It offers the highest all round strength characteristics and has been designed to be used with Grade 5 or Metric 8.8/9.8 mating screws. The A-L series insert can be installed using manual, pneumatic or pneumatic/hydraulic tools - these can be located at any position on your assembly line. The A-L series inserts can be installed either before or after finish coat is applied.

A-K Series Low Profile Head Knurled Threaded Inserts

The A-K series insert features a knurled body and a reduced profile head to allow for virtually flush installation. Countersink drilling or dimpling of the parent material can be eliminated. The A-K series insert is designed for use with Grade 5 or Metric Class 8.8/9.8 mating screws. As the A-K series is installed, the knurled body expands 360° and fills the hole. This feature provides exceptional torque strength and vibration resistance.

A-R Series Threaded Inserts For Plastics

The A-R series insert has been designed for use in plastics and thin gauge sheet



metal applications where increased pull-out resistance is required. The A-R series features a Pre-Set slotted body design that when installed folds into four segments gripping the backside of the parent material. This design feature allows the A-R series to be installed into single, variable or multiple thickness materials using torque-stall pneumatic or pneumatic/hydraulic tools.

A-S Series Captive Threaded Studs

The A-S series stud offers the unique design advantage in that once installed, a threaded stud is left protruding from the workpiece. Component parts can then be located on the stud until final assembly is accomplished with a mating nut. The A-S series is an ideal alternative to clinch or weld studs. The A-S series studs are designed to be used with Grade 5 or Metric Class 8.8/9.8 non-thread locking type nuts and are installed using pneumatic or pneumatic/hydraulic tools.

Insert Tools



Avdel Nutsert Kit

A quality kit now at an affordable price. The same tough, reliable Avdel Nutsert hand tool, complete with stroke adjustment to prevent over-pulling. Nutserts give strong load-bearing threads in almost any material thickness. Includes: hand tool, 4 adaptors, 10 of each size insert, plastic case. Available in Metric or Imperial. **NSK-5**



Sioux Clinch Nut Thread Adaptor Kits

Available in Imperial thread sizes #4-40 to 3/8"-16 and in Metric thread sizes M3 x 0.5 to M10 x 1.5. When using one tool to install several different sizes, we recommend our AP2012 Air Regulator. Spare parts are available individually.



AP742

The AP742 is a high performance pneudraulic power tool in heavy duty composite, designed for rapid, blind sided installation of threaded inserts. Its 'Spin Pull' technology and ergonomic design provides for reduced operator fatigue and increased productivity. The tool can be suspended or hand held.

AP742



Sioux Clinch Nut Tool (Pistol)

This Clinch Nut tool comes with an ergonomic pistol housing with comfort rubber grip ensuring operator comfort while maintaining superb balance and control. The powerful, precision motor ensures fast and consistent installation of fasteners in a variety of applications and comes complete with the Rapid Reverse feature. **SCN Tool**

Avdel

Monobolts, Avex and Stavex fasteners are available in all alloys, sizes, and head styles.



Monobolt Multi-grip structural breakstem fasteners providing a fully sealed joint and visible lock. High shear and tensile strength. Good sheet take-up performance for large gap closing applications..



Avex Multi-grip, aluminum alloy breakstem fasteners with a long and reliable track record in a wide range of applications and industries. Applications include automotive, commercial vehicles, domestic appliances, electronics and heating and ventilation..



Stavex Multi-grip, high strength steel and stainless steel breakstem fasteners. Used in all areas of industry.



APnG1



APnG2



APnG3

The Genesis nG Range - This new range of high performance, lightweight, pneumatic hand tools are designed for use with break stem rivets. Designed specifically for installing Monobolts, Avex and Stavex fasteners which are available in a variety of alloys, sizes and head styles to suit your specific application - please ask for more information.

Speed Rivets

Speed Rivets Avdel speed fastening systems provide rapid and reliable assembly of metals, plastics, composites and passive electronic components. These rivets may be installed using the AP753 hand tool pictured to the right. The range includes the following types: Briv, Rivscrew, Chobert, Grovit, Avtronic, Avsert and Avlug. Please ask for full line catalogue.



AP753 Handtool - High performance, pneumatic handtool in heavy duty composite, designed for rapid, blind side installation of speed fasteners. The intensifier is separated from the handtool and one tool can place the entire range of speed fasteners. Designed for increased productivity, this tool has an average cycle time of less than 2 seconds - up to 1500 fasteners per hour. A suspended version is available which can be supported on a balancer thus reducing downtime and operator fatigue.

AP753



Avlug



Avsert



Avtronic



Briv



Chobert



Grovit



Rivscrew

Aerospace Fasteners & Tools



Right Angle Air Drills

We offer a large range of Right Angle Drills with an impressive number of speeds to match your drilling applications. They are available in a wide range of configurations:- 45°, mini 90°, 360°, compact or heavy duty 90°. We have featured 3 models:-



AP15LF282-XX



AP15LN282-XX



AP15LF283-XX

Micro Stop Countersinks

These high speed steel, three flute, piloted countersinks are available in a variety of sizes - we have shown a kit which contains four cutters, the AP62-40, AP62-30, AP62-21 and the AP62-3/16.




Micro Stops

For flush riveting, rivet shaving and collar removal, these Micro Stops have a hardened bushing supporting the spindle and are rated to 3000 rpm. Ball bearing type micro stops also available. We offer a number of different Micro Stops for varying applications - please call our sales team for more information.



Pork Chop Drill Attachment

Fits any 1/4" drill chuck, air or electric. Heavy duty design. Use with threaded bits to drill in difficult to access areas. Note: threaded drill bits also available. Please have diameter and length information available at time of request. **AP362**



Drill Housing & Bushings

Hand held guide to keep drills and taps 90° to work surface - order one housing and interchange the different size bushings of your choice.



Code	Description	Drill
AP783	Housing	N/A
AP783A	Bushing	#40
AP783B	Bushing	3/32
AP783C	Bushing	#30
AP783D	Bushing	1/8
AP783E	Bushing	#21
AP783F	Bushing	5/32
AP783G	Bushing	#10
AP783H	Bushing	3/16
AP783I	Bushing	7/32
AP783J	Bushing	1/4



Nut Plate Drill Jigs

Nut Plate Drill Jigs are available in one lug, two lug, corner and mini anchor nut types in a variety of sizes - we have shown the most common size, please call for our complete list of types and sizes. **AP518J (#10)**



Drill Stops

Designed to provide a sure stop to regulate hole depth, and to prevent chucks from damaging panels, these drill stops feature a unique rounded face. They are colour-coded by size for easy identification.

Code	Colour	Drill
AP145DS-50	Black	#50
AP145DS-40	Zinc	#40
AP145DS-30	Copper	#30
AP145DS-28	Zinc	#28
AP145DS-21	Black	#21
AP145DS-20	Zinc	#20
AP145DS-12	Brass	#12
AP145DS-10	Brass	#10
AP145DS-1/4	Copper	1/4
AP145DS-5/16	Black	5/16




Power Cleco Fastener Installation Tool

This tool has been developed to eliminate the constant, repetitive motion associated with the common Cleco plier. A must for every aircraft builder/repairer.
AP902



Cleco Pliers

Installs most Cleco, Monogram and Kwik-Lok fasteners. Top quality forged construction. Made from forged steel and nickel plated to resist wear and abuse. Complete with cushion grips for comfort.
AP74




Cleco Reverse Pliers

Used in limited access areas. Requires less travel per activation.
AP74B



Cleco Fasteners

Clecos are plier operated, spring loaded fasteners designed for sheets that require precise holding of the material while other operations are completed. The AP75 Series Fasteners from Applifast are the standard button plunger 'Clecos' and are used extensively throughout the aerospace industry.



Code	Colour	Diameter in. (mm)	Length in. (mm)	Grip in. (mm)	Drill Size
AP75-3/32	Zinc	3/32 (2.4)	2 1/4 (57)	0-1/4 (0-6.4)	#40
AP75-1/8	Copper	1/8 (3.2)	2 1/4 (57)	0-1/4 (0-6.4)	#30
AP75-5/32	Black	5/32 (4.0)	2 1/4 (57)	0-1/4 (0-6.4)	#21
AP75-3/16	Brass	3/16 (4.8)	2 1/4 (57)	0-1/4 (0-6.4)	#10
AP75-1/4	Copper	1/4 (6.4)	2 1/4 (57)	0-1/4 (0-6.4)	1/4

Side Grip Clamps

Side grip clamps are designed to clamp at the edge of the work area, particularly during bonding, sealing or gluing operations. Ideal for holding workpieces of all types. Use with AP74 Cleco Pliers

Code	Clamping Capacity Reach, in. (mm)	Body Depth in. (mm)	Body Length in. (mm)
AP123SG	0-1/2 (0-12.7)	1/2 (12.7)	2 3/16 (55.6)
AP124SG	0-3/4 (0-19)	1/2 (12.7)	2 1/16 (0-62)
AP125SG	0-1/2 (0-12.7)	1 (25.4)	2 3/16 (55.6)
AP126SG	0-3/4 (0-19)	1 (25.4)	2 1/16 (0-62)



Rivet Squeezers

Our Rivet Squeezers are excellent for a variety of assembly operations - they are used to assemble trucks, trains, boats, buses, aircraft and many other industrial applications. We have featured two types of rivet squeezers - C-Type and Alligator Type.

AP151C C-Type Squeezer AP114TA Alligator Type Squeezer



Manual Rivet Squeezers

This versatile tool is available as a 1", 2", 3" or 5" model or may be purchased as a combination unit. By simply removing 3 hardened pins you can change the yoke to match your riveting or dimpling application. Capable of forces in excess of 3600 lbs. this tool is made of ductile steel and comes complete with storage pouch and basic rivet set kit.

Code	Description	Weight
AP888-1	1" C yoke	3.40 lbs.
AP888-2	2" C yoke	3.85 lbs.
AP888-3	3" C yoke	4.40 lbs.
AP888-4	2" & 3" C yokes	5.40 lbs.
AP888-5	1" 2" & 3" C yokes	6.50 lbs.
AP888-6	5" C yoke	8.0 lbs.
AP888-7	1" 2" 3" & 5" yokes	8.50 lbs.



Dimple & Die Set Kit

Dimpling sheet metal is one way of providing a depressed area for the rivet head to sit flush with the surface. At Applifast, we offer a number of different styles of dimple and die sets, depending on the application - please call us with your requirements. The AP4263K kit includes 3/32", 1/8", 5/32" and 3/16" dimple and die sets.

AP4263K



Rivet Squeezer Kit

This versatile kit contains 33 of the most commonly used rivet squeezer sets - 23 universal cupped sizes, five 1/2" diameter flush sets and five 3/8" diameter flush sets. The hole pattern of the kit plate is engraved for easy identification and tool control. These squeezer sets are manufactured from high-grade, shock resistant tool steel and have been polished both before and after heat treatment to purge both tool marks and ridges.

AP108A-33PC



Free shipping

Conditions apply, see page 2



Grip Scale Gauges & Pin Protrusion Gauges

To save time for riveters and inspectors, Grip Scale Gauges measure the grip length of countersunk and flathead pins as well as work thickness and rivet hole depths. The gauge is made from spring tempered satin finish stainless steel with red and black lettering. Pin Protrusion Gauges are supplied in sets on a chain and are made from stainless steel.

Code	Description
AP2-612	Grip Scale Gauge
AP2-1522HST	Pin Protrusion Gauge (Hi-Lite in Inches)
AP2-1522HSTM	Pin Protrusion Gauge (Hi-Lite in Metric)
AP2-1522	Pin Protrusion Gauge (Hi-Lok/Hi-Tigue in Inches)
AP2-1522HLM	Pin Protrusion on Gauge (Hi-Lok/Hi-Tigue in Metric)

Bucking Bars


Our bucking bars are made from ductile iron to ensure a non-porous finish - they are heat treated to 38-42 RC and can be repolished many times without changing hardness. We offer a large range of sizes and shapes - please call for more information.

- AP150 (4-piece kit)
- AP150-6 (6-piece kit)
- AP150-10 (10-piece kit)



Rivet Sets

All our rivet sets are made from tool grade steel and are heat treated to ensure the highest quality. For a complete listing of all our rivet sets and accessories please ask our sales team for further information. Please have your rivet size and head style information available.



Rivet Cutter

All cast steel construction heavy duty rivet cutter for cutting 1/8" to 1/4" aluminum domed head and countersunk rivets.

AP346



Rivet Hammer

Our rivet hammers deliver up to 2500 blows per minute (bpm) and are built to ensure long life under tough operating conditions. Tools have "teaseable" throttle. Recoilless rivet hammers also available.

AP270A



Rivet Shavers

Rivet Shavers - the AP14CN Rivet Shaver Series from Dotco come in a variety of cutter diameters and skirts to meet your unique application. We have featured one model but there are many other configurations available - please ask our sales representatives for a full line brochure.

AP14CNL60-95



Quackenbush Advanced Drilling Equipment

Quackenbush Advanced Drilling Equipment from Applifast Inc. is the most complete and the most comprehensive line of drilling systems available to the aerospace industry. This range of tools and accessories are the best in their class - they have been designed, tested and manufactured with a quality control that meets and exceeds the highest international standards. These tools are available in a variety of configurations - Inline, Piggy back and Right angle are examples. Please speak with one of our representatives to find out more about these dynamic and sophisticated specialty tools.



Free shipping

Conditions apply, see page 2

Wire Twisters

A variety of wire twisters are available either separately or in kits. These tools are commonly used for safetying nuts, bolts, electrical connectors and oil filters - simply clamp to the wire and pull the knob and the plier spins the wire. Very fast and easy to use.

Code	Description
AP68SR	Automatic Safety Wire Twisters
AP68SR-6	Mini Safety Wire Twisters



Deburring Tool


For faster, easier deburring, this deburring tool has a curved blade which swivels freely and automatically - it has been specifically designed to follow all shapes, holes and contours. Seven blades are included in this set. **AP266**



Rivet Fan Spacing Tool

This tool will save hours in layout time for rivet spacing. The rivet fan spacing tool easily expands or contracts while maintaining equal hole spacing. Made from stainless steel for durability, this tool is a must for all sheet metal fabricators.

AP621



Chip Chasers

For the removal of metal chips left between two sheets after drilling, these chip chasers are an invaluable tool - simply slide the thin blade between the sheets and sweep to the side catching the chips and pulling them out.

AP70AT



Mini-Air Vacuum


Constructed from cast aluminum, this mini-air vacuum is designed to pick up ferrous and non-ferrous chips, bolts and rivets - an 18" flexible hose is included. Please call for our full range of Mini-Air vacuums and accessories. **AP575**



Strap Duplicators

Strap duplicators are ideal tools for quickly locating the proper alignment of rivet holes for panel replacement. These tools are available as Bushing, Inverted and Punch types in standard and large sizes - there are 27 different styles/sizes available, please ask for more information.

APMM series (27 sizes)



Cutting Tools & Material Finishing

Free shipping
Conditions apply, see page 2

Pencil Grinders

Designed specifically for precision de-burring and grinding, we offer a wide range of pencil grinders to meet all your application needs. We have pictured 3 popular models:



APMP4200

AP51703

AP12R0410-XX

High Performance Carbide Burrs

These carbide burrs are made from first grade tungsten carbide and are manufactured with the highest degree of accuracy for perfect concentricity and balance. They offer fast material removal and longest life. We have featured a small selection from our range - please call us if you do not see what you need.

Code	Shape	Diameter	Length	Shank
AP01-V 002	Cylindrical	3/8"	3/4"	1/4"
AP01-V 006	Cylindrical Round nose	3/8"	3/4"	1/4"
AP01-V 014	Tree	3/8"	3/4"	1/4"
AP01-V 031	Cone	3/8"	1 1/16"	1/4"



Die Grinders

Great for de-burring dies, moulds and castings, these premium tools come with either front, side or rear exhaust and are available with aluminum, composite and rugged steel housings. They are available in a wide range of RPM speeds.



AP52669



AP52278

APSDG7S25F

APSDG10S25F

AP12L2580-01RT

AP10L1081-36

Angle Grinders

Available for a wide range of material finishing applications, these high quality tools are available with a variety of different heads to suit your unique application - please ask for further information.

NOTE: Accessories not included but are available for purchase separately.



AP12L1281-36

AP116GLF-115A-D3T45

AP52632

APSWG10S-1245

Wire Wheel Brushes

Made from industrial quality wire, our wire wheel brushes are perfectly balanced for smooth running and long life. They are most commonly used to remove paint, rust and corrosion for light deburring and blending.

Code	Dia.	Width	Arbor	Max RPM
AP13-B 040	4"	3/4"	1/2"	6,000
AP13-B 060	6"	7/8"	1/4"	6,000
AP13-B 061	6"	1/8"	1/4"	6,000
AP13-B 070	7"	7/8"	1/4"	6,000
AP13-B 080	8"	1"	1/4"	4,500
AP13-B 100	10"	1"	1/4"	3,600



Mounted Wire Brushes


These mounted wire brushes offer optimum wire density for fast material removal and longest life - they are perfectly balanced for vibration free running. The hubs are colour coded for easy identification - Red (for steel) and Blue/Green (for stainless steel & Aluminum).

For Steel

Code	Type	Dia.	Width	Max RPM
AP13-C 003	A	1/2"	—	20,000
AP13-C 005	A	1/2"	—	20,000
AP13-C 008	A	3/4"	—	20,000
AP13-C 110	B	1 1/8"	1/4"	20,000
AP13-C 120	B	2"	5/8"	20,000
AP13-C 125	B	3"	3/4"	12,000
AP13-C 015	C	1 1/2"	—	13,000
AP13-018	C	2 3/8"	—	13,000

For Stainless Steel and Aluminum

Code	Type	Dia.	Width	Max RPM
AP13-C 053	A	1/2"	—	20,000
AP13-C 055	A	1/2"	—	20,000
AP13-C 058	A	3/4"	—	20,000
AP13-C 160	B	1 3/8"	1/4"	20,000
AP13-C 170	B	2"	5/8"	20,000
AP13-C 175	B	3"	3/4"	12,000
AP13-C 065	C	1 1/2"	—	13,000
AP13-C 068	C	2 3/8"	—	13,000



Finishing Discs

Enduro-Flex one-step finishing discs are guaranteed to meet the challenges of today's metal fabricating and finishing industries. New, ultra sharp and refined zirconium grain stays sharper longer to remove more material faster - you get more work done in less time. Available in 4 1/2", 5", 6" and 7" diameters.

Code	Dia.	Arbor	Grain	Max RPM
AP06-B 454	4 1/2"	5/8"-11	40	13,300
AP06-B 456	4 1/2"	5/8"-11	60	13,300
AP06-B 458	4 1/2"	5/8"-11	80	13,300
AP06-B 462	4 1/2"	5/8"-11	120	13,300
AP06-B 504	5"	5/8"-11	40	12,200
AP06-B 506	5"	5/8"-11	60	12,200
AP06-B 508	5"	5/8"-11	80	12,200
AP06-B 512	5"	5/8"-11	120	12,200
AP06-B 604	6"	5/8"-11	40	10,200
AP06-B 606	6"	5/8"-11	60	10,200
AP06-B 608	6"	5/8"-11	80	10,200
AP06-B 612	6"	5/8"-11	120	10,200
AP15-R 704	7"	7/8"	40	8,600
AP15-R 706	7"	7/8"	60	8,600
AP15-R 708	7"	7/8"	80	8,600
AP15-R 712	7"	7/8"	120	8,600



Chop Cut Wheels

Specifically developed for use on portable abrasive chop saws, these chop cut wheels cut a full range of materials from light tubing to heavy solids in steel, stainless steel, alloyed steel and many non-ferrous metals.

Code	Dia.	Thick.	Arbor	Max RPM
AP10-Q 123	12"	3/32"	1"	5,200
AP10-Q 143	14"	3/32"	1"	4,400
AP10-Q 163	16"	7/64"	1"	3,800



Flap Wheels

Our two-in-one flap wheels combine two finishing steps into one - they remove material nearly as fast as a regular flap wheel while leaving a uniform satin finish, for use in a wide variety of materials. Available in three diameters (2", 3" and 6") and three widths (1", 1 1/2" and 1 3/4") in Extra Fine, Fine, Medium and Polishing grades.

- AP15-E 126 Extra Fine Flap Wheel (2" dia. 1" width)
- AP15-E 168 Polishing Flap Wheel (3" dia. 1 3/4" width)



Zip Wheels

(For Use With Drills and Die Grinders)

For high performance cutting, grinding and notching in all types of steel and stainless steel. Available in 2", 3" and 4" diameters with a variety of thicknesses. A flush mounting mandrel with 1/4" shank (Product Number: 11-L 003) is required for mounting the above range of wheels.

- Code
- AP11-L 303 Zip wheel 3" diameter 1/32" thick
- AP11-L 403 Zip wheel 4" diameter 1/32" thick



Zipcut Wheels

(For Use With Angle Grinders and Circular-Saws) These cutting wheels cut faster, freer and cooler than standard thin cut-off wheels and are heavily reinforced for extra safety - they are resilient to resist twisting and bending and will give a true and straight cut every time. Available in 4 1/2", 5", 6", 7" and 9" diameters in a variety of styles and thicknesses.

- Code
- AP11-T 042 Zipcut Wheel 4 1/2" diameter 3/64" thick
- AP11-T 052 Zipcut Wheel 5" diameter 3/64" thick
- AP11-T 062 Zipcut Wheel 6" diameter 3/64" thick
- AP11-T 072 Zipcut Wheel 7" diameter 1/16" thick



Grinding Wheels

Designed for exceptional performance in bringing down welds and preparing edges, our grinding wheels deliver top performance when working on both steel and stainless steel. Available in five diameters in 1/8" or 1/4" thicknesses.

- Code
- AP08-C 450 Grinding Wheel 4 1/2" diameter 1/4" thick
- AP08-C 500 Grinding Wheel 5" diameter 1/4" thick
- AP06-C 600 Grinding Wheel 6" diameter 1/4" thick
- AP08-C 700 Grinding Wheel 7" diameter 1/4" thick
- AP08-C 900 Grinding Wheel 9" diameter 1/4" thick



Abrasive Belt Versatility Kit

This kit includes the AP40320 plus the following accessories: AP11206 Contact Arm, AP11203 Contact Arm, AP11204 Contact Arm, eight popular belts, AP50010 Collet, AP95262 Wrench, AP95281 Wrench. All items are contained in a durable carrying case.

AP 40321

Abrasive Belt Tools

Dynaflex II - Air Powered Abrasive Belt Tool Made specifically to reach normally inaccessible areas. Designed to grind, deburr, blend and polish work on metal, plastic, fiberglass, composites, rubber, glass and stone. Sanding arm pivots 360°.

AP40320



File Belts

We stock a full range of file belts in Aluminum Oxide Zirconia and Ceramic types - they are available in 10 sizes in 24-240 grit. We have featured four of the most popular sizes - please ask for our complete list.

AP30130 Aluminum Oxide Belts (1/2" x 18" 60 grit)

AP30131 Aluminum Oxide Belts (1/2" x 18" 80 grit)

AP30146 Aluminum Oxide Belts (1/2" x 18" 120 grit)

AP30148 Aluminum Oxide Belts (1/2" x 18" 180 grit)

Blendex File Belts

AP 07-D 032 Blendex File Belts (1/2" x 18" coarse)

AP 07-D 033 Blendex File Belts (1/2" x 18" medium)

AP 07-D 034 Blendex File Belts (1/2" x 18" very fine)



Large Diameter Sanders

These large diameter sanders are designed to cover more area in less time. The 8" model (AP58445) is a gear driven sander and operates using an epicycloidal motion. The 11" model features a 3/4" diameter orbit which guarantees a 'swirl free' finish.



AP58445
(Non-vacuum
model - 8" pad)

AP58480
(Non-vacuum
model - 11" pad)

AP58485
(Central vacuum
model - 11" pad)

Orbital Sanders

Supreme Long established as the best sander on the market. 3/8" orbit now available. Made for high-production situations. 27 industrial models available.

Silver Supreme The most durable random orbital sander built. Smaller Ergo-Grip housing for greater control. Features all-steel components. 36 industrial models available.

Spirit Lightweight - great for vertical applications. Small grip is ideal for operators with small hands. Increased vacuum efficiency. 36 industrial models available.



Buffer Kit

Everything you need to repair dust nibs and scratches on clear coat or for quick, simple, spot repair on painted surfaces. This kit includes: Basic Tool (2400rpm), AP54476 mini-orbital head, 3" backing pad, 1 1/4" and 3 1/2" diameter vinyl face pads, 3" diameter terry cloth bonnet, wool bonnet, foam 'flat face' pad, AP95723 Finesse-It creme and AP95727 Glaze. Also includes sample discs, sample abrasive pack and 14mm/19mm wrenches. **AP57553**



Pistol Grip Drills

Drills are used in every area of industry and at Applifast, we believe in selling only the top brands available in the marketplace. All our drills offer ergonomic features to provide maximum comfort during operation. Many models include comfortable insulated grips to reduce cold and vibration. Here is a small selection of popular models:



AP14CFS92-XX



AP14CNL92-XX



APSDR10P25R3



APSDR6P26N3



APQP051D



AP1410



'T' Handle Drill

Our exceptional 'T' handle drills help reduce stress on the operators back and arms while making short work of any decking application.

AP3T1630



High Performance Drill Bits

Designed to drill more holes faster with less pressure the SST+ range of drill bits out-performs standard split point drill bits, maximizes productivity and saves you time and money. We sell this range of drill bits in Fractional, Wire Gauge, Metric and Letter sizes in Round Shank (135°), Quick Shank (118°), Reduced Shank, Prentice, Jobber and Stub length - a full list is available upon request. We have featured all Fractional sizes in Jobber's length.

Code	Drill Size	Flute Length	Overall Length	Pack Qty
AP 01-A 501	1/64"	3/16"	13/16"	10
AP 01-A 502	1/32"	3/8"	13/16"	10
AP 01-A 503	3/64"	5/8"	1 1/2"	10
AP 01-A 504	1/16"	13/16"	1 11/16"	10
AP 01-A 505	5/64"	15/16"	1 15/16"	10
AP 01-A 506	3/32"	1 13/16"	2 1/4"	10
AP 01-A 507	7/64"	1 5/8"	2 3/8"	10
AP 01-A 508	1/8"	1 7/8"	2 9/16"	10
AP 01-A 509	9/64"	1 9/8"	2 3/4"	10
AP 01-A 510	5/32"	1 11/16"	2 5/8"	10
AP 01-A 511	11/64"	1 7/8"	3 3/8"	10
AP 01-A 512	3/16"	2 1/16"	3 3/8"	10
AP 01-A 513	13/64"	2 1/16"	3 3/8"	10
AP 01-A 514	7/32"	2 1/4"	3 11/16"	10
AP 01-A 515	15/64"	2 1/4"	3 11/16"	10
AP 01-A 516	1/4"	2 1/2"	4"	10
AP 01-A 517	17/64"	2 11/16"	4 5/16"	10
AP 01-A 518	9/32"	2 1/16"	4 5/16"	10
AP 01-A 519	19/64"	2 15/16"	4 5/8"	10
AP 01-A 520	5/16"	2 15/16"	4 5/8"	10
AP 01-A 521	21/64"	2 15/16"	4 5/8"	10
AP 01-A 522	11/32"	3 1/16"	4 5/8"	10
AP 01-A 523	23/64"	3 1/16"	4 5/8"	10
AP 01-A 524	3/8"	3 1/16"	5 1/4"	10
AP 01-A 525	25/64"	3 1/16"	5 1/4"	5
AP 01-A 526	13/32"	3 1/16"	5 1/4"	5
AP 01-A 527	27/64"	3 1/16"	5 9/16"	5
AP 01-A 528	7/16"	3 1/16"	5 9/16"	5
AP 01-A 529	29/64"	3 1/16"	5 9/16"	5
AP 01-A 530	15/32"	4"	5 5/16"	5
AP 01-A 531	31/64"	4"	5 5/16"	5
AP 01-A 532	1/2"	4"	5 5/16"	5



Drill Bit Sets

Packaged in sturdy metal index containers. Drill bit sizes are clearly marked on the inside panels for easy identification and selection. Panels are hinged and neatly fold into the box. 8 different sets are available. The AP01-E 618 set pictured contains 29 drill bits, sizes 1/16 to 1/2 by 64ths.

AP01-E 618



Industrial Health & Safety



1

Stoko Skin Care Products As you'll appreciate, skin care isn't just 'cleansing'. At Applifast, we offer you a total skin care solution - the Stoko 3- Point Skin Care Program. It features specially developed products in skin **Protection, Cleansing and Conditioning.**

We can create a program to fit your specific skin care needs and ensure that you are 'Keeping Working Skin Healthy.' Select from the following protection, cleansing and conditioning products, for total skin care:



AP8555 Stokoderm (Tube)

100ml
12 Units

Skin Protection Products

1

Arretil Apply before using epoxy and polyester resins, adhesives and organic solvents. Silicone free.

Travabon For use against oil-based hazards, organic solvents, paint thinner, oil, paint, ink, metal, dust, dirt and grime. Silicone and oil free.

Durapro For use when skin is exposed to water-based substances such as water mixed oils and cleaning agents, acids, alkalis, salts, cement, lime and fertilizers.

Stokoderm For use where both oil and water are present. Ideal for machine shops. Skin care for rough, dry and chapped hands. Silicone free.

Stoko Emulsion Helps the skin feel less irritated when wearing gloves or doing friction and wet work. Soothes skin exposed to fiberglass, especially when used before exposure to such a hazard.

Xtreme Care Protects the skin from natural elements such as very low temperatures and humidity. Can also provide relief for severely dry skin. Product will not freeze.

Code	Description	Dispenser	Size	Units
AP81115	Arretil (Tube)	N/A	100ml	12
AP81112	Arretil (Softbottle)	Stoko Vario	1000ml	4
AP81055	Travabon (Tube)	N/A	100ml	12
AP33884	Travabon (Softbottle)	Stoko Vario	1000ml	4
AP50066	Durapro (Tube)	N/A	100ml	12
AP33887	Durapro (Softbottle)	Stoko Vario	1000ml	4
AP33881	Stoko Emulsion (Bottle)	N/A	250ml	12
AP33890	Stoko Emulsion (Softbottle)	Stoko Vario	1000ml	4
AP34017	Xtreme Care (Tube)	N/A	100ml	12

Free shipping

Conditions apply, see page 2

AP33888 Stokoderm (Softbottle)

Used with Stoko Vario Dispenser
1000ml
4 Units



2

Skin Cleansing Products

2

Solopol Solvent-free cleaner for oil, grease and grime. Utilizes natural and skin-friendly walnut shell scrubbers, which do not clog drains.

Kresto Kwik Wipes Textured wipes for quick cleaning of dirt, grease, oil and grime from hands and tools. Ideal when a sink is not available for individual work stations or maintenance fleets.

Kresto Provides powerful cleaning of grease, oil, ink, sewer sludge and carbon black. Low solvent content makes it skin compatible. Contains natural walnut shell scrubbers.

Kresto Select The only solvent-free extra heavy duty hand cleaner on the market. Has the cleaning power to handle tough soils such as greases, oils, soot and carbon black but is gentle to the skin. Contains natural walnut shell scrubbers.

Estesol The first of the Estesol family is a light duty cleaner that is very gentle. Formulated with moisturizers to keep skin from drying out.

Estesol Select A gentle cleaner ideal for restrooms. It has an elegant look and a smooth feel and a fresh, spring-like fragrance.

Cupran Special A specialized product for effective cleaning of oil-based paints, stains, urethane, sealants, adhesives, tar and asphalt. Contains natural walnut shell scrubbers.

Reduran Special Used for the removal of dyestuffs. Contains a reducing agent with synthetic detergents that work together to convert the dyes into a colourless form and then break them down so they can be rinsed away.

Code	Description	Dispenser	Size	Units
AP10002	Solopol (Tube)	N/A	250ml	24
AP83187	Solopol (Softbottle)	Stoko Vario	2000ml	6
AP87077	Kresto Kwik Wipes (Canister)	N/A	70 wipes	6
AP47157	Kresto Select (Tube)	N/A	250ml	24
AP87157	Kresto Select (Softbottle)	Stoko Vario	2000ml	6
AP83311	Estesol (Softbottle)	Stoko Vario	2000ml	6
AP83320	Estesol Select (Softbottle)	Stoko Vario	2000ml	6
AP81871	Cupran Special (Tube)	N/A	250ml	24
AP81874	Cupran Special (Softbottle)	Stoko Vario	2000ml	6
AP30152	Reduran Special (Tube)	N/A	100ml	12
AP30362	Kresto (Pump top)	N/A	1892ml	4



**AP87005
Kresto (Tube)**
250ml
24 Units

**AP87045
Kresto (Softbottle)**
Used with Stoko Vario
Dispenser
2000ml
6 Units

3



Skin Conditioning Products

3

Stokolan Concentrated skin care cream that makes skin feel healthy and smooth. Ideal for chapping, chafing and eczema caused by loss of moisture. Assists in the natural regeneration of the skin.

Stoko Lotion Can be applied to entire body and absorbs quickly. Provides a soothing effect while replacing lost oils. Also works well on sunburn while it provides a cooling effect.

Stoko Vitan Highly concentrated conditioning cream for stressed, dry and sensitive skin. Designed to assist in the natural regeneration of the skin while reducing lost moisture.

Stoko Skin Repair A regenerative skin care gel that helps strengthen and rejuvenate the skin. Contains Creatine to help boost the skin's own natural restorative abilities. Can be used on the face.

Code	Description	Dispenser	Size	Units
AP33880	StokoLotion (Bottle)	N/A	250ml	12
AP33891	StokoLotion (Softbottle)	Stoko Vario	1000ml	4
AP85494	StokoVitan (Tube)	N/A	100ml	24
AP25373	StokoVitan (Softbottle)	Stoko Vario	1000ml	8
AP33786	Stoko Skin Repair (Tube)	N/A	100ml	12
AP33791	Stoko Skin Repair (Softbottle)	Stoko Vario	1000ml	4



AP33869 Stokolan (Tube) 100ml
12 Units

AP33886 Stokolan (Softbottle)
Used with Stoko Vario Dispenser
1000ml
4 Units

Miscellaneous Cleaning Products

Code	Description	Dispenser	Size	Units
AP32082	Stoko Refresh Moisturising Foam Soap	Stoko Foam	800ml	6
AP50107	Stoko Sureseat Toilet Seat Cleaner	Stoko Spray	300ml	12
AP83306	Estesol Hair/body Shampoo (Softbottle)	Stoko Vario	2000ml	6

Dispensers

AP89808	Stoko Vario Black	(for Softbottles)	10
AP89806	Stoko Vario White	(for Softbottles)	10
AP30290	Stoko Foam Soap White	(for foam soap)	10
AP50105	Stoko Spray White	(for spray products)	12



Industrial Matting Happy Feet and Hog Heaven anti-fatigue mats from Applifast illustrate where design and function meet, by not compromising quality to meet a price. Good employees deserve to be well cared for – their appreciation will show in higher productivity and increased positive morale. The Hog Heaven and Happy Feet mats offer superior anti-fatigue features, including improved safety, reduced cleaning costs and increased worker comfort – these are uncompromisingly valuable mats!



Happy Feet Static Dissipative Anti-Fatigue Mats

Applifast's Happy Feet mats are static dissipative and offer exceptional anti-fatigue performance with a number of unique safety features. Made of nitrile rubber, encapsulating a 3/8" thick closed-cell cushion, Happy Feet mats are resistant to chemicals, animal fats and petroleum products and at the same time offering an easy-to-clean surface and bevelled edges for added safety. Happy Feet mats are suitable for use in all industrial and commercial environments and being static dissipative are particularly suitable in the electrical/electronics industry. Happy Feet mats also work exceptionally well in welding environments where they repel sparks and material fragments. Available in 3 standard sizes, Happy Feet mats are available with a choice of colour-coded borders – Green (Safety), Orange (Warning), Red (Danger) and Yellow (Caution). They are also available in Solid Black (General).

Code	Description	Mat Size
AP490-00-23	Solid Black Border (General)	2' x 3'
AP490-00-35	Solid Black Border (General)	3' x 5'
AP490-00-310	Solid Black Border (General)	3' x 10'
AP490-01-23	Red Striped Border (Danger)	2' x 3'
AP490-01-35	Red Striped Border (Danger)	3' x 5'
AP490-01-310	Red Striped Border (Danger)	3' x 10'
AP490-02-23	Yellow Striped Border (Caution)	2' x 3'
AP490-02-35	Yellow Striped Border (Caution)	3' x 5'
AP490-02-310	Yellow Striped Border (Caution)	3' x 10'
AP490-03-23	Orange Striped Border (Warning)	2' x 3'
AP490-03-35	Orange Striped Border (Warning)	3' x 5'
AP490-03-310	Orange Striped Border (Warning)	3' x 10'
AP490-04-23	Green Striped Border (Safety)	2' x 3'
AP490-04-35	Green Striped Border (Safety)	3' x 5'
AP490-04-310	Green Striped Border (Safety)	3' x 10'

Hog Heaven Anti-Fatigue Mats

Hog Heaven anti-fatigue mats from Applifast are made from nitrile rubber for improved chemical resistance and with a textured surface offer superior slip resistance in a variety of industrial and commercial environments. A closed-cell nitrile/PVC cushion backing provides long-lasting comfort without breaking down. The 100% nitrile rubber border remains flexible for the life of the product and will not crack or curl. Hog Heaven matting is available in 2 thicknesses (5/8" and 7/8") and 4 standard sizes – a variety of custom sizes are also available up to 67' long! There is also a choice of colour-coded borders – Green (Safety), Orange (Warning), Red (Danger) and Yellow (Caution). They are also available in Solid Black (General).

Code	Description	Mat Size
AP421-00-23	5/8" Solid Black Border (General)	2' x 3'
AP421-00-35	5/8" Solid Black Border (General)	3' x 5'
AP421-00-312	5/8" Solid Black Border (General)	3' x 12'
AP421-00-46	5/8" Solid Black Border (General)	4' x 6'
AP422-00-23	7/8" Solid Black Border (General)	2' x 3'
AP422-00-35	7/8" Solid Black Border (General)	3' x 5'
AP422-00-312	7/8" Solid Black Border (General)	3' x 12'
AP422-00-46	7/8" Solid Black Border (General)	4' x 6'
AP423-01-23	5/8" Red Striped Border (Danger)	2' x 3'
AP423-01-35	5/8" Red Striped Border (Danger)	3' x 5'
AP423-01-312	5/8" Red Striped Border (Danger)	3' x 12'
AP423-01-46	5/8" Red Striped Border (Danger)	4' x 6'
AP424-01-23	7/8" Red Striped Border (Danger)	2' x 3'
AP424-01-35	7/8" Red Striped Border (Danger)	3' x 5'
AP424-01-312	7/8" Red Striped Border (Danger)	3' x 12'
AP424-01-46	7/8" Red Striped Border (Danger)	4' x 6'
AP423-02-23	5/8" Yellow Striped Border (Caution)	2' x 3'
AP423-02-35	5/8" Yellow Striped Border (Caution)	3' x 5'
AP423-02-312	5/8" Yellow Striped Border (Caution)	3' x 12'
AP423-02-46	5/8" Yellow Striped Border (Caution)	4' x 6'
AP424-02-23	7/8" Yellow Striped Border (Caution)	2' x 3'
AP424-02-35	7/8" Yellow Striped Border (Caution)	3 x 5'
AP424-02-312	7/8" Yellow Striped Border (Caution)	3' x 12'
AD424-02-46	7/8" Yellow Striped Border (Caution)	4' x 6'
AP423-03-23	5/8" Orange Striped Border (Warning)	2' x 3'
AP423-03-35	5/8" Orange Striped Border (Warning)	3' x 5'
AP423-03-312	5/8" Orange Striped Border (Warning)	3' x 12'
AP423-03-46	5/8" Orange Striped Border (Warning)	4' x 6'
AP424-03-23	7/8" Orange Striped Border (Warning)	2' x 3'
AP424-03-35	7/8" Orange Striped Border (Warning)	3' x 5'
AP424-03-312	7/8" Orange Striped Border (Warning)	3' x 12'
AP424-03-46	7/8" Orange Striped Border (Warning)	4' x 6'
Ap423-04-23	5/8" Green Striped Border (Safety)	2' X 3'
Ap423-04-35	5/8" Green Striped Border (Safety)	3' X 5'
Ap423-04-312	5/8" Green Striped Border (Safety)	3' X 12'
Ap423-04-46	5/8" Green Striped Border (Safety)	4' X 6'
Ap424-04-23	7/8" Green Striped Border (Safety)	2' X 3'
Ap424-04-35	7/8" Green Striped Border (Safety)	3' X 5'
Ap424-04-312	7/8" Green Striped Border (Safety)	3' X 12'
Ap424-04-46	7/8" Green Striped Border (Safety)	4' X 6'

Special Sizes Mats may be produced in special sizes in 4 widths – 2', 3', 4' and 5.4' with a maximum length of 67'. Hog Heaven Mats may be made in 5/8" and 7/8" thicknesses with either Solid Black or striped borders in Red, Yellow, Orange and Green.



Industrial/Commercial Brushes & Brooms

Available in a wide range of colour-coded bristles to meet every sweeping application, Bruske brushes & brooms from Applifast outlast their competitors' products by 10 to 1. For sweeping the finest dust to heavy refuse, these brushes & brooms offer superior performance in the industrial/commercial workplace. From the first sweep you will realize these are 'no ordinary brooms' - 'you'll be off the floor!'

The Indestructible Bruske Brush Range

The Indestructible Bruske Brush is available in a range of bristles to meet every sweeping situation. The Blue brush has fine flagged bristles and sweeps better than brushes costing three times as much. The Green brush has fine/medium partly flagged bristles. The Black brush has medium bristles and is suitable for dry, wet or oily conditions. The Brown brush has coarse bristles for extra rough floors and for sweeping heavy refuse, snow or scrubbing. The Street Sweep brush offers stiff, coarse, non-sagging, unbreakable synthetic bristles for use in dry, wet, oily and greasy conditions and is the No. 1 heavy duty brush on the market - it does a better job and lasts longer than any other brush of its kind - truly indestructible!

Code	Description	Size	Units
AP2134CS	Blue fine bristles	23"	12
AP2136CS	Blue fine bristles (with brace)	29"	12
AP2138CS	Blue fine bristles (with brace)	35"	12
AP2154CS	Black medium bristles	23"	12
AP2156CS	Black medium bristles (with brace)	29"	12
AP2158CS	Black medium bristles (with brace)	35"	12
AP2174CS	Brown coarse bristles	23"	12
AP2176CS	Brown coarse bristles (with brace)	29"	12
AP2178CS	Brown coarse bristles (with brace)	35"	12
AP2860CSB	Orange "Street Sweep" coarse bristles with steel handle (with brace)	23"	6
AP2164CS	Green fine/medium bristles	23"	12
AP2166CS	Green fine/medium bristles (with brace)	29"	12
AP2168CS	Green fine/medium bristles (with brace)	35"	12

The Buddy Small Broom Range

Available in three bristle types - Fine (Green bristles), Medium (Yellow bristles), and Red (Coarse bristles) these brooms are small in size yet offer superior sweeping and are totally unaffected by grease, water or oil. Suitable for every industrial/commercial sweeping application where a small broom is needed.

Code	Description	Size	Units
AP5604	Green fine bristles with steel handle	13"	12
AP5616	Yellow med. bristles with wooden handle	13"	12
AP5617	Red coarse bristles with wooden handle	13"	12

Handles

We offer a range of hardwood and steel handles as well as some more unusual options - these include: a fountain handle which hooks up to a hose and a telescopic steel handle which extends to 10' in length.

Code	Description	Size	Units
AP6132	Steel handle with lock-in 'Miracle Tip'	60"	12
AP6083	Hardwood handle w/unbreakable nylon tip	60"	12
AP6120	Steel fountain handle - screws into brush & hooks up to hose	60"	12
AP652120R	Telescopic steel handle (extends to maximum of 10')	10'	12

Miscellaneous Brushes

We offer a comprehensive range of brushes made for specific jobs - these include brushes for special applications like our Stack Brush (100% pure bristle) for cleaning the exhaust pipes of a semi-truck, our range of parts brushes for washing parts, our specially shaped cobweb brush to get into hard-to-reach corners and our range of counter brushes - tell us your requirements and our sales team will recommend the correct brush for your application.

Code	Description	Size	Units
AP4218	All-purpose counter brush	13"	12
AP4432	Economy general use duster brush	13"	12
AP4117C	Truck/window brush polyprop. body, nylon bristles	10"	12
AP4116CB	Auto/truck/boat brush polyprop. body, polyprop. bristles	10"	12
AP4001R	Bi-level wash brush	10"	12
AP4436	Parts washing brush sith 100% pure bristle	1"	12
AP4114R	Stack brush (for semi-truck exhaust) w/100% pure bristle	9"	12
AP9136C	Cob-web brush & adaptor	10"	12

Foam Squeegees


Work well on painted, grouted, quarry tiled and smooth concrete floors. Neoprene red foam blade is long lasting and chemical resistant.

Code	Description	Size	Units
AP49830NRH	Neoprene red foam floor squeegee with steel handle	30"	10

Dustpans

Our range of dustpans includes the revolutionary Shop Scoop leakproof metal pan designed to carry not only dry but also wet waste including spill oil.

Code	Description	Size	Units
AP39356R	Shop scoop leak proof metal pan	14"	4
AP39358R	Jumbo 18" dustpan (clips to broom handle)	18"	4



**Looking for a name brand product and you don't know where to find it?
Are you having difficulty sourcing a particular product? Call our know-
ledgable sales team today at (800) 563-1293, they are waiting to help!**

*The list below shows a small selection of name brands that we are able to supply
-if you don't see what you require, call us and we will find it for you!*

AAMCO ▪ AERO-MOTIVE ▪ AJAX ▪ ALL-AMERICAN ▪ ALCOA ▪ AMERICAN PNEUMATIC ▪ AMTAK
ANDERSEN ▪ APEX ▪ APSCO ▪ ARO ▪ ARROW ▪ ATI ▪ ATLAS-COPCO ▪ ATRO
AIR TURBINE ▪ AUTO-VALET ▪ AVDEL ▪ AVK ▪ BERKEBILE ▪ BOSCH ▪ BOSTITCH
BRUSKE ▪ BUCKEYE ▪ CASTROL ▪ CASTLE ▪ CDI ▪ CHEMAC ▪ CHICAGO PNEUMATIC ▪ CHERRY
CLECO ▪ COOLTRAK ▪ COOPER ▪ CORDS ▪ CORTEC ▪ COX ▪ CRISPO ▪ CROWN AIR ▪ DANAIR
DEGUSSA ▪ DESOUTTER ▪ DE-STA-CO ▪ DIATRIM ▪ DOLER ▪ DOTCO ▪ DUPONT ▪ DYNABRADE
ECLECTRIC PRODUCTS ▪ EISELE ▪ ELECTRO KLEEN ▪ EMGLO ▪ EMHART
EXCALIBUR ▪ E-Z BURR ▪ FAIRVIEW ▪ FBS ▪ FEIN ▪ FLEETGUARD ▪ GAGE BILT PRODUCTS
GARDNER - DENVER ▪ GESIPA ▪ HI-SHEAR ▪ HUCK ▪ HUTCHINS ▪ INGERSOLL-RAND ▪ ISM
JACOBS ▪ JAMES MORTON ▪ JOHNSENS ▪ JOSEPH KIHLEBERG ▪ KETT ▪ K-FAST ▪ KLINGSPOR
KNIPEX ▪ KWIKLOK ▪ LOK-FAST ▪ MARSON ▪ MALLORY ▪ MASTER APPLIANCE ▪ MASTER - DYNE
MASTER PNEUMATIC ▪ MASTER POWER ▪ MATCO TOOLS ▪ METABO ▪ MICHIGAN PNEUMATIC
MIRKA ABRASIVES ▪ MONOGRAM AEROSPACE ▪ MTC ▪ OETIKER ▪ OLYMPIC ▪ OMEGA ▪ NPK
NASCO ▪ PANASONIC ▪ PEAK ▪ PENRAY ▪ PERFORMANCE TOOL ▪ PIVOT POINT ▪ POP POWER
CLEAN ▪ POWERDYNE ▪ PREMIUM TOOLS ▪ PRO-SEAL ▪ QUACKENBUSH ▪ QUIK DRIVE RAPID ▪
RECOIL ▪ RESTORE ▪ RITMAR ▪ ROCKWELL INDUSTRIAL ▪ SAFETY SEAL ▪ SEVERANCE
SCHAEFER ▪ SEMCO ▪ SIGNET ▪ SIOUX ▪ SNAP-ON ▪ SPENAX ▪ SPIROL ▪ STACK-ON
SERV OIL ▪ STEPHENS ▪ STOCKHAUSEN ▪ STRONGARM ▪ SURESHOT ▪ TEXAS PNEUMATIC ▪ TEXTRON
TIGAIR ▪ TIRESEAL ▪ UNISTRUT ▪ UNIVERSAL POWER ▪ URYU ▪ USATCO ▪ US INDUSTRIAL
WALTER ▪ WEBB ▪ WELLWORTH ▪ WERA ▪ WILMAR ▪ WINTERS ▪ WOODHEAD ▪ ZEPHYR

Creating Innovative Solutions for Industry



APPLIFAST^{INC.}
TOOL AND FASTENER SYSTEMS

251 Cree Crescent Winnipeg, MB Canada R3J 3X4

T 204 837 8361 800 563 1293 F 204 837 3520 800 974 1494 E info@applifast.com