



ANTI-FATIGUE MATS

SLIP RESISTANT MATS

ERGONOMIC MODULAR TILE MATS

LOGO MATS

MESSAGE MATS

ENTRANCE MATS AND TILES

INTERIOR MATS

INDUSTRIAL MATTING CATALOG

TABLE OF CONTENTS

Benefits of Anti-fatigue Mats/Safety and Ergonomics.....	2
Compression Deflection & Durometer/Hardness Comparison.....	3
ESD Matting.....	4
Chemical Compatibility of Nitrile Rubber Products.....	5
Mat Symbols.....	6,7
M+A Matting Product Feature Guide.....	8,9
Mat Selector Guide.....	10,11
M+A Matting Hog Heaven® vs. Traditional Diamond Plate / M+A Matting Hog Heaven Prime™ vs. Commercial Grade Urethane.....	12
M+A Matting Comfort Flow vs. Traditional Industrial Mats / M+A Matting Cushion Max 5/8" vs. PVC Foam Cushion 5/8".....	13

PAGE 14

ANTI-FATIGUE &
SLIP RESISTANT
MAT COLLECTION

PRODUCT NAME	PRODUCT #	MAT TYPE	PLACEMENT	PAGE#
HOG HEAVEN®.....	421, 422, 423, 424	Anti-fatigue.....	Wet/Dry.....	17
HOG HEAVEN PRIME®.....	4220, 4221	Anti-fatigue.....	Wet/Dry.....	18
HOG HEAVEN® FASHION.....	441, 442	Anti-fatigue.....	Dry.....	18
HOG HEAVEN® MARBLE TOP.....	448, 449	Anti-fatigue.....	Dry.....	19
GETFIT STANDUP™ MAT.....	4443, 4447, 4448	Anti-fatigue.....	Dry.....	20
CUSHION MAX™ with holes and CUSHION MAX™ without holes.....	413, 414	Anti-fatigue.....	Wet/Dry.....	21
COMPLETE COMFORT™ without holes and COMPLETE COMFORT™ with holes.....	494, 496	Anti-fatigue/FlowThrough.....	Wet/Dry.....	22
COMPLETE COMFORT™ II.....	594	Anti-fatigue.....	Wet/Dry.....	23
HAPPY FEET® HAPPY FEET® LINKABLE textured surface & grip surface.....	465-470, 475-480	Anti-fatigue.....	Wet/Dry.....	24
SURE CUSHION RIBBED, TEXTURE, HEAVY DUTY, YELLOW BORDER.....	415, 425, 428, 427	Anti-fatigue.....	Dry.....	25
SURE TREAD V-GROOVE.....	505	Floor Protection.....	Dry.....	25
COMFORT FLOW™ and COMFORT SCRAPE™.....	420, 430	Anti-fatigue/Slip resistant.....	Wet/Dry.....	26
CUSHION STATION™ without holes and CUSHION STATION™ with holes.....	370, 371	Anti-fatigue/FlowThrough.....	Wet/Dry.....	27
KNEELING COMFORT™.....	433	Anti-fatigue.....	Wet/Dry.....	28
WET STEP®.....	789	Slip resistant.....	Wet/Dry.....	28
TRACTION TREAD.....	50	Slip resistant.....	Wet/Dry.....	29
TRACTION TREAD SOFT.....	56	Slip resistant.....	Wet/Dry.....	29
CORRUGATED SWITCHBOARD and DIAMOND SWITCHBOARD.....	781, 783	Floor Protection.....	Dry.....	30
MILITARY SWITCHBOARD DIAMOND and MILITARY SWITCHBOARD SMOOTH.....	784, 782	Floor Protection.....	Dry.....	31

PAGE 32

ERGONOMIC
MODULAR TILE
MAT COLLECTION

M+A Matting Modular Mats vs. the competition.....				34
HOG HEAVEN III™ MODULAR TILE & LINKABLE MATS COMFORT.....	4471, 4472, 4497, 4498	Anti-fatigue.....	Dry.....	35
HOG HEAVEN III™ WORKSTATION MATS COMFORT.....	4493, 4494, 4495, 4496	Anti-fatigue.....	Dry.....	35
HOG HEAVEN III™ MODULAR TILE TRAFFIC/DRAINABLE, LINKABLE MATS TRAFFIC/DRAINABLE.....	4477-4480, 4491, 4492, 4488, 4489	Anti-fatigue.....	Wet/Dry.....	36
HOG HEAVEN III™ MODULAR TILE & LINKABLE MATS FASHION.....	4484, 4485, 4476	Anti-fatigue.....	Dry.....	37
HOG HEAVEN III™ WORKSTATION MATS FASHION.....	4475	Anti-fatigue.....	Dry.....	37
HOG HEAVEN III™ MODULAR TILE, LINKABLE & WORKSTATION MATS POLY.....	4482, 4483, 4481, 4487	Anti-fatigue.....	Dry.....	38
COMFORT FLOW™/SCRAPE™ HD MODULAR TILE & LINKABLE MATS.....	4430, 4431, 4434, 4435	Anti-fatigue/Slip resistant.....	Wet/Dry.....	39
COMFORT FLOW™/SCRAPE™ HD WORKSTATION MATS.....	4439, 4440	Anti-fatigue/Slip resistant.....	Wet/Dry.....	39

PAGE 40

LOGO MAT, SIGN
MAT & MESSAGE
MAT COLLECTION

The M+A Matting Logo Mat Program.....				42
WATERHOG IMPRESSIONS HD®.....	2380, 2381	Scraper/Wiper.....	Indoor/Outdoor.....	43
WATERHOG® LOGO INLAY.....	234, 235	Scraper/Wiper.....	Indoor/Outdoor.....	44
CLASSIC IMPRESSIONS™ HD LOGO and GRAND IMPRESSIONS HD LOGO.....	73, 64	Wiper.....	Indoor.....	45
CLASSIC IMPRESSIONS™ CUSTOM SHAPE.....	733	Wiper.....	Indoor.....	46
HOG HEAVEN® IMPRESSIONS.....	3422	Anti-fatigue.....	Wet/Dry.....	46
CLASSIC IMPRESSIONS™.....	70	Wiper.....	Indoor.....	47
SUPERSCAPE IMPRESSIONS™ LOGO.....	3559	Scraper.....	Indoor/Outdoor.....	47

PAGE 48

INTERIOR-EXTERIOR
MAT AND TILE
COLLECTION

Preventive Maintenance, Waterhog Backing Types, Slip and Fall Facts.....				50,51
WATERHOG® PLUS.....	185	Scraper/Wiper.....	Indoor/Outdoor.....	52
WATERHOG® LOW PROFILE.....	251	Scraper/Wiper.....	Indoor.....	52
WATERHOG® ECO GRAND ELITE.....	2243, 2244, 2246	Scraper/Wiper.....	Indoor/Outdoor.....	53
WATERHOG® GRAND CLASSIC.....	272, 273, 274	Scraper/Wiper.....	Indoor/Outdoor.....	54
WATERHOG® ECO PREMIER and ECO PREMIER FASHION.....	2295, 2297	Scraper/Wiper.....	Indoor/Outdoor.....	55
WATERHOG® ECO ELITE and ECO ELITE FASHION.....	2240, 2241	Scraper/Wiper.....	Indoor/Outdoor.....	56
WATERHOG® CLASSIC, FASHION and DRAINABLE.....	200, 280, 250	Scraper/Wiper.....	Indoor/Outdoor.....	57
WATERHOG® CLASSIC DIAMOND and FASHION DIAMOND.....	208, 221	Scraper/Wiper.....	Indoor/Outdoor.....	58
WATERHOG® ECO ELITE ROLL GOODS.....	2271, 2272	Scraper/Wiper.....	Indoor/Outdoor.....	59
WATERHOG® DIAMONDCORD.....	296	Scraper/Wiper.....	Indoor.....	60
WATERHOG® MASTERPIECE SELECT.....	265	Scraper/Wiper.....	Indoor.....	60
WATERHOG® CLASSIC TILE.....	210, 216, 219, 220	Scraper/Wiper.....	Indoor.....	61
WATERHOG® MODULAR TILE SQUARE.....	2210	Scraper/Wiper.....	Indoor/Outdoor.....	61
WATERHOG® FORKLIFT MAT.....	1253	Slip Resistant.....	Indoor/Outdoor.....	62
MELT STEP™.....	886, 887, 889	Slip Resistant.....	Outdoor.....	63
FRONTIER.....	437	Scraper.....	Indoor/Outdoor.....	64
SUPERSCAPE™.....	555, 5555	Scraper.....	Indoor/Outdoor.....	64
SUPERSCAPE™ PLUS.....	5558, 5559	Scraper.....	Indoor/Outdoor.....	64
MICROLUX™.....	1201	Wiper.....	Indoor.....	65
TRI-GRIP™/CLASSIC™ MATS/CLASSIC™ CARPETS and TRI-GRIP™ XL.....	100, 190, 2100	Wiper.....	Indoor.....	65
ENVIRO PLUS®.....	2202	Wiper.....	Indoor.....	66
PLUSH™.....	180	Wiper.....	Indoor.....	66
IMPRESSIONIST.....	871	Wiper.....	Indoor.....	67
COBBLESTONE.....	870	Wiper.....	Indoor.....	67
SURE STRIDE®.....	4450	Slip Resistant.....	Indoor.....	68
SURE STRIDE® PLUSH.....	4457	Slip Resistant.....	Indoor.....	68
CLEAN STRIDE®.....	410, 411, 412	Scraper/Wiper.....	Indoor.....	69

The Benefits of ANTI-FATIGUE MATS



Anti-Fatigue mats alleviate stress to the back and legs by providing a cushioned surface to stand on.


Anti-Fatigue mats are perfect for people who have to stand or work in the same place for continual periods of time.

Anti-Fatigue mats are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

M+A Matting Anti-Fatigue mats have been shown to do the following:

- **REDUCE ENERGY CONSUMPTION BY UP TO 50%** in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- **REDUCE FATIGUE** by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



BALANCED

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

IMBALANCED

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain




Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip and fall accidents(NSC)
- Compensation and medical costs associated with employee slip and fall accidents total approximately \$70 Billion annually(NSC)
- The average cost of a slip and fall injury exceeds \$12,000(Wausau Insurance)
- The average cost to defend a slip and fall lawsuit is \$50,000(NFSI)
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma(CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates and absenteeism
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue

Testing shows that Ergonomic Matting can reduce worker fatigue.

Compression Deflection & Durometer/Hardness Comparison



Compression Deflection

General Principal


1. This test was designed to assess and compare performance characteristics of a variety of industrial anti-fatigue mats submitted for testing. Two specific load levels were applied to the test samples and the results show the deflection measured. The 2 specific load levels performed were 20psi, equal to a 150 pound human and 40psi, equal to a 600 pound human.
2. Readings suggest that less than 20% deflection could be perceived as too hard and readings above 60% deflection could be perceived as too soft. It appears that between 20% and 60% deflection anti-fatigue properties can be felt.

Durometer/Hardness

General Principal

The hardness of a test sample is measured by means of a Type A Shore Durometer. The Durometer measures the penetration of its specified indenter forced into the test material under specified conditions. The lower readings indicate softer materials.

TEST RESULTS

 M + A MATTING	COMPETITOR'S
Comfort Flow™ & Cushion Station™ Comfort Flow: 28% deflection @20psi 46% deflection @40psi Cushion Station: 36% deflection @20psi 49% deflection @40psi Durometer/Hardness: Comfort Flow: 45 Cushion Station: 50-55	Traditional Industrial Red Mat 11% deflection @20psi 22% deflection @40psi Durometer/Hardness: 70
Cushion Max 49% deflection @20psi 65% deflection @40psi	PVC Foam 38% deflection @20psi 59% deflection @40psi
Hog Heaven® 5/8" 40% deflection @20psi 55% deflection @40psi Durometer/Hardness: 56	Diamond Plate 5/8" 48% deflection @20psi 65% deflection @40psi Durometer/Hardness: 85



ESD Matting

ESD Matting is designed to quickly drain static electricity from people to help protect sensitive equipment from damage.

ESD Matting is divided into three classifications:

- 1. Electrically Conductive** is rated 10^1 to 10^5 and accepts static electricity the quickest. This is the most often used ESD matting.
- 2. Static Dissipative** is rated 10^6 to 10^9 and is the middle range of ESD matting.
- 3. Anti-Static** is rated 10^{10} to 10^{12} and accepts static the slowest.

ESD Matting is rated in ohms, or the measure of resistance. The lower the resistance, the more quickly static is accepted by the matting, i.e., the lower the exponential, the more quickly static is accepted.

Electrically Conductive Mats		Static Dissipative Mats	
HOG HEAVEN® 5/8" black border Product No. 421 5/8" striped border Product No. 423 7/8" black border Product No. 422 7/8" striped border Product No. 424		COMFORT FLOW™, COMFORT FLOW™ HD TILE Comfort Flow Product No. 420 Comfort Scrape Product No. 430 Comfort Flow HD Modular Tile No. 401 Comfort Scrape HD Modular Tile No. 4431 Comfort Flow HD Linkable Mats No. 4434 Comfort Scrape HD Linkable Mats No. 4435	
HOG HEAVEN III® COMFORT 18" x 18" Modular Tile Comfort No. 4471 36" x 36" Modular Tile Comfort No. 4472 Linkable Mats Comfort, black border No. 4210 Linkable Mats Comfort, yellow border No. 4211		COMFORT FLOW/SCRAPE, COMFORT FLOW HD/SCRAPE HD MODULAR TILE & LINKABLE MATS, CUSHION STATION Surface to Ground 50% Relative Humidity 12% Relative Humidity 3.7 x 10 ⁸ Ohms 4.5 x 10 ⁸ Ohms Surface to Surface 50% Relative Humidity 12% Relative Humidity 9.1 x 10 ⁸ Ohms 9.5 x 10 ⁸ Ohms	
HAPPY FEET® BLACK BORDER textured surface Product No. 465 grip surface Product No. 475 Linkable textured surface: end Product No. 467 textured surface: middle Product No. 469 grip surface: end Product No. 477 grip surface: middle Product No. 479 STRIPED BORDER textured surface Product No. 466 grip surface Product No. 476 Linkable textured surface: end Product No. 468 textured surface: middle Product No. 470 grip surface: end Product No. 478 grip surface: middle Product No. 480		TRACTION TREAD SOFT Surface to Ground 50% Relative Humidity 12% Relative Humidity 3.7 x 10 ⁸ Ohms 4.5 x 10 ⁸ Ohms Surface to Surface 50% Relative Humidity 12% Relative Humidity 9.1 x 10 ⁸ Ohms 9.5 x 10 ⁸ Ohms	
TRACTION TREAD Product No. 50		CUSHION STATION™ Without Holes Product No. 370 With Holes Product No. 371 TRACTION TREAD SOFT Product No. 56	
HOG HEAVEN, HOG HEAVEN III COMFORT Surface to Ground 50% Relative Humidity 12% Relative Humidity 1.7 x 10 ⁴ Ohms 2.9 x 10 ⁴ Ohms Surface to Surface 50% Relative Humidity 12% Relative Humidity 2.6 x 10 ⁴ Ohms 4.9 x 10 ⁴ Ohms		COMFORT FLOW/SCRAPE, COMFORT FLOW HD/SCRAPE HD MODULAR TILE & LINKABLE MATS, CUSHION STATION Surface to Ground 50% Relative Humidity 12% Relative Humidity 3.7 x 10 ⁸ Ohms 4.5 x 10 ⁸ Ohms Surface to Surface 50% Relative Humidity 12% Relative Humidity 9.1 x 10 ⁸ Ohms 9.5 x 10 ⁸ Ohms	
HAPPY FEET® Surface to Ground 50% Relative Humidity 12% Relative Humidity 3.5 x 10 ⁴ Ohms 1.6 x 10 ⁵ Ohms Surface to Surface 50% Relative Humidity 12% Relative Humidity 6.9 x 10 ⁴ Ohms 5.8 x 10 ⁵ Ohms		TRACTION TREAD Surface to Ground 50% Relative Humidity 12% Relative Humidity 2.2 x 10 ⁴ Ohms 2.5 x 10 ⁴ Ohms Surface to Surface 50% Relative Humidity 12% Relative Humidity 5.5 x 10 ⁴ Ohms 5.5 x 10 ⁴ Ohms	

Accessories













Ground Cords are used to allow static electricity to pass more efficiently to a ground and provide a controlled path. Use the cord to connect all ESD floor mats to a building ground. The terminal can be connected to an electrical outlet using the screw in the outlet cover.



Heel Grounders are made for workers wearing rubber soles and other insulating shoes. They allow static electricity to pass around the shoe into the ESD matting. Fasten the Heel Grounder to the heel of the shoe with the Velcro and allow the fabric strip to touch the sock or skin for best performance.



Chemical Compatibility of Nitrile Rubber Products

	Chemical Tested	Rating	Applies to these products:	
A	Aliphatic Hydrocarbons - Kerosene, Etc.	1	 Happy Feet  Hog Heaven III Modular Traffic  Safety Scrape  Hog Heaven  Hog Heaven III Modular Comfort  Cushion Station  Comfort Flow  Comfort Flow HD Modular Tile  Traction Tread  Traction Tread Soft  Hog Heaven Prime  Complete Comfort II	
B	Animal & Vegetable Oils	1		
C	Aromatic Hyrdocarbons - Benzol, Toluol, Etc.	1		
D	Bleach	1		
E	Concentrated Alkali	1		
F	Cutting Oil	1		
G	Denatured Alcohol	1		
H	Diesel	1		
I	Dilute Alkali	1		
J	Engine Oil	1		
K	Gasoline	1		
L	Hydraulic Fluid Silicate Ester	1		
M	Hydraulic Fluid Water Glycol	1		
N	L.P. Gas, Fuel Oils	1		
O	Lubricating Oils - High Aniline	1		
P	Lubricating Oils - Low Aniline Point	1		
Q	Mineral Spirits	1		
R	Muriatic Acid - 30%, 20 Degrees Baume	1		
S	Phosphoric Acid	1		
T	Pine Cleaner	1		
U	Refrigerants, Ammonia	1		
V	Sodium Hydroxide, Rayon Grade, 25%	1		
W	Sulphuric Acid - 30%	1		
X	Transmission Fluid	1		
Y	WD40	1		
Z	Water	1		
AA	Window Cleaner	1		
BB	Anti-Freeze	2		
CC	Brake Fluid	2		
DD	Calcium Hypochlorite - 12%	2		
EE	Chlorine Bleach - 12.5%	2		
FF	Hydraulic Fluid - Petroleum Base	2		
GG	Steam	2		
HH	Butyl Alcohol	3		
II	Isopropyl Alcohol - 99%	3		
JJ	Acetic Acid - 56%	4		
KK	Acetone	4		
LL	Cyclohexande	4		
MM	Refrigerants, Methyl Chloride	4		

1 = Little or no effect

2 = Minor to moderate effect

3 = Moderate to severe effect

4 = Not recommended

Mat Symbols



Anti-Fatigue

Ergonomic mats and floor tiles reduce fatigue by up to 50%. Anti-fatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.



Safety

Matting and tiles with highly visible, colored borders and beveled edges reduce trips and falls.



Chemical Resistant

Many M+A Matting mats are manufactured with nitrile rubber which is resistant to most commonly used chemicals. Please consult the chemical compatibility chart on page 5 for additional information.



Oily Environment

Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils, etc.



Wet Areas

Matting suitable for wet environments; products with this icon have a bi-level surface and water dam designed to hold moisture and keep floors dry, or they have openings designed to let water pass through the mat and keep the work surface dry, or are otherwise designed to be slip-resistant in wet environments.



Dry Areas

80% of applications are for dry environments and are designed to hold up under heavy foot traffic. Matting and tiles are available in a wide range of sizes, materials and colors.



Ergonomic Floor Tiles

Tiles that can be customized to fit large work areas and various shapes around work tables, machinery, conveyors, etc. Interlocking tiles may be easily reconfigured as equipment is moved.



ESD

Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.



Welding Safe

Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees Fahrenheit from welding slag and hot metal shavings.

Mat Symbols



Low Temperatures

Nitrile rubber has the ability to withstand temperatures as low as -40 degrees Fahrenheit. These products can be placed in freezers and applications for extreme cold.




High Temperatures

Nitrile Rubber has the ability to withstand temperatures up to 1800 degrees Fahrenheit. These products can be placed in welding, grinding and high temperature applications for extreme heat.



Anti-Slip

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.



Non-Conductive

Matting created for Switchboards and high voltage areas. Prevents workers from being grounded and reduces the potential for injuries caused by electrical shock.



Cart Traffic

Matting and tiles designed to withstand heavy cart traffic, and is also an ideal placement around heavy objects.



Anti-Microbial

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.



Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



Scraper/Wiper

Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.










Wiper

Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of interiors.


M+A Matting Product Feature Guide

Item	Category	Product Number(s)	Welding Safe	Static Dissipative	Anti-Static	Oil/Grease Resistant	Oil/Grease Proof	Antibacterial Treated	Electrically conductive	Non-conductive	Chemical Resistant	Wet Areas	Dry Areas
													
Anti-Fatigue													
Comfort Flow, Comfort Scrape		420, 430	X	X			X	X			X	X	X
Comfort Flow HD Modular Tile, Linkable and Workstation Mats		4430, 4434, 4439	X	X			X	X			X	X	X
Comfort Scrape HD Modular Tile, Linkable and Workstation Mats		4431, 4435, 4440	X	X			X	X			X	X	X
Complete Comfort		494, 496			X		X	X			X	X	X
Complete Comfort II		594	X	X			X				X	X	X
Cushion Max		413, 414					X	X			X	X	X
Cushion Station		370, 371	X	X			X				X	X	X
GetFit StandUp		4443			X								X
Happy Feet		465, 466, 475, 476	X				X		X		X	X	X
Hog Heaven		421, 422, 423, 424	X				X		X		X		X
Hog Heaven Confetti		443, 444	X	X									X
Hog Heaven Fashion		441, 442			X								X
Hog Heaven Marble Top		448, 449			X								X
Hog Heaven Prime		4220, 4221	X	X		X	X				X	X	X
Hog Heaven III Modular Tile Comfort and Linkable Mats Comfort		4471, 4472, 4497, 4498	X				X		X		X		X
Hog Heaven III Workstation Mats Comfort		4493, 4494	X				X		X		X		X
Hog Heaven III Modular Tile, Linkable and Workstation Mats Fashion		4484, 4485, 4476, 4475			X								X
Hog Heaven III Modular Tile, Linkable and Workstation Mats Poly		4482, 4483, 4481,4487			X								X
Hog Heaven III Modular Tile Traffic, Drainable		4477, 4478, 4479, 4480	X				X		X		X		X
Hog Heaven III Linkable Traffic, Drainable		4491, 4492, 4488, 4489	X				X		X		X		X
Kneeling Comfort		433, 436	X				X		X		X	X	X
Sure Cushion Products		415, 425, 427, 428											X
Sure Tread		505				X							X
Traction Tread Soft		56	X	X			X	X			X	X	X
Slip Resistant Matting													
Melt Step		886, 887, 889	X				X	X			X	X	X
SuperScrape		555, 5555					X				X	X	X
Sure Stride/Sure Stride Plush		4450/4457						X				X	X
Traction Tread		50	X				X		X		X	X	X
WaterHog Forklift Mat		1253			X							X	X
Non Conductive Matting													
Switchboard Matting		781, 782, 783, 784				X				X			X
Logo Mats													
Classic Impressions, Classic Impressions HD		70/73		X									X
Classic Impressions HD Custom Shapes		733		X									X
SuperScrape Impressions		3559			X	X					X	X	X

M+A Matting Product Feature Guide

			<div>Welding Safe</div>	<div>Static Dissipative</div>	<div>Anti-Static</div>	<div>Oil/Grease Resistant</div>	<div>Oil/Grease Proof</div>	<div>Antimicrobial Treated</div>	<div>Electrically conductive</div>	<div>Non-conductive</div>	<div>Chemical Resistant</div>	<div>Wet Areas</div>	<div>Dry Areas</div>	
Item	Category	Product Number(s)												
Logo Mats (continued)														
SuperScrape Impressions Message Mats		3557			X	X					X	X	X	
WaterHog Impressions HD		2380, 2381			X							X	X	
WaterHog Inlay		234, 235			X							X	X	
Entrance Way Mats														
Brush Hog Plus – Scraper		385			X							X	X	
Frontier – Scraper		437										X	X	
Flex-Tip – Scraper		874										X	X	
SuperScrape Plus – Scraper		5558, 5559			X							X	X	
WaterHog Classic/Fashion– Scraper/Wiper		200/280			X							X	X	
WaterHog Grand Classic– Scraper/Wiper		272, 273, 274			X							X	X	
WaterHog Classic Diamond/Fashion Diamond – Scraper/Wiper		208/221			X							X	X	
WaterHog Diamondcord– Scraper/Wiper		296			X							X	X	
WaterHog Modular Tile Square– Scraper/Wiper		2210			X							X	X	
WaterHog Eco Elite/Eco Elite Fashion– Scraper/Wiper		2240/2241			X							X	X	
WaterHog Eco Grand Elite– Scraper/Wiper		2243, 2244, 2246			X							X	X	
WaterHog Eco Premier/Eco Premier Fashion– Scraper/Wiper		2295/2297			X							X	X	
WaterHog Masterpiece Select – Scraper/Wiper		265			X							X	X	
WaterHog Plus – Scraper/Wiper		185			X							X	X	
Classic Brush – Wiper		110, 2110											X	
Cobblestone – Wiper		870											X	
Enviro Plus – Wiper		2202			X								X	
Impressionist – Wiper		871											X	
Stylist – Wiper		872											X	
Tri-Grip/Classic Mats/Classic Carpets – Wiper		100, 190			X								X	
Victory – Wiper		873			X								X	
MicroLuxx – Wiper		1201			X								X	
Specialty Mats														
Clean Stride - Scraper/Wiper		410, 411, 412			X								X	

Mat Selector Guide





Mat	Style & Product Number
A	Clean Stride #412
B	Classic Solutions #120
C	Comfort Flow #420
D	Comfort Flow Modular Tile #4430
E	Comfort Scrape #430
F	Corrugated Switchboard #781
G	Cushion Station #370/371
H	Flex Tip #874
I	Frontier #437
J	Get Fit Stand Up Mat #4442
K	Happy Feet #465
L	Hog Heaven #424
M	Hog Heaven III Modular Tile Comfort #4471
N	Hog Heaven III Modular Tile Poly #4482
O	Hog Heaven Marble Top #448
P	Kneeling Comfort #433
Q	Military Switchboard Diamond #789
R	SuperScrape Plus #5558
S	Tri-Grip/Classic Mats #100
T	Waterhog Classic #200
U	WaterHog Modular Tile Square #2210

These are the most commonly used mats & floor tiles in industrial manufacturing facilities. The letter corresponds with the area chart to the left to help you locate the correct mat for a specific location.

Are you getting full value from your Anti-Fatigue Mats?



M+A Matting Hog Heaven®



vs. Traditional Diamond Plate

Nitrile Rubber Top - 20% Recycled Content	PVC Surface
Superior Slip Resistance Wet or Dry	Slippery when wet
Welding Safe	Not recommended for welding
Chemical and Oil resistant	Not recommended for chemical/oily areas
Cushion permanently molded to surface	Cushion can delaminate since it is glued on
Superior Border Strength Prevents Tearing	Weak Border Strength
Static Dissipative	No anti-static benefit
Rubber borders will not ripple or curl	Plastic Borders will ripple & curl over time
Highest quality closed cell Nitrile Foam	Low quality PVC foam
Cost equivalent to Diamond Plate	Cost equivalent to Hog Heaven
100% Customer Satisfaction Guaranteed	3 Year Guarantee

Do you want Urethane comfort at an affordable price?



M+A Matting Hog Heaven Prime®



vs. Commercial Grade Urethane

\$69.00	2' x 3' Retail Price	\$120.00
.625"	Thickness	.75"
20 psi/18%, 40 psi/35%	Compression Deflection	20 psi/12%, 40 psi/34%
-.61 grams (-1.92%)	Tabor Abrasion	-1.20 grams (-3.22%)
28.44 lbs	Tensil Strength	29.47 lbs
21.7 lbs	Tear Strength	8.8 lbs
18.4 lbs	Puncture Test	18.7 lbs
Yes	Static Dissipative	No
Yes	Welding Safe	No
Yes	Chemical Resistant	No
Yes	Slip Resistant Backing	No
100% Customer Satisfaction Guaranteed	Warranty	Limited

Are all Industrial Mats the same?



M+A Matting Comfort Flow™



Traditional Industrial Mats


vs.

Yes	Reduces lifting injuries by being lighter weight	No
Yes	Lasts up to five times longer	No
Yes	Comfortable to stand on	No
Yes	Stands up to harsh animal fats, chemicals, greases and oils	No
Yes	Made to last - 100% Customer Satisfaction Guaranteed	No
Yes	Low profile - prevents trips and falls and allows carts to roll over	No
Yes	Anti-microbially treated	No
Yes	Made in America	No

Similar Cost... Twice the Life!



M+A Matting Cushion Max™ 5/8"



PVC Foam Cushion 5/8"

vs.

100% Nitrile Blended Closed Cell Foam	PVC Foam
Diamond Pattern Surface twice as durable	Ribbed Surface Peels & Shaves
5/8" Thickness	5/8" Thickness
Drainable or Non-Drainable	Non-Drainable
Dry or Wet Environments	Dry Environments
Superior Anti Fatigue	Minimal Anti-Fatigue
Rolls Available	Rolls Available
100% Customer Satisfaction Guaranteed	1 Year Warranty





ANTI-FATIGUE MAT & SLIP RESISTANT MAT COLLECTION

HOG HEAVEN®
 HOG HEAVEN PRIME®
 HOG HEAVEN® FASHION
 HOG HEAVEN® MARBLE TOP
 GETFIT STANDUP™ MAT
 CUSHION MAX™
 COMPLETE COMFORT™
 COMPLETE COMFORT™ II
 HAPPY FEET®
 HAPPY FEET® LINKABLE
 SURE CUSHION RIBBED
 SURE CUSHION TEXTURE
 SURE CUSHION HEAVY DUTY
 SURE CUSHION YELLOW BORDER
 SURE TREAD V-GROOVE
 COMFORT FLOW™
 COMFORT SCRAPE™
 CUSHION STATION™
 KNEELING COMFORT™
 WET STEP®
 TRACTION TREAD
 TRACTION TREAD SOFT
 CORRUGATED SWITCHBOARD
 DIAMOND PLATE SWITCHBOARD
 MILITARY SWITCHBOARD
 MILITARY SWITCHBOARD SMOOTH



Anti-Fatigue Mats

Provide Comfort and Increase Productivity

Anti-Fatigue mats are available in a wide range of sizes, weights and materials. It has been proven that the proper use of anti-fatigue mats can enhance worker productivity. These mats are designed for use wherever workers spend time standing and will help to eliminate muscular skeletal disorders.



Slip Resistant and Safety Mats

Protect Against Slips and Falls

Slip resistant and safety mats help provide safe working areas for employees and visitors to facilities. 85% of worker's compensation claims are attributed to employees slipping on slick floors. The utilization of slip resistant mats is an ideal solution to prevent such accidents from occurring.



Flow Through Mats

Wet Area Solution

Flow through mats allow liquids to pass through them to eliminate slip hazards. Anti-fatigue properties provide comfort when standing for long periods of time. The thick rubber helps alleviate stress on the legs, feet and lower back.



Runner and Floor Protection Matting


Runner matting made with nitrile rubber covers inside walkways and helps reduce slips and falls. Slips and falls are a leading cause of accidents in the workplace and providing sure footing is important to help decrease these types of accidents. Runner matting also protects the floor from parts or other objects being dropped, as well as aids in noise abatement.



Switchboard Matting

Switchboard matting protects workers from dangerous and harmful deadly shocks that can occur with electrical switchboards. This matting keeps the workers from being grounded and insulates them against high voltage. Switchboard matting is commonly referred to as non-conductive matting.

Mat Thicknesses





HOG HEAVEN®

5/8" black border	Product No. 421
5/8" striped border	Product No. 423
7/8" black border	Product No. 422
7/8" striped border	Product No. 424

- Closed-cell nitrile blended cushion is permanently molded (not glued) to the nitrile rubber surface
- Rubber borders will not crack or curl
- Chemical resistant, grease/oil proof
- Electrically conductive
- Welding safe
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 5/8" and 7/8" thickness; black or OSHA-approved striped border
- Recommended for distribution, manufacturing, and retail facilities for picking lines, assembly lines, workstations, check-out stations, and more

SIZES

2' x 3'
3' x 5'
3' x 12'
4' x 6'
4.8' x 8'
Additional lengths up to 60'.
See price list for all additional sizes.

Sizes are approximate.



ANTI-FATIGUE/DRY OR WET ENVIRONMENTS/INDOOR



02 caution yellow

black



ANTI-FATIGUE/DRY OR DAMP ENVIRONMENTS/INDOOR



Hog Heaven Prime
black



Hog Heaven Prime
black


HOG HEAVEN PRIME®

3/4" black Product No. 4220
3/4" black w/yellow striped border Product No. 4221

- Urethane foam comfort at an affordable price
- Nitrile rubber molded to a closed cell nitrile cushion for superior comfort and performance
- Edge-to-edge cushion
- High heel shoe safe, welding safe, and static dissipative
- Anti-microbial treated for lifetime protection against odors and degradation
- Beveled borders
- Grease and oil proof, chemical resistant
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for use in areas such as distribution, light manufacturing, work stations, check out stations, retail and healthcare environments

SIZES

2' x 3'
3' x 5'
3' x 10'
Sizes are approximate.



1-black

black w/yellow striped border

HOG HEAVEN® FASHION


5/8" Product No. 441
7/8" Product No. 442

- Anti-static, slip-resistant 100% solution-dyed polypropylene top surface will not fade
- Solution-dyed fabric is molded to a solid nitrile rubber surface for best durability
- Closed-cell nitrile rubber cushion backing is molded to the nitrile surface, providing a comfortable long-lasting mat
- Beveled border remains flexible for the life of the product and will not crack or curl
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Ideal uses include concierge desk, bellman stand, copier station, registration desk and shipping desk

SIZES

2' x 3'
3' x 5'
3' x 12'
Additional lengths up to 60'.
See price list for all additional sizes.

Sizes are approximate.



Hog Heaven Fashion
cobalt blue



ANTI-FATIGUE/INDOOR



Hog Heaven Fashion
cobalt blue



320 granite

321 cocoa brown

322 cobalt blue

323 coal black



Hog Heaven Marble Top
midnight swirl

HOG HEAVEN® MARBLE TOP

5/8" Product No. 448
7/8" Product No. 449

- Closed cell nitrile rubber cushion provides long lasting comfort
- Extra-thick (.170") PVC top ensures long life
- Borders will not crack or curl
- Smooth diamond patterned top allows workers to pivot freely
- Surface is easy to clean
- Cushion is not glued on but is permanently molded to rubber top eliminating the possibility of delamination
- Anti-static


SIZES

2' x 3'
3' x 5'
3' x 12'
4' x 6'
Additional
lengths up
to 60'.
See price
list for all
additional
sizes.

Sizes are
approximate.



ANTI-FATIGUE/INDOOR



Hog Heaven Marble Top
midnight swirl



10 midnight swirl

11 granite dusk

12 blue merle

13 amber maple

GetFit StandUp Mat
Red Polypropylene Fabric Top



ANTI-FATIGUE/INDOOR



GetFit StandUp Mat
Tan Polyester Designer Top



GetFit StandUp Mat
Grey Polyester Designer Top



GetFit StandUp Mat
Red Polypropylene Fabric Top



GetFit StandUp Mat
Black Rubber Top


GETFIT STANDUP™ MAT

5/8" Polypropylene Fabric Top	Product No. 4443
5/8" Rubber Top	Product No. 4447
5/8" Polyester Designer Top	Product No. 4448

- Designed for use at stand up desks and provide workers with a comfortable surface to stand on for hours
- Standing at work helps you burn more calories and can actually help you lose weight
- Nitrile blended cushion for maximum comfort while standing long hours
- Edge-to-edge foam
- Available with a polypropylene fabric top in 6 colors or a polyester designer top in 2 colors to match your office décor or a black rubber top for maximum durability
- Multiple sizes are available to fit the needs of your employees and their workspaces

SIZES

22" x 32"
22" x 50"
22" x 60"
34" x 47"
34" x 60"





Cushion Max
without holes



ANTI-FATIGUE/DRY OR WET
ENVIRONMENTS/INDOOR



Cushion Max
without holes



Cushion Max
with holes

CUSHION MAX™

5/8" with holes Product No. 413
5/8" without holes Product No. 414

- Closed-cell nitrile blended cushion
- Chemical resistant, grease/oil proof
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Lasts 3 times longer than traditional 100% PVC foam mats
- Tapered border provides a safe transition from the mat to the floor

SIZES

2' x 3'
3' x 5'
3' x 12'
4' x 6'
Additional lengths up to 45'. See price list for all additional sizes.

Sizes are approximate.



COMPLETE COMFORT™

5/8"	without holes	Product No. 494
5/8"	with holes	Product No. 496


- Ergonomically superior anti-fatigue mat
- 100% closed-cell nitrile rubber construction with anti-microbial properties
- Beveled edges for easier floor to mat transition
- Slip resistant surface is oil/grease proof and chemical resistant
- Lightweight and easy to clean
- Color: Black
- Recommended for wet and dry areas such as kitchens or industrial areas

SIZES

2' x 3'
3' x 4'
3' x 5'
3' x 10'
4' x 6'
4' x 8'
3' and 4' widths available in lengths up to 75'. See price list for all additional sizes. Sizes are approximate.



ANTI-FATIGUE/DRY OR WET ENVIRONMENTS/INDOOR





COMPLETE COMFORT™ II

5/8" Product No. 594

- High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- Chemical resistant, grease/oil proof
- Welding safe and static dissipative
- Beveled edges for safe transition from mat to floor
- Lifetime anti-microbial treatment to prevent odors and degradation
- Can be autoclave sterilized
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for use in wet or dry environments for healthcare, foodservice and industrial application

SIZES

2' x 3'
3' x 4'
3' x 5'
4' x 6'

Sizes are approximate.



ANTI-FATIGUE/DRY OR WET ENVIRONMENTS/INDOOR

Complete Comfort II





Happy Feet
textured surface
caution yellow border



ANTI-FATIGUE?SLIP RESISTANT/DRY
OR WET ENVIRONMENTS/INDOOR

HAPPY FEET®

BLACK BORDER

1/2"	textured surface	Product No. 465
1/2"	grip surface	Product No. 475

Linkable

1/2"	textured surface: end	Product No. 467
1/2"	textured surface: middle	Product No. 469
1/2"	grip surface: end	Product No. 477
1/2"	grip surface: middle	Product No. 479

STRIPED BORDER

1/2"	textured surface	Product No. 466
1/2"	grip surface	Product No. 476

Linkable

1/2"	textured surface: end	Product No. 468
1/2"	textured surface: middle	Product No. 470
1/2"	grip surface: end	Product No. 478
1/2"	grip surface: middle	Product No. 480

- Constructed with a dense cushion encapsulated within oil/grease proof nitrile rubber
- Electrically conductive. Safe for use in computer rooms and electrical part manufacturing areas.
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Can be autoclave sterilized
- Specific applications include grates, heavy chemicals, heavy oils and welding areas
- Available in 2 surface types...
Textured Surface: For dry/damp areas where traction is unnecessary. Grip Surface: For wet areas where maximum traction and/or scraping is needed.

MAT SIZES

2' x 3'
3' x 5'
Sizes are approximate.

LINKABLE SIZES

Linkable
End
34" x 59.875"

Linkable
Middle
34" x 61.25"



Happy Feet Linkable
textured surface
caution yellow border

(enlarged view)



Happy Feet
grip surface



Happy Feet
textured surface

02 caution yellow

black



Sure Cushion Ribbed

Sure Cushion Texture

Sure Cushion Heavy Duty

Sure Cushion Yellow Border

Sure Tread V-Groove

* NOT guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.



SURE CUSHION RIBBED

3/8" Product No. 415

- Ribbed PVC foam*

SIZES

2' x 3'	2' x 60'
3' x 5'	3' x 60'
3' x 12'	4' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE CUSHION TEXTURE

3/8" Product No. 425

- Textured PVC foam*

SIZES

2' x 3'	3' x 12'
3' x 5'	3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE CUSHION HEAVY DUTY

1/2" Product No. 428

- PVC foam for heavy use areas*
- 80 mil solid vinyl surface combined with a non-closed cell vinyl cushion back
- Beveled on all sides for safety

SIZES

2' x 3'	3' x 12'
3' x 5'	3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE CUSHION YELLOW BORDER

3/8" Product No. 427

- PVC foam with yellow border on two sides*

SIZES

2' x 3'	3' x 12'
3' x 5'	3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE TREAD V-GROOVE


1/8" Product No. 505

- Solid vinyl
- Chemical resistant
- Provides protection for all types of floors from abuse due to chairs, tables and foot traffic
- Great for walkways, inclines and ramps
- Can be rolled for easy storage

SIZES

3' x 105'
4' x 105'

Additional lengths available. Sizes are approximate.



Comfort Flow

COMFORT FLOW™ & COMFORT SCRAPE™

3/8" Comfort Flow
3/8" Comfort Scrape

Product No. 420
Product No. 430

- High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- Grease and oil proof, chemical resistant
- Welding safe and static dissipative
- Beveled edges for safe transition from mat to floor
- Lifetime anti-microbial treatment to prevent odors and degradation of the mat
- Comfort Flow has drainage holes to allow liquids to flow through. Comfort Scrape has non-draining surface
- Lightweight and flexible for easy handling and cleaning
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for kitchens and industrial applications

SIZES

2' x 3'
3' x 5'
4' x 6'
3' x 9'

Sizes are approximate.



ANTI-FATIGUE/SLIP RESISTANT/DRY OR WET ENVIRONMENTS/INDOOR-OUTDOOR



Comfort Flow



Comfort Scrape



Cushion Station with holes

CUSHION STATION™

7/16"	without holes	Product No. 370
7/16"	with holes	Product No. 371

- Highly durable closed-cell nitrile rubber cushion combined with uniquely designed construction affords excellent anti-fatigue properties
- Grease and oil proof
- Static dissipative
- Welding safe
- Designed for use in wet or dry areas. Available with and without holes
- Anti-microbial treated for lifetime protection against odors and degradation
- Available in standard sizes up to 20' long
- Flexible nitrile cushion construction can be cleaned easily
- Can be autoclave sterilized
- Cushion Station mats are ideal for use in machine shops, work stations or other heavy industrial applications, medical facility environments (i.e., operating rooms, delivery rooms, etc.) kitchens, showers, and locker rooms


SIZES

2' x 3.2'
3.2' x 5.3'
3.2' x 8.3'
3.2' x 12.3'
3.2' x 16.1'
3.2' x 20.1'
4' x 5.92'
4' x 8.3'
4' x 12.3'
4' x 16.1'
4' x 20.1'

Sizes are approximate.



ANTI-FATIGUE/SLIP RESISTANT/DRY OR WET ENVIRONMENTS/INDOOR



KNEELING COMFORT™

7/8" Product No. 433

- Closed-cell blended nitrile rubber cushion with nitrile rubber base
- Electrically conductive, grease/oil proof
- Will not absorb liquids
- Reduces knee trauma and low back stress
- Built-in handle is convenient to carry & store
- Cleans easily with soap and water
- Ideal for occupations that require kneeling such as construction workers, technicians, mechanics, engineers, utility workers, manufacturers or anyone who moves from place to place to perform work tasks

SIZES

12" x 22"
18" x 30"
Sizes are approximate.



Kneeling Comfort



ANTI-FATIGUE/DRY OR WET ENVIRONMENTS/INDOOR-OUTDOOR



Kneeling Comfort
18" x 30"

Kneeling Comfort
12" x 22"

Kneeling Comfort
18" x 30"



SLIP RESISTANT/WET ENVIRONMENTS/INDOOR-OUTDOOR



Wet Step
blue

WET STEP®

1/4" Product No. 789

- Unique design provides excellent slip resistance and anti-fatigue properties
- Soft to walk on with bare feet
- Perfect for use in wet areas. Drain holes allow water to freely drain away.
- Anti-microbial treated for lifetime protection against odors and degradation
- Durable closed cell nitrile rubber cushion is UV resistant and will last for years
- Can be autoclave sterilized for health care use
- Recommended for use in locker rooms, showers, spas and around pools and hot tubs. Also recommended for use in operating rooms and medical scrub areas.

SIZES

2' x 3'
3' x 5'
3' x 10'
3' x 20'

Additional lengths up to 20'. See price list for all additional sizes.

Sizes are approximate.



Wet Step
blue



blue

grey

TRACTION TREAD

1/8" Product No. 50

- Slip-resistant floor protection matting made from chemical-resistant Nitrile rubber
- 20% post-consumer recycled rubber content
- UV protected, grease/oil-proof, welding safe and electrically conductive
- Designed for various applications including laboratories, locker rooms, parts departments, and other commercial and industrial applications

SIZES

33" x 40' Roll
44" x 40' Roll
58" x 40' Roll

See price list for all additional sizes.

Sizes are approximate.



Traction Tread



SLIP RESISTANT/DRY OR WET ENVIRONMENTS/INDOOR



Traction Tread



ANTI-FATIGUE/SLIP RESISTANT/DRY OR WET ENVIRONMENTS/INDOOR

TRACTION TREAD SOFT

1/4" Product No. 56


- Slip-resistant floor protection matting made from chemical-resistant, high density Nitrile rubber foam
- Contains 15% post-consumer recycled rubber content
- UV protected, grease/oil-proof, welding safe and static dissipative
- Anti-microbial treated
- Ideal for numerous production locations, walkways, gym floor protection, parts counters, lab areas and food service applications

SIZES

33" x 40' Roll
44" x 40' Roll
58" x 40' Roll

See price list for all additional sizes.

Sizes are approximate.



Traction Tread Soft



Traction Tread Soft


CORRUGATED SWITCHBOARD

1/4" Product No. 781

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Corrugated Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts

SIZES

24" x 75'
36" x 75'
48" x 75'
Additional lengths up to 75'. See price list for all additional sizes. Sizes are approximate.



Corrugated Switchboard



DRY ENVIRONMENTS/INDOOR



Corrugated Switchboard



DRY ENVIRONMENTS/INDOOR

DIAMOND PLATE SWITCHBOARD

1/4" Product No. 783


- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Diamond Plate Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts

SIZES
36" x 75'

Sizes are approximate.



Diamond Plate Switchboard



Diamond Plate Switchboard

MILITARY SWITCHBOARD DIAMOND

3/16" Product No. 784

- Non-conductive
- Meets strict Military specification standard MIL-DTL 15562G
- Type III - PVC runner material protects workers in high voltage use areas
- Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G

SIZES

36" x 75'

Sizes are approximate.



Military Switchboard Diamond



DRY ENVIRONMENTS/INDOOR



Military Switchboard Diamond



DRY ENVIRONMENTS/INDOOR

MILITARY SWITCHBOARD SMOOTH


1/8" Product No. 782

- Non-conductive
- Meets strict Military specification standard MIL-DTL 15562G
- Type II - PVC runner material protects workers in high voltage use areas
- Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G


SIZES

36" x 75'

Sizes are approximate.



Military Switchboard Smooth



Military Switchboard Smooth





ERGONOMIC MODULAR TILE MAT COLLECTION

HOG HEAVEN III™ MODULAR TILE COMFORT

HOG HEAVEN III™ LINKABLE MATS COMFORT

HOG HEAVEN III™ WORKSTATION MATS COMFORT

HOG HEAVEN III™ MODULAR TILE TRAFFIC

HOG HEAVEN III™ MODULAR TILE TRAFFIC DRAINABLE

HOG HEAVEN III™ LINKABLE MATS TRAFFIC

HOG HEAVEN III™ LINKABLE MATS TRAFFIC DRAINABLE

HOG HEAVEN III™ MODULAR TILE FASHION

HOG HEAVEN III™ LINKABLE MATS FASHION

HOG HEAVEN III™ WORKSTATION MATS FASHION

HOG HEAVEN III™ MODULAR TILE POLY

HOG HEAVEN III™ LINKABLE MATS POLY

HOG HEAVEN III™ WORKSTATION MATS POLY

COMFORT FLOW™ HD MODULAR TILE

COMFORT FLOW™ HD LINKABLE MATS

COMFORT FLOW™ HD WORKSTATION MATS

COMFORT SCRAPE™ HD MODULAR TILE

COMFORT SCRAPE™ HD LINKABLE MATS

COMFORT SCRAPE™ HD WORKSTATION MATS

M+A Matting Modular Mats vs. The Competition


Hog Heaven III™ Modular Tile Comfort

vs.


Competitor Rubber Tile

3/4"	Thickness	3/4"
57	Durometer	65
19% @ 20psi / 33% @ 40psi	Compression Deflection	11% @ 20psi / 18% @ 40psi
Electrically Conductive 1.7x10 ⁴ ohms	ESD Rating	(10 ⁹ ohms per sq) ASTM D-257
Yes	Chemical/Oil Resistant	Yes
.93 Dry, .88 Wet per ASTM C1028-96	Coefficient of Friction	.96 Dry per ASTM D1677
Yes	Welding Safe	No
Flammability DOC-FF-1-70 "A" Rating	Flammability	Flammability D.O.C.- FF-1-70 (Pill Test)
Yes	Nitrile Cushion Backing	No


Hog Heaven III™ Modular Tile Traffic

vs.


Competitor Heavy Duty Hard PVC Tile

5/8"	Thickness	7/8"
50-55	Durometer	95
23% @ 20psi / 34% @ 40psi	Compression Deflection	5% @ 20psi / 7% @ 40psi
Static Dissipative 3.7x10 ⁸ ohms	ESD Rating	No
Yes	Chemical/Oil Resistant	No
.96 Dry, .92 Wet per ASTM C1028-96	Coefficient of Friction	ASTM F1677 Dry: Cof=.65 Wet:Cof=.42
Yes	Welding Safe	No
Flammability DOC-FF-1-70 "A" Rating	Flammability	Flammability MVSS 302 / A Rating


Comfort Flow HD Modular Tile

vs.


Competitor Heavy Duty Drainage PVC Tile

1/2"	Thickness	7/8"
75	Durometer	95
15% @ 20psi / 18% @ 40psi	Compression Deflection	5% @ 20psi / 7% @ 40psi
Static Dissipative 1.5x10 ⁶ ohms	ESD Rating	No
Yes	Chemical/Oil Resistant	No
.89 Dry, .85 Wet per ASTM C1028-96	Coefficient of Friction	ASTM F1677 Dry: Cof=.65 Wet:Cof=.42
Yes	Welding Safe	No
Flammability DOC-FF-1-70 "A" Rating	Flammability	Flammability MVSS 302 / A Rating
Yes	Anti-Microbial	No



Hog Heaven III Modular Tile Comfort
yellow border



ANTI-FATIGUE/DRY ENVIRONMENTS

HOG HEAVEN III MODULAR TILE COMFORT



Corner Tile
black border



Middle Tile
black border



Side Tile
black border

HOG HEAVEN III LINKABLE MATS COMFORT



Linkable Mat End
yellow border



Linkable Mat Middle
yellow border



Linkable Mat End
yellow border

HOG HEAVEN III™ MODULAR TILE COMFORT and HOG HEAVEN III™ LINKABLE MATS COMFORT

18" x 18" x 3/4" Modular Tile
36" x 36" x 3/4" Modular Tile
3/4" Linkable Mats black border
3/4" Linkable Mats yellow border

Product No. 4471
Product No. 4472
Product No. 4497
Product No. 4498

- Wedge-locking mechanism
- Outstanding anti-fatigue qualities for dry areas
- Solid nitrile rubber top surface has excellent chemical and oil/grease resistance
- Closed cell nitrile rubber cushion provides long lasting comfort
- Welding safe
- Nitrile rubber surface is molded to the cushion backing (not glued) so the surface will not delaminate
- Rubber surface remains flexible for the life of the product and will not curl or crack
- Borders available in black or yellow striped
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for distribution, manufacturing and retail facilities for picking lines, assembly lines, work stations, check-out stations and more

HOG HEAVEN III™ WORKSTATION MATS COMFORT

3/4" Black border
3/4" Yellow border

Product No. 4493
Product No. 4494

MODULAR TILE SIZES

18" x 18"
Middle-01
18" x 18" x 3/4"
Side Black-02
18" x 21.875" x 3/4"
Corner Black-03
21.875" x 21.875" x 3/4"
Side Yellow-04
18" x 21.875" x 3/4"
Corner Yellow-05
21.875" x 21.875" x 3/4"

36" x 36"
Middle-01
36" x 36" x 3/4"
Side Black-02
36" x 39.875" x 3/4"
Corner Black-03
39.875" x 39.875" x 3/4"
Side Yellow-04
36" x 39.875" x 3/4"
Corner Yellow-05
39.875" x 39.875" x 3/4"

Color: Black with Black border or Yellow border
NOTE: Hog Heaven III Modular Tile Comfort is designed for square or rectangle installations only.

LINKABLE MAT SIZES

Mat End
39.875 x 43.75" x 3/4"
Mat Middle
36" x 43.75" x 3/4"

Color: Black with Black border or Yellow border


WORKSTATION MAT SIZE

43.75 x 43.75" x 3/4"

US Patent 8,919,054



Hog Heaven III
Workstation Mats Comfort
yellow border



Hog Heaven III
Modular Tile Comfort



ANTI-FATIGUE/DRY OR WET ENVIRONMENTS/INDOOR



Hog Heaven III
Modular Tile Traffic

HOG HEAVEN III LINKABLE MATS TRAFFIC

Black Border

Yellow Border



HOG HEAVEN III MODULAR TILE TRAFFIC



Side
yellow border



Middle



Corner
yellow border



Hog Heaven III Modular Tile Traffic
Drainable Middle

MODULAR TILE SIZES

18" x 18"

Middle-01

18" x 18" x 5/8"

Side-02

18" x 21.875" x 5/8"

Corner-03

21.875" x 21.875" x 5/8"

36" x 36"

Middle-01

36" x 36" x 5/8"

Side-02

36" x 39.875" x 5/8"

Corner-03

39.875" x 39.875" x 5/8"

LINKABLE MAT SIZES

Mat End
39.875" x 43.75" x 5/8"

Mat Middle
36" x 43.75" x 5/8"

US Patent 8,919,054

HOG HEAVEN III™ MODULAR TILE TRAFFIC & HOG HEAVEN III™ MODULAR TILE TRAFFIC DRAINABLE

18" x 18" x 5/8" Modular Tile

Product No. 4477

36" x 36" x 5/8" Modular Tile

Product No. 4478

18" x 18" x 5/8" Modular Tile drainable

Product No. 4479

36" x 36" x 5/8" Modular Tile drainable

Product No. 4480

HOG HEAVEN III™ LINKABLE MATS TRAFFIC

5/8" Linkable Mats black border

Product No. 4491

5/8" Linkable Mats yellow border

Product No. 4492

HOG HEAVEN III™ LINKABLE MATS TRAFFIC DRAINABLE


5/8" Linkable Mats black border

Product No. 4488

5/8" Linkable Mats yellow border

Product No. 4489

- Wedge-locking mechanism
- Firm ergonomic tile for workstations that require cart traffic
- Interlocks with Hog Heaven III Modular Tile Comfort to create a complete ergonomic flooring system
- Made with high-density closed-cell nitrile rubber
- Borders available in black or yellow striped
- Chemical resistant, grease/oil proof
- Welding safe
- Static dissipative



Hog Heaven III
Workstation Mats Fashion
cobalt blue




Hog Heaven III
Modular Tile Fashion
granite



ANTI-FATIGUE/INDOOR

HOG HEAVEN III MODULAR TILE FASHION



Corner Tile
granite



Middle Tile
granite



Side Tile
granite

HOG HEAVEN III LINKABLE MATS FASHION



Linkable Mat End
granite



Linkable Mat Middle
granite



Linkable Mat End
granite

Hog Heaven III Modular Tile Fashion
granite

HOG HEAVEN III™ MODULAR TILE FASHION & LINKABLE MATS FASHION

18" x 18" x 3/4"	Modular Tile	Product No. 4484
36" x 36" x 3/4"	Modular Tile	Product No. 4485
3/4"	Linkable Mats	Product No. 4476

- Wedge-locking mechanism
- Anti-static, slip-resistant 100% solution-dyed polypropylene top surface will not fade
- Solution-dyed fabric is molded to a solid nitrile rubber surface for best durability
- Closed-cell nitrile rubber cushion backing keeps standing workers comfortable all day long
- Beveled border remains flexible for the life of the product and will not crack or curl
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Ideal uses include concierge desk, bellman stand, copier station, registration desk, pharmacies and labs

MODULAR TILE SIZES

18" x 18"
Middle-01
18" x 18" x 3/4"
Side-02
18" x 21.875" x 3/4"
Corner-03
21.875" x 21.875" x 3/4"

36" x 36"
Middle-01
36" x 36" x 3/4"
Side-02
36" x 39.875" x 3/4"
Corner-03
39.875" x 39.875" x 3/4"

NOTE: Hog Heaven III Modular Tile Fashion is designed for square or rectangle installations

LINKABLE MAT SIZES

Mat End
39.875" x 43.75" x 3/4"
Mat Middle
36" x 43.75" x 3/4"

WORKSTATION MAT SIZE

43.75" x 43.75" x 3/4"
US Patent 8,919,054

HOG HEAVEN III™ WORKSTATION MATS FASHION

3/4" Product No. 4475

320 granite

321 cocoa brown

322 cobalt blue

323 coal black





Hog Heaven III
Modular Tile Poly
36"

HOG HEAVEN III LINKABLE MATS POLY



Mat End



Mat Middle

HOG HEAVEN III MODULAR TILE POLY



18" Side



18" Middle



18" Corner

MODULAR TILE SIZES

Corner tile
21.875" x 21.875" x 3/4"
39.875" x 39.875" x 3/4"
Side tile
18" x 21.875" x 3/4"
36" x 39.875" x 3/4"
Middle tile
18" x 18" x 3/4"
36" x 36" x 3/4"

LINKABLE MAT SIZES


Mat End
39.875" x 43.75" x 3/4"
Mat Middle
36" x 43.75" x 3/4"

WORKSTATION MAT SIZE

43.75" x 43.75" x 3/4"
US Patent 8,919,054



ANTI-FATIGUE/INDOOR



Hog Heaven III
Modular Tile Poly

HOG HEAVEN III™ MODULAR TILE POLY

18" x 18" x 3/4"	Modular Tile	Product No. 4482
36" x 36" x 3/4"	Modular Tile	Product No. 4483

HOG HEAVEN III™ LINKABLE MATS POLY

3/4"	Linkable Mats	Product No. 4481
------	---------------	------------------

HOG HEAVEN III™ WORKSTATION MATS POLY

3/4"	Product No. 4487
------	------------------

- Wedge-locking mechanism
- Black woven PVC top is easy to sweep and clean
- Fabric is molded to a solid nitrile rubber surface for best durability
- Outstanding anti-fatigue qualities for dry areas
- Closed cell nitrile rubber cushion provides long lasting comfort
- Versatile modular tile design allows for larger custom installations
- 3/4" thickness
- Perfect for use in retail facilities, check-out stations, work stations and more

39





LOGO MAT, SIGN MAT & MESSAGE MAT COLLECTION

WATERHOG IMPRESSIONS HD®

WATERHOG® LOGO INLAY

CLASSIC IMPRESSIONS™ HD LOGO

GRAND IMPRESSIONS HD LOGO

CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE

HOG HEAVEN® IMPRESSIONS

CLASSIC IMPRESSIONS™

SUPERSCAPE IMPRESSIONS™ LOGO



The M+A Matting Logo Mat Program

M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

Ordering Logo Mats is as easy as 1-2-3:

- 1) Visit www.mamattening.com to submit your logo file using our easy to use web page.
- 2) Log into your account and simply click on “**Logo Mats**” and then “**Submit Design**”.
- 3) Complete the necessary information on the submit page, attach your logo file and then click on “**Send your design**”. Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 hours. Once your proof arrives by email, please take the following simple steps:

- 1) Approve or make necessary changes to the proof.
- 2) Return the art proof with any changes or approved art proof with purchase order and quantity of mats to artwork5@mamattening.com.



Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

*Color prints, if available, may be submitted to show color placement for a design.



Create your own proofs with The M+A Matting Mobile App!

Visit your app store and search “M+A Matting” to download app.

The M+A Matting Mobile App provides an easy way for users to search and view existing mat designs as well as create their own proofs using our simple tools.

Each user will be able to:

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

M+A Matting’s user friendly app is compatible with any mobile device.

Below is a condensed list of compatible devices:

- Android
- Android tablets
- iPhone*
- iPad*
- iPod Touch*

*all Apple products require iOS 6.0 or later






Waterhog
Impressions HD with
Classic Border



SCRAPER-WIPER/INDOOR-OUTDOOR



Color options

WATERHOG IMPRESSIONS HD®

3/8" Classic (Rubber Border)

Product No. 2381

3/8" Fashion (Fabric Border)


Product No. 2380

- State-of-the-art digital printing system with up to 57 standard color options
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level until cleaning
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Molded nitrile rubber backing resists curling and cracking in all types of weather. Available in smooth and cleated backing types
- Available with your choice of classic rubber border or fashion fabric border
- Perfect for high traffic areas
- No set up charge! Free proofs in 24 hrs!

SIZES

2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	6' x 8'
3' x 10'	6' x 10'
3' x 12'	6' x 12'
3' x 16'	6' x 16'
3' x 20'	6' x 20'

Sizes are approximate. See price list for all additional sizes.



Waterhog Logo Inlay
red/black
Classic border

WATERHOG® LOGO INLAY

3/8" Classic (rubber border)
3/8" Fashion (fabric border)

Product No. 234
Product No. 235

- 100% UV resistant polypropylene fabric for indoor and outdoor placements
- Molded rubber backing resists curling and cracking in all types of weather. Available in smooth and cleated backing types.
- Earth-friendly rubber backing has 20% post-consumer recycled content
- Designs are created using a unique inlay process that can include up to 19 colors per mat at no additional charge
- Available with your choice of classic rubber border or fashion fabric border
- **No set up charge! Free proofs in 24 hrs!**
- Perfect for high traffic areas

SIZES

2' x 3' 4' x 8'
3' x 4' 4' x 10'
3' x 5' 4' x 12'
3' x 6' 4' x 16'
3' x 10' 4' x 20'
3' x 12' 6' x 8'
3' x 16' 6' x 12'
3' x 20' 6' x 16'
4' x 6' 6' x 20'

Sizes are approximate. See price list for all additional sizes.



ENTRANCE/SCRAPER-WIPER/
INDOOR-OUTDOOR



Waterhog Logo Inlay
red/black

Waterhog Classic

Waterhog Fashion



Rubber reinforced textile Rubber border

Rubber reinforced textile Fabric border



150 camel 151 medium brown 152 dark brown 153 light green* 154 charcoal 155 red/black 156 medium blue 157 medium grey 158 bluestone 159 evergreen



160 bordeaux 161 navy 162 white* 163 aquamarine* 164 gold* 165 solid red* 166 yellow* 167 orange* 168 purple*

*These colors are ONLY available in 3' and 4' widths.





Classic Impressions HD Logo

CLASSIC IMPRESSIONS™ HD LOGO

3/8" SBR rubber border and backing
3/8" vinyl border and backing

Product No. 73
Product No. 73

GRAND IMPRESSIONS HD LOGO

3/8" serged border, vinyl backing

Product No. 64

- Heavy 32 oz/sq yd high twist, heat-set nylon face fabric
- SBR rubber backing contains 20% recycled rubber from car tires
- Logos are printed onto carpet face; fine details, shading and 3-D images are achievable utilizing a state-of-the-art digital printer
- 4-color process- 150 color options and photographic quality designs
- No set up charges, art proofs in 24 hours and fast ship times (3-5 business days)
- Available with cleated backing (3', 4' and 5' widths only) for placement on carpet or smooth backing for hard floor surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

2' x 3'
3' x 4'
3' x 5'
3' x 10'
4' x 6'
4' x 8'
5' x 8'
5' x 10'
6' x 10'
6' x 12'

Sizes are approximate.
See price list for all additional sizes. PMS custom color available at an additional charge.



WIPER/INDOOR



Classic Impressions HD Logo

CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE

3/8" Product No. 733

- Heavy 32 oz/sq yd high twist heat-set nylon face fabric
- Heavy 90 mil rubber backing for added support and durability
- Logos are printed onto carpet face; fine details and 3-D images are achievable
- 4 color process provides unlimited color options. PMS color matching is available with an upcharge.
- No set up charges, art proofs returned in 24 hours and fast ship times



WIPER/INDOOR



Classic Impressions HD
Custom Shape



ANTI-FATIGUE/INDOOR

HOG HEAVEN® IMPRESSIONS

5/8" Product No. 3422

- Multi-color images are created by molding a digitally printed polymeric material into the durable nitrile rubber
- Nitrile rubber top surface has 20% recycled content
- Closed cell nitrile blended cushion is permanently molded (not glued) to the nitrile rubber top surface
- Rubber borders will not crack or curl
- Chemical resistant, grease/oil proof
- Recommended for distribution, manufacturing and retail facilities for picking lines, assembly lines, work stations, check-out stations and more

SIZES

2' x 3'
3' x 5'
3' x 12'
4' x 6'

Sizes are approximate. See price list for all additional sizes. PMS custom color available at an additional charge.



Hog Heaven Impressions



Hog Heaven Impressions



CLASSIC IMPRESSIONS™

3/8" SBR or vinyl backing

Product No. 70

- Long-wearing, 26 oz/sq yd, static-dissipative nylon carpet
- SBR rubber backing contains 20% post-consumer recycled content and resists curling and cracking
- Available with cleated backing (3', 4' and 5' widths only) for placement on carpet or smooth backing for hard floor surfaces
- No set up charge! Fast Service!
- Recommended for commercial buildings, hotels, restaurants, health care facilities, office buildings and more
- Search over a million designs in our logo database at www.mamatting.com

SIZES

2' x 3'
3' x 4'
3' x 5'
3' x 10'
4' x 6'
4' x 8'
5' x 8'
5' x 10'
6' x 10'
6' x 12'

Sizes are approximate. See price list for all additional sizes. PMS custom color available at an additional charge.




WIPER/INDOOR



Classic Impressions
forest green



ENTRANCE/SCRAPER/INDOOR-OUTDOOR



SuperScape Impressions Logo

SUPERSCAPE IMPRESSIONS™ LOGO

3/16" Product No. 3559

- SuperScape Impressions™ Logo Mats offer a superior printing surface for your company logo or promotional message
- Multi-color images are created by molding a digitally printed polymeric material into durable nitrile rubber
- These long-lasting logo mats perform beautifully in all types of environments
- The high-traction surface effectively removes and traps tough dirt, grime and water from shoes
- 150 color options available. Photo-realistic images, print ready artwork, tones and shades are all produced with unparalleled detail and clarity.
- SuperScape Impressions™ are perfect for any application where colorful logo mats or message mats are needed
- Resistant to oils and chemicals


SIZES

2.5' x 3'
3' x 4'
3' x 5'
3' x 10'
4' x 6'
4' x 8'
6' x 6'
6' x 8'

Sizes are approximate. PMS custom color available at an additional charge.







INTERIOR-EXTERIOR MAT AND TILE COLLECTION

- WATERHOG® PLUS
- WATERHOG® LOW PROFILE
- WATERHOG® ECO GRAND ELITE
- WATERHOG® GRAND CLASSIC
- WATERHOG® ECO PREMIER
- WATERHOG® ECO PREMIER FASHION
- WATERHOG® ECO ELITE
- WATERHOG® ECO ELITE FASHION
- WATERHOG® CLASSIC
- WATERHOG® FASHION
- WATERHOG® DRAINABLE
- WATERHOG® CLASSIC DIAMOND
- WATERHOG® FASHION DIAMOND
- WATERHOG® ECO ELITE ROLL GOODS
- WATERHOG® DIAMONDCORD
- WATERHOG® MASTERPIECE SELECT
- WATERHOG® CLASSIC TILE
- WATERHOG® MODULAR TILE SQUARE
- WATERHOG® FORKLIFT
- MELT STEP™
- FRONTIER
- SUPERSCAPE™
- SUPERSCAPE™ PLUS
- MICROLUX™
- TRI-GRIP™/CLASSIC™ MATS/CLASSIC™ CARPETS
- TRI-GRIP™ XL
- ENVIRO PLUS®
- PLUSH™
- IMPRESSIONIST
- COBBLESTONE
- SURE STRIDE®
- SURE STRIDE® PLUSH
- CLEAN STRIDE®



Scraper Entrance Mats

Your First Line of Defense

Scraper mats are designed to stop mud and larger particles of dirt from being tracked inside buildings. These mats provide aggressive scraping action and trap dirt and debris in recessed areas until the mats are cleaned. Scraper mats can be used outside or inside and should be used in conjunction with a Scraper/Wiper mat and a Wiper mat.



Scraper/Wiper Entrance Mats

The Second Step to Keeping Dirt Outside

Scraper/Wiper mats are designed to provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough fabrics. They channel and retain dust in recessed grooves while absorbing moisture in the fabric face. These mats are primarily used inside but may be used outside in covered areas.



Wiper Entrance Mats


The Third Weapon Against Dirt and Moisture

Wiper Entrance Mats are designed to stop any remaining dust and moisture left after using the Scraper mat and Scraper/Wiper mat. These mats are made with carpet facing to complement most interiors. These mats are for indoor use and when used in conjunction with a Scraper mat and Scraper/Wiper mat, they can stop as much as 85% to 95% of dirt and grime from being tracked into a building.

Preventative Maintenance

Mats are the first defense to stop dirt and moisture from entering your building.


Mats filter these contaminants from entering the facility, saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.



Consider These Facts...

- 70% to 80% of dust, grime and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors
- One square yard of carpet can accumulate one pound of dirt a week—twice that in inclement weather
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs. As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 10' to 15' (as recommend by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets

Waterhog® Backing Types



SBR Rubber
.078 mil thickness
Cleated backing
Recommended for carpeted floors.



SBR Rubber
.078 mil thickness
Smooth backing
Recommended for hard floor surfaces with light to medium traffic.



Nitrile Rubber
.100 mil thickness
Anchor Safe backing
Recommended for hard floor surfaces with heavy traffic and where carts are in use.

Slip and Fall Facts

THE PROBLEM:

- *Slip and falls are the second leading cause of all workplace injuries (Liberty Mutual Workplace Safety Index; 2007)*
- Approximately 25,000 people a day are victims of slip and fall accidents (NSC)

THE COST:

- Compensation and medical costs associated with employee slip and fall accidents total approximately \$70 billion annually (NSC)
- *The average cost of a slip and fall related injury exceeds \$12,000 (Wausau Insurance)*

THE HUMAN FACTOR:

- 65% of all lost work days are due to slip and fall accidents
- 22% of slip and fall accidents resulted in more than 31 days away from work (Bureau of Labor Statistics)

THE RISK:

- *The average cost to defend a slip and fall lawsuit is \$50,000 (NFSI)*
- 57% of all food service general liability claims are slip and fall accidents (C.N.A. Insurance)
- Since 1980, personal injury lawsuits have risen by more than 300% in the food service industry (National Floor Safety Institute)
- Plaintiffs win 51% of premises liability claims (JVR)

WATERHOG® PLUS

3/8" Product No. 185

Features a 100% PET recycled surface with a durable nitrile rubber backing.

- **Clean and dry** - water dam border holds moisture; raised nubs are resistant to crushing and keep dirt below foot level
- **Environmentally-friendly** - constructed with 100% post-consumer PET polyester (made from recycled plastic)
- **Safe** - beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute
- **Durable** 90 mil nitrile rubber backing ensures the mat lays flat and remains in place


SIZES

2' x 3'
3' x 4'
3' x 5'
3' x 10'
4' x 6'
4' x 8'
5' x 7'*
5' x 10'*
6' x 12'

*Minimum order of 100 pieces required for select sizes. Sizes are approximate.



ENTRANCE/SCRAPER-WIPER/INDOOR



Waterhog Plus
grey ash



Waterhog Plus
grey ash



Black Smoke

Indigo

Southern Pine

Grey Ash

Maroon

Chestnut Brown

Regal Red

Khaki



ENTRANCE/SCRAPER-WIPER/INDOOR



Waterhog Low Profile
charcoal

WATERHOG® LOW PROFILE

3/10" Product No. 251

- Guards against slip and falls by keeping floor dry and clean... 80% of slip and fall accidents occur on wet floors
- Low profile flat borders reduce potential tripping hazards
- Easy to install and maintain. Perfect for permanent and semi-permanent installations.
- Commercial grade polypropylene fabric for high traffic areas
- Mats feature Anchor Safe Backing made with heavy 100 mil nitrile rubber that keeps mats in place

SIZES

3' x 5'
3' x 10'
4' x 6'
4' x 10'

Sizes are approximate.




cocoa brown



charcoal



granite



Anchor Safe
Backing Design





Waterhog Eco Grand Elite
two ends
maroon



Waterhog Eco Grand Elite
one end
khaki



ENTRANCE/SCRAPER-WIPER/
INDOOR-OUTDOOR




Half Oval
Product No. 2246



One End
Product No. 2243



Two Ends
Product No. 2244



Rubber reinforced textile

Fabric Border



Waterhog Eco Grand Elite
khaki

WATERHOG® ECO GRAND ELITE

3/8" Half Oval: No. 2246 One End: No. 2243 Two Ends: No. 2244

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

HALF OVAL	TWO ENDS
3' x 1.8'	3' x 7.1'
4' x 2.3'	3' x 11.7'
6' x 3.3'	3' x 15.5'
	3' x 19.4'
ONE END	
3' x 5.5'	3' x 23.2'
3' x 10'	4' x 8'
3' x 13.9'	4' x 12.6'
3' x 17.7'	4' x 16.5'
3' x 21.6'	4' x 20.3'
4' x 5.9'	6' x 10.1'
4' x 10.5'	6' x 14.8'
4' x 14.4'	6' x 18.6'
4' x 18.2'	6' x 22.4'
4' x 22'	
6' x 7'	
6' x 11.6'	
6' x 15.4'	
6' x 19.3'	
6' x 23.1'	

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard. Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. ***Note:** Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.



170 black smoke

171 indigo

172 southern pine

173 grey ash

174 maroon

175 chestnut brown

176 khaki

177 regal red





Waterhog Grand Classic
one end
medium grey



Waterhog Grand Classic
half oval
bordeaux

Waterhog Grand Classic
two ends
evergreen

WATERHOG® GRAND CLASSIC

3/8" half oval: No. 272 one end: No. 273 two ends: No. 274

- 24 oz./yd. Polypropylene fiber system dries quickly and won't fade or rot
- Green friendly rubber backing has 20% recycled rubber content
- Exclusive rubber-reinforced face pattern prevents pile from crushing, extending performance life
- Unique ridged construction effectively removes and holds dirt & moisture below shoe level
- Exclusive "Water Dam" border allows Waterhog to trap dirt and water
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES



HALF OVAL	TWO ENDS
3' x 1.8'	3' x 7'
4' x 2.3'	3' x 11.7'
6' x 3.3'	3' x 15.5'
	3' x 19.4'
ONE END	3' x 23.2'
3' x 5.5'	4' x 8'
3' x 10'	4' x 12.6'
3' x 13.9'	4' x 16.5'
3' x 17.7'	4' x 20.3'
3' x 21.6'	6' x 10.1'
4' x 5.9'	6' x 14.8'
4' x 10.5'	6' x 18.6'
4' x 14.4'	6' x 22.4'
4' x 18.2'	
4' x 22'	
6' x 7'	
6' x 11.6'	
6' x 15.4'	
6' x 19.3'	
6' x 23.1'	

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.


*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.



ENTRANCE/SCRAPER-WIPER/
INDOOR-OUTDOOR



Fabric border



Waterhog Grand Classic
dark brown



150 camel 151 medium brown 152 dark brown 153 light green* 154 charcoal 155 red/black 156 medium blue 157 medium grey 158 bluestone 159 evergreen



160 bordeaux 161 navy 162 white* 163 aquamarine* 164 gold* 165 solid red* 166 yellow* 167 orange* 168 purple*

*These colors are ONLY available in 3' and 4' widths.





Waterhog Eco Premier
grey ash




ENTRANCE/SCRAPER-WIPER/
INDOOR-OUTDOOR

WATERHOG® ECO PREMIER

3/8" Product No. 2295

WATERHOG® ECO PREMIER FASHION

3/8" Product No. 2297




Waterhog Eco Premier Fashion
southern pine

Waterhog Eco Premier




Rubber reinforced textile Rubber border

Waterhog Eco Premier Fashion



Rubber reinforced textile Fabric border



Waterhog Eco Premier
khaki

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

2' x 3'	4' x 10'
3' x 4'	4' x 12.2'
3' x 5'	4' x 16'
3' x 6'	4' x 20'
3' x 8.4'	6' x 6'
3' x 10'	6' x 8.4'
3' x 12.2'	6' x 12.2'
3' x 16'	6' x 16'
3' x 20'	6' x 20'
4' x 6'	
4' x 8.4'	

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.



170 black smoke

171 indigo

172 southern pine

173 grey ash


174 maroon

175 chestnut brown

176 khaki

177 regal red





Waterhog Eco Elite
maroon

WATERHOG® ECO ELITE

3/8" Product No. 2240

WATERHOG® ECO ELITE FASHION

3/8" Product No. 2241

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surface
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

2' x 3'	4' x 10'
3' x 4'	4' x 12.2'
3' x 5'	4' x 16'
3' x 6'	4' x 20'
3' x 8.4'	6' x 6'
3' x 10'	6' x 8.4'
3' x 12.2'	6' x 12.2'
3' x 16'	6' x 16'
3' x 20'	6' x 20'
4' x 6'	
4' x 8.4'	


Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard. Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. *Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.




ENTRANCE/SCRAPER-WIPER/
INDOOR-OUTDOOR



Waterhog Eco Elite Fashion
southern pine



Rubber reinforced textile Rubber border



Rubber reinforced textile Fabric border



Waterhog Eco Elite
khaki



170 black smoke

171 indigo

172 southern pine

173 grey ash

174 maroon

175 chestnut brown

176 khaki

177 regal red



Waterhog Fashion
evergreen

Waterhog Classic
bordeaux



ENTRANCE/SCRAPER-WIPER/
INDOOR-OUTDOOR

WATERHOG® DRAINABLE

3/8" Product No. 250

Waterhog Drainable
evergreen

SEE PRICE BOOK FOR DETAILS

Waterhog Classic



Rubber reinforced textile Rubber border

Waterhog Fashion



Rubber reinforced textile Fabric border

Waterhog Fashion
bordeaux

WATERHOG® CLASSIC

3/8" Product No. 200

WATERHOG® FASHION

3/8" Product No. 280

- 24 oz/sq yd solution dyed polypropylene fabric is highly stain resistant
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surface
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

18" x 27" 4' x 8'
2' x 3' 4' x 10'
3' x 4' 4' x 12'
3' x 5' 4' x 16'
3' x 8' 4' x 20'
3' x 10' 6' x 8'
3' x 12' 6' x 12'
3' x 16' 6' x 16'
3' x 20' 6' x 20'
4' x 6'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard. Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. ***Note:** Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.



150 camel 151 medium brown 152 dark brown 153 light green* 154 charcoal 155 red/black 156 medium blue 157 medium grey 158 bluestone 159 evergreen



160 bordeaux 161 navy 162 white* 163 aquamarine* 164 gold* 165 solid red* 166 yellow* 167 orange* 168 purple*

*These colors are available in 3' and 4' widths only.





Waterhog Classic Diamond
red/black

WATERHOG® CLASSIC DIAMOND

3/8" Product No. 208

WATERHOG® FASHION DIAMOND

3/8" Product No. 221

- 24 oz/sq yd Polypropylene fiber system dries quickly and won't fade or rot
- Green friendly rubber backing has 20% recycled rubber content
- Exclusive rubber-reinforced face pattern prevents pile from crushing, extending performance life
- Unique ridged construction effectively removes and holds dirt & moisture below shoe level between cleanings
- Exclusive "Water Dam" border allows Waterhog to trap dirt and water
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES


2' x 3'	4' x 8.4'
3' x 4'	4' x 10'
3' x 5'	4' x 12.2'
3' x 6'	4' x 16'
3' x 8.4'	4' x 20'
3' x 10'	6' x 6'
3' x 12.2'	6' x 8.4'
3' x 16'	6' x 12.2'
3' x 20'	6' x 16'
4' x 6'	6' x 20'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.




ENTRANCE/SCRAPER-WIPER/
INDOOR-OUTDOOR



Waterhog Fashion Diamond
evergreen

Waterhog Classic Diamond




Rubber reinforced textile Rubber border

Waterhog Fashion Diamond



Rubber reinforced textile Fabric border



Waterhog Classic Diamond
navy



150 camel 151 medium brown 152 dark brown 153 light green* 154 charcoal 155 red/black 156 medium blue 157 medium grey 158 bluestone 159 evergreen



160 bordeaux 161 navy 162 white* 163 aquamarine* 164 gold* 165 solid red* 166 yellow* 167 orange* 168 purple*

*These colors are ONLY available in 3' and 4' widths.



Waterhog Eco Elite Roll Goods
maroon



ENTRANCE/SCRAPER-WIPER/
INDOOR-OUTDOOR



Waterhog Eco Elite Roll Goods
grey ash

WATERHOG® ECO ELITE ROLL GOODS

3/8" Product No. 2271* and 2272**

- Environmentally friendly matting solution is made with 100% post-consumer recycled PET Polyester fiber derived from used plastic bottles
- Rubber backing contains 20% post-consumer recycled tires
- Permanently reinforced bi-level Waterhog construction effectively allows dirt and moisture to be filtered at the door and contained in the base of the mat, away from foot traffic
- Every square foot of a Waterhog Eco mat eliminates 4 half liter plastic bottles from the waste stream
- May be purchased pre-seamed and bordered or rolls may be purchased separately and installed on site
- Great for large entrances and custom cut applications in sizes up to 12'x 50'

*CUSTOM SIZES

See price list for additional information.

**ROLL SIZE

(Does not include nosing)
6' x 67'



170 black smoke

171 indigo

172 southern pine

173 grey ash

174 maroon

175 chestnut brown

176 khaki

177 regal red

WATERHOG® DIAMONDCORD

3/8" Product No. 296

- 26 oz Corduroy berber look offers the ultimate in aesthetic appeal
- Manufactured with a permanent rubber reinforced bi-level face that minimizes crushing to provide dirt and moisture collection
- Thick and fine Polypropylene fibers wipe and scrape at the same time
- Rubber backing is 20% post-consumer recycled tire content
- Rubber water dam border keeps moisture and dirt from migrating off the mat
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Ideal choice for medium traffic placements

SIZES

2' x 3' 4' x 6'
3' x 4' 4' x 8.4'
3' x 5' 4' x 10'
3' x 6' 6' x 6'
3' x 8.4' 6' x 8.4'
3' x 10'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.



ENTRANCE/SCRAPER-WIPER/
INDOOR



Waterhog Diamondcord
brown cord

Waterhog Diamondcord
brown cord



180 charcoal cord



181 green cord



182 grey cord



183 brown cord



ENTRANCE/SCRAPER-WIPER/
INDOOR



Waterhog Masterpiece Select
mauve

WATERHOG® MASTERPIECE SELECT

3/8" Product No. 265

- Construction provides a rubber reinforced bi-level surface for long-term service
- 28 oz Polypropylene face and a SBR rubber backing with 20% post-consumer recycled tire content
- Rubber water dam border keeps moisture and dirt from migrating off the mat
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Ideal choice for medium traffic placements

SIZES

2' x 3' 4' x 6'
3' x 4' 4' x 8'
3' x 5' 4' x 10'
3' x 8' 6' x 8'
3' x 10'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.



230 ocean wave



231 nutmeg



232 mauve




233 pewter



234 smoky teal



235 thunderstorm



Waterhog Masterpiece Select
mauve



WATERHOG® CLASSIC TILE


1/4" and 7/16"

No. 210-square, No. 216-diamond, No. 219-diagonal, No. 220-geometric

- Offers the same outstanding cleaning performance and benefits as the Waterhog Classic mat
- Premium 24-ounce anti-static, 100% polypropylene fiber system with SBR rubber backing
- 18" x 18" tiles
- Classic square, diamond, diagonal or geometric pattern
- Designed to be installed in high-traffic areas such as entrances, recessed mat wells, lobbies, vestibules and elevators

SIZE

18" x 18"



square pattern
bluestone

diamond pattern
navy

diagonal pattern
bordeaux


geometric pattern
evergreen



ENTRANCE/SCRAPER-WIPER/
INDOOR



Waterhog Classic Tile
geometric pattern
dark brown



150 camel

151 medium brown

152 dark brown

153 light green

154 charcoal

155 red/black

157 medium grey

158 bluestone

159 evergreen

160 bordeaux

161 navy

162 white

163 aquamarine

164 gold

165 solid red


166 yellow

167 orange


168 purple



ENTRANCE/SCRAPER-WIPER/
INDOOR-OUTDOOR



Waterhog Modular Tile Square
camel



side border

corner border


SIZES

18" x 18" x 7/16" 36" x 36" x 7/16"
18" Side Border 36" Side Border
18" Corner Border 36" Corner Border

WATERHOG® MODULAR TILE SQUARE

7/16" Product No. 2210

- Cover large areas with this modular flooring entrance system without gluing in place. Professional flooring installer is not needed to install this system.
- 18" x 18" and 36" x 36" modular tiles link together easily
- Tapered rubber borders
- Side and corner borders securely link to outer perimeter of the installation
- Modular tiles can be cut in place if necessary
- Rubber reinforced bi-level cleaning surface provides long term cleaning performance
- Polypropylene face fabric is anti-static, stain resistant, fast drying and won't fade or rot
- Designed for high traffic entrances, recessed entrance areas, lobbies, vestibules and elevators in class a buildings, schools, hospitals, hotels, restaurants and other commercial establishments



150 camel

151 medium brown

152 dark brown

153 light green

154 charcoal

155 red/black

156 medium blue

157 medium grey

158 bluestone

159 evergreen

160 bordeaux

161 navy






Waterhog Forklift
charcoal



SLIP RESISTANT/WET ENVIRONMENTS/INDOOR-OUTDOOR

WATERHOG® FORKLIFT

3/8" Product No. 1253
3" x 108" Roll Double Sided Tape Product No. 1049



- Bi-level surface effectively removes moisture and dirt from forklift wheels to help keep your facility clean
- Modular mats are easy to install and scalable for the application
- Aggressive adhesive taping system keeps tiles from moving (tape sold separately)
- Polypropylene carpet is easy to clean and fast drying
- Made in the USA
- Durable rubber backing and polypropylene carpet top withstands forklift traffic up to 14,000 lbs
- Recommended for all buildings where forklifts must enter and exit a building to and from the outside

SIZE

4' x 6'
Sizes are approximate.



medium brown

dark brown

charcoal

red/black

medium grey

navy



SLIP RESISTANT/WET ENVIRONMENTS
OUTDOOR

MELT STEP™

3/8" OneConnector Product No. 886
3/8" TwoConnector Product No. 887
Accessories Product No. 889

- A convenient and reliable solution for melting snow and ice from walkways to prevent slip and fall accidents
- Unique reversible design permits electrical connection on right or left side of walkway
- Water proof electrical connection system with GFCI switch prevents electrical shock hazard
- 6' power cord (120 volts) with GFCI switch as well as a 6' extension cord are both sold separately
- Up to 4 mats can be connected in sequence
- Durable molded nitrile rubber construction is water proof, UV resistant, and flexible in freezing temperatures

SIZE

3' x 5'
Sizes are approximate.

ACCESSORIES



Melt Step
6' extension cord



Melt Step
6' cord + GFCI

Melt Step
One Connector

Melt Step
Two Connector

FRONTIER

3/8" Product No. 437

- Unbacked vinyl loop scraper mat
- Filters dirt and water at the door
- Use in locker rooms, showers and around pools
- Order with or without edging

SIZES

2' x 3' 4' x 8'
3' x 5' 3' x 60'
3' x 10' 4' x 60'
4' x 6'


Sizes are approximate.
Additional lengths up to 40' in 3' and 4' widths



1 dark grey

2 brown

3 blue



Frontier brown



Frontier brown



ENTRANCE/SCRAPER/INDOOR-OUTDOOR



ENTRANCE/SCRAPER/INDOOR-OUTDOOR



SuperScape



SuperScape

SUPERSCAPE™

3/16" Product No. 555 and 5555*

- Durable 100% nitrile rubber mat provides slip-resistant surface
- Molded tread-surface face cleats effectively scrape tough dirt and grime off shoes
- Earth-friendly mat has 20% recycled Nitrile rubber
- Perfect for use outside of entrances as a scraper mat or as a slip resistant mat in wet areas
- Certified high-traction by the National Floor Safety Institute (NFSI)

SIZES

2'6" x 3'
3' x 5'
3' x 10'
4' x 6'
*4' x 8'
*6' x 6'
*6' x 8'

Sizes are approximate.

SUPERSCAPE™ PLUS

3/16" without holes Product No. 5558
3/16" with holes Product No. 5559

- Durable 100% nitrile rubber mat provides slip-resistant surface
- Multi-directional molded tread pattern effectively scrapes tough dirt and grime off shoes
- Drainable border filters water off the mat. Available with or without holes.
- Chemical resistant, grease/oil proof
- Perfect for use outside of entrances as a scraper mat or as a slip resistant mat in wet areas


SIZES

2'6" x 3'
3' x 5'
3' x 10'
4' x 6'

Sizes are approximate.



INTERIOR-EXTERIOR/SCRAPER



SuperScape Plus

SuperScape Plus

SuperScape Plus with holes



MICROLUXTM

Product No. 1201

Features traditional nylon fibers blended with finer denier fibers that work together to absorb high levels of dirt and moisture.


- **Superior dust and moisture control** - absorbs and retains 2.5 times more moisture than standard carpeted mats
- **Fade resistant** - solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- **Safe** - beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute
- **Durable nitrile rubber backing** (available in 52, 65, or 90 mil)

SIZES

2' x 3' 4' x 8'
2.5' x 3' 5' x 8'
2.5' x 4' 5' x 10'
3' x 4' 5' x 12'
3' x 5' 6' x 8'
3' x 10' 6' x 10'
4' x 6' 6' x 12'
Custom sizes up to 40'
Sizes are approximate.




WIPER/INDOOR



WIPER/INDOOR



Tri-Grip emerald green



Tri-Grip emerald green

TRI-GRIPTM / CLASSICTM MATS / CLASSICTM CARPETS

3/16" Product No. 100

Colors 101, 102, 103, 109, 111, 113, 114, 116, 119, 121, 128, 129, 132, 141 on SBR rubber

3/16" Product No. 190

Colors 105, 125, 126, 127, 131 on SBR rubber

TRI-GRIPTM XL

3/16" Product No. 2100 on Nitrile rubber

- Heavy, 100% static dissipative nylon face offers outstanding absorption and durability
- Tight, heat-set, Ultra-TwistTM yarn construction resists packing and crushing
- Earth friendly SBR rubber backing has 20% recycled content. Resists curling and cracking.
- Also available with oil and grease resistant nitrile rubber backing
- Available with cleated backing for placement on carpet or smooth backing for hard floor surfaces. Cleated backing available in 3', 4' and 5' widths only.
- Certified high-traction by the National Floor Safety Institute (NFSI)

SIZES

2' x 3'
3' x 4'
3' x 5'
3' x 6'
3' x 8'
3' x 10'
4' x 6'
4' x 8'
4' x 10'

Additional lengths up to 40'. See price list for all additional sizes.

XL SIZES

7'- 12' widths are available in lengths up to 30'. See price list for all additional sizes. Sizes are approximate.



101 red/black** 102 browntone** 103 cabot grey** 105 dark granite** 109 chocolate* 111 grey 113 charcoal** 114 platinum* 116 navy* 119 emerald green



121 solid red* 125 midnight blue* 126 autumn brown 127 burgundy berry* 128 steel blue 129 glen green 131 stardust grey 132 suede* 141 cranberry

All colors are available in 3' and 4' width

*5' widths available **5' and 6' widths available



ENVIRO PLUS®

1/4" Product No. 2202

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- Backing is post-consumer recycled tires and EPDM (post-industrial waste rubber); smooth backing only
- Recycled content is 89% of total product weight (76% post-consumer, 13% post-industrial)
- Effective as a wiper mat in entryways. Also use for floor protection and spill control at water fountains, break areas, food counters, hallways, labs and more
- Anti-static
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more


SIZES

2' x 3' 4' x 10'
3' x 4' 4' x 12'
3' x 5' 4' x 16'
3' x 8' 4' x 20'
3' x 10' 6' x 8'
3' x 12' 6' x 12'
3' x 16' 6' x 16'
3' x 20' 6' x 20'
4' x 6'
4' x 8'

Sizes are approximate. Additional lengths up to 60'. See price list for all additional sizes.



WIPER/INDOOR



Enviro Plus indigo



Enviro Plus khaki



170 black smoke

171 indigo

172 southern pine

173 grey ash



174 maroon

175 chestnut brown

176 khaki


177 regal red



MADE IN THE USA



WIPER/INDOOR



Plush red pepper

PLUSH™


Product No. 180

- Heavy, 35 oz./sq. yd. nylon face creates the ultimate wiping surface
- Double thick nitrile rubber backing keeps mat stable, even with cart traffic
- Solution dyed nylon face will not fade over time
- Available with grippers for placement on carpeted surfaces and smooth backing for hard surfaces
- Can be machine washed and dried or vacuumed and extraction cleaned
- Perfect for use in grocery stores, airports, educational facilities, Class A buildings or any high traffic entrance way

SIZES

2' x 3'
3' x 4'
3' x 10'
4' x 6'
4' x 8'

See price list for all additional sizes. Sizes are approximate.



Plush red pepper



66 black

48 brown/black

51 deeper navy

64 golden brown

67 midnight grey

76 red pepper

65 slate grey

53 dark green



MADE IN THE USA

IMPRESSIONIST

3/8" Product No. 871

- Continuous filament olefin yarn is colorfast and resists stains
- Smooth non-skid vinyl backing
- Not launderable
- Designed to release dirt easily with daily vacuuming, or can be cleaned with any commercial carpet cleaning system


SIZES

2' x 3' 4' x 6'
3' x 4' 4' x 8'
3' x 5' 3' x 60'
3' x 6' 4' x 60'
3' x 10'

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths lengths up to 40'.



WIPER/INDOOR



Impressionist
academy blue



Impressionist
academy blue



20 academy blue

21 burgundy

22 cardinal

23 black

24 forest green

25 navy blue

26 sable

27 salt & pepper




WIPER/INDOOR



Cobblestone
brick



Cobblestone
brick



10 blue

11 brick

12 brownstone

13 charcoal

14 green

15 silver

COBBLESTONE

5/16" Product No. 870

- Sturdy ribbed design scrapes and traps soil within the recessed grooves
- Durable polypropylene face is effective against dust and lighter weight soil
- Smooth non-skid vinyl backing
- Not launderable
- Easily cleaned by vacuum, hose or pressure washer

SIZES

2' x 3' 4' x 6'
3' x 4' 4' x 8'
3' x 5' 3' x 60'
3' x 6' 4' x 60'
3' x 10'

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths lengths up to 40'.

SURE STRIDE®

5/64" 3' x 100' Roll Product No. 4450

Cutting Board Product No. 4459

Cutting Knife Product No. 4460

- **Keeps Floors Dry** – retains up to 1 gallon of water per 10 linear feet (25% more than competitive products); moisture barrier keeps liquids from soaking through to the floor
- **Stays in Place** – tacki-back adhesive system keeps mat flat and in place, even with cart and buggy traffic
- **Quick & Easy to Install** – cut individual mats as needed from the roll
- **Easy to Clean** – polypropylene fabric (10 oz.) is durable and easy to clean
- **Safe** – certified high-traction by the National Floor Safety Institute (NFSI)

SIZE

3' x 100' roll

FREE CUTTING KNIFE with Each Roll!



- Will perform up to 3 months under normal use



INDOOR/SLIP-RESISTANT



INDOOR/SLIP-RESISTANT

SURE STRIDE® PLUSH

9/64" Product No. 4457

- **Keeps Floors Dry** – retains more than 1 gallon of water per 10 linear feet; moisture barrier keeps liquids from soaking through to the floor
- **Stays in Place** – tacki-back adhesive system keeps mat flat in in place, even with wheelchair, cart, and buggy traffic
- **Anti-microbial** – fabric is treated with an anti-microbial agent to help prevent odors
- **Quick & Easy to Install** – cut individual mats as needed from the roll
- **Easy to Clean** – recycled PET fabric (15 oz.) is durable and easy to clean
- **Safe** – certified high-traction by the National Floor Safety Institute (NFSI)
- Will perform for 3 to 6 months under normal use

SIZE

3' x 30' roll



CLEAN STRIDE®

3/8" frame only
3/8" frame with carpet
inserts

Product No. 410
Product No. 411
Product No. 412

- Earth-friendly SBR rubber backing has 20% recycled rubber content. Available in smooth or cleated backing.
- Not recommended for wet areas
- As foot traffic passes over the mat, the WaterHog™ surface scrapes larger particles while the adhesive insert captures smaller dust & dirt. With two footsteps on Clean Stride adhesive insert, over 90% of dirt particles are removed.
- Clean Stride mats provide highly effective dirt and dust removal methods for factories, computer rooms, warehouses, school gymnasiums, health care facilities and more

RUBBER FRAME SIZES

26.5" x 32"
36.5" x 46"

CARPET/ RUBBER FRAME SIZES

26.5" x 63.5"
36.5" x 92.5"
Clean Stride Mat
Frames **do not**
include Clean
Stride Inserts

INSERT SIZES

24" x 30"
34" x 44"



SCRAPER-WIPER/INDOOR

The Clean Stride adhesive insert is comprised of 60 layers of adhesive coated film. Each layer will perform many times before it must be peeled away. Each layer is numbered to ensure one sheet at a time removal and to indicate the number of layers remaining.



Clean Stride
red/black



150 camel 151 medium brown 152 dark brown 153 light green 154 charcoal 155 red/black 156 medium blue 157 medium grey 158 bluestone 159 evergreen



160 bordeaux 161 navy 162 white 163 aquamarine 164 gold 165 solid red 166 yellow 167 orange 168 purple

Applifast.



251 Cree Crescent, Winnipeg, MB Canada R3J 3X4
Tel: 204 837 8361 • 1 800 563 1293
info@applifast.com



applifast.com